

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	202	PM _{2.5}	2
2	Agra	Moderate	146	PM _{2.5}	6
3	Ahmedabad	Moderate	167	NO ₂	1
4	Aizawl	Good	41	PM ₁₀	1
5	Alwar	Moderate	125	PM _{2.5}	1
6	Amaravati	Moderate	162	PM _{2.5}	1
7	Ambala	Moderate	185	PM _{2.5}	1
8	Amritsar	Poor	252	PM _{2.5}	1
9	Anantapur	Satisfactory	66	O ₃	1
10	Ankleshwar	Poor	203	PM _{2.5}	1
11	Araria	Very Poor	309	PM _{2.5}	1
12	Arrah	Very Poor	395	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Very Poor	352	PM ₁₀	1
14	Aurangabad (Bihar)	Very Poor	354	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Satisfactory	99	PM ₁₀	1
16	Baddi	Very Poor	335	PM _{2.5}	1
17	Bagalkot	Good	42	PM ₁₀	1
18	Bahadurgarh	Poor	259	PM _{2.5}	1
19	Ballabgarh	Poor	285	PM _{2.5}	1
20	Bareilly	Moderate	154	PM _{2.5}	2
21	Baripada	Poor	206	PM _{2.5}	1
22	Bathinda	Poor	207	PM _{2.5}	1
23	Begusarai	Severe	473	PM _{2.5}	1
24	Belgaum	Moderate	131	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Moderate	114	PM _{2.5} , PM ₁₀	9
26	Bettiah	Poor	291	PM _{2.5}	1
27	Bhagalpur	Severe	401	PM _{2.5}	2
28	Bhiwadi	Very Poor	313	PM ₁₀	1
29	Bhiwani	Poor	243	PM _{2.5}	1
30	Bhopal	Moderate	144	PM ₁₀ , PM _{2.5}	2
31	Bidar	Satisfactory	97	PM ₁₀	1
32	Bilaspur	Moderate	125	PM ₁₀	1
33	Bileipada	Moderate	165	PM ₁₀	1
34	Brajrajnagar	Satisfactory	89	PM ₁₀	1
35	Bulandshahr	Poor	263	PM _{2.5}	1
36	Chamarajanagar	Satisfactory	51	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Poor	258	PM _{2.5}	2
38	Chandrapur	Poor	202	PM _{2.5}	2
39	Charkhi Dadri	Poor	237	PM _{2.5}	1
40	Chengalpattu	Moderate	106	PM ₁₀	1
41	Chennai	Moderate	110	PM _{2.5} , PM ₁₀	8
42	Chhapra	Severe	452	PM ₁₀	1
43	Chikkaballapur	Moderate	115	PM ₁₀	1
44	Chikkamagaluru	Good	46	PM ₁₀	1
45	Damoh	Good	40	PM _{2.5}	1
46	Darbhanga	Severe	431	PM _{2.5}	1
47	Davanagere	Satisfactory	98	PM ₁₀	1
48	Delhi	Very Poor	366	PM _{2.5}	37

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Satisfactory	99	PM ₁₀	1
50	Dharuhera	Very Poor	385	PM _{2.5}	1
51	Dindigul	Poor	208	NO ₂	1
52	Durgapur	Poor	257	PM _{2.5}	1
53	Faridabad	Very Poor	340	PM ₁₀ , PM _{2.5}	4
54	Fatehabad	Moderate	138	PM _{2.5}	1
55	Firozabad	Moderate	146	PM _{2.5}	2
56	Gandhinagar	Satisfactory	90	PM ₁₀	1
57	Gangtok	Satisfactory	53	PM _{2.5}	1
58	Gaya	Very Poor	320	PM _{2.5}	3
59	Ghaziabad	Very Poor	333	PM _{2.5}	4
60	Gorakhpur	Poor	204	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Very Poor	392	PM _{2.5}	2
62	Gurugram	Very Poor	364	PM _{2.5}	4
63	Guwahati	Moderate	195	PM _{2.5}	4
64	Gwalior	Very Poor	331	PM _{2.5}	3
65	Hajipur	Very Poor	320	PM ₁₀	1
66	Haldia	Moderate	156	PM ₁₀	1
67	Hapur	Moderate	159	PM _{2.5}	1
68	Hassan	Satisfactory	71	PM _{2.5}	1
69	Hisar	Moderate	158	PM _{2.5}	1
70	Hosur	Moderate	101	PM ₁₀	1
71	Howrah	Very Poor	305	PM _{2.5}	3
72	Hubballi	Moderate	103	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Moderate	121	PM _{2.5}	11
74	Imphal	Moderate	104	PM _{2.5} , SO ₂	2
75	Indore	Satisfactory	99	PM ₁₀	1
76	Jabalpur	Poor	208	PM ₁₀	1
77	Jaipur	Moderate	176	PM _{2.5} , PM ₁₀	3
78	Jalandhar	Poor	286	PM _{2.5}	1
79	Jhansi	Poor	220	PM _{2.5}	1
80	Jodhpur	Moderate	166	PM ₁₀	1
81	Kalaburgi	Moderate	136	PM _{2.5}	1
82	Kalyan	Moderate	132	PM ₁₀	1
83	Kanchipuram	Satisfactory	65	PM ₁₀	1
84	Kannur	Satisfactory	73	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kanpur	Moderate	187	PM ₁₀ , PM _{2.5}	3
86	Karnal	Poor	206	PM _{2.5}	1
87	Katihar	Severe	408	PM _{2.5}	1
88	Katni	Poor	224	PM _{2.5}	1
89	Keonjhar	Poor	224	PM _{2.5}	1
90	Khanna	Moderate	187	PM _{2.5}	1
91	Khurja	Poor	279	PM _{2.5}	1
92	Kishanganj	Poor	279	PM _{2.5}	1
93	Kochi	Moderate	157	PM _{2.5}	1
94	Kohima	Satisfactory	55	PM _{2.5}	1
95	Kolar	Moderate	159	SO ₂	1
96	Kolkata	Poor	283	PM _{2.5}	7

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kollam	Satisfactory	98	PM ₁₀	1
98	Koppal	Satisfactory	98	O ₃	1
99	Kota	Moderate	182	PM _{2.5}	1
100	Kurukshetra	Poor	226	PM _{2.5}	1
101	Lucknow	Poor	201	PM _{2.5}	6
102	Ludhiana	Moderate	174	PM _{2.5}	1
103	Madikeri	Good	40	O ₃	1
104	Maihar	Satisfactory	92	PM ₁₀	1
105	Mandi Gobindgarh	Very Poor	304	PM ₁₀	1
106	Mandideep	Satisfactory	98	PM ₁₀	1
107	Mandikhera	Moderate	145	PM ₁₀	1
108	Manesar	Very Poor	320	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mangalore	Moderate	148	PM _{2.5}	1
110	Manguraha	Satisfactory	77	PM ₁₀	1
111	Meerut	Moderate	157	PM _{2.5}	3
112	Moradabad	Moderate	106	PM _{2.5}	6
113	Motihari	Very Poor	312	PM ₁₀	1
114	Mumbai	Moderate	161	PM _{2.5} , PM ₁₀	17
115	Munger	Very Poor	347	PM _{2.5}	1
116	Muzaffarnagar	Poor	241	PM _{2.5}	1
117	Muzaffarpur	Very Poor	366	PM _{2.5}	3
118	Mysuru	Satisfactory	54	PM ₁₀	1
119	Nagpur	Moderate	172	PM _{2.5}	1
120	Nalbari	Poor	209	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nandesari	Good	17	PM _{2.5}	1
122	Narnaul	Moderate	172	PM _{2.5}	1
123	Navi Mumbai	Moderate	186	PM _{2.5}	2
124	Nayagarh	Moderate	170	PM _{2.5}	1
125	Noida	Very Poor	324	PM _{2.5}	4
126	Ooty	Satisfactory	76	со	1
127	Pali	Moderate	134	PM _{2.5}	1
128	Palwal	Satisfactory	67	PM ₁₀	1
129	Panchkula	Poor	225	PM _{2.5}	1
130	Panipat	Moderate	121	PM ₁₀	1
131	Patiala	Moderate	102	PM ₁₀	1
132	Patna	Severe	408	PM ₁₀ , PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pithampur	Moderate	116	PM ₁₀	1
134	Prayagraj	Moderate	173	PM _{2.5}	3
135	Puducherry	Satisfactory	84	PM ₁₀	1
136	Purnia	Very Poor	382	PM _{2.5}	1
137	Raichur	Good	43	PM _{2.5}	1
138	Rairangpur	Poor	232	PM _{2.5}	1
139	Rajamahendravaram	Moderate	162	PM _{2.5}	1
140	Rajgir	Very Poor	396	PM _{2.5}	1
141	Ramanagara	Satisfactory	99	PM _{2.5}	1
142	Ramanathapuram	Satisfactory	68	PM _{2.5}	1
143	Ratlam	Satisfactory	91	PM ₁₀	1
144	Rohtak	Moderate	195	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rourkela	Poor	251	PM _{2.5}	1
146	Rupnagar	Moderate	104	PM ₁₀	1
147	Sagar	Moderate	124	O ₃ , CO	2
148	Saharsa	Very Poor	397	PM ₁₀	1
149	Salem	Satisfactory	75	SO ₂	1
150	Samastipur	Very Poor	393	PM _{2.5}	1
151	Sasaram	Very Poor	356	PM _{2.5}	1
152	Satna	Satisfactory	98	PM ₁₀	1
153	Shillong	Good	48	PM _{2.5}	1
154	Shivamogga	Good	39	PM ₁₀	1
155	Siliguri	Moderate	127	PM ₁₀	1
156	Singrauli	Very Poor	332	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sirsa	Moderate	135	PM _{2.5}	1
158	Sivasagar	Good	43	PM _{2.5}	1
159	Siwan	Severe	440	PM _{2.5}	1
160	Solapur	Satisfactory	77	PM ₁₀	1
161	Sonipat	Moderate	195	PM ₁₀	1
162	Suakati	Moderate	166	PM _{2.5}	1
163	Talcher	Poor	223	PM _{2.5}	1
164	Tensa	Satisfactory	82	PM ₁₀	1
165	Thane	Moderate	159	O ₃	1
166	Thiruvananthapuram	Moderate	118	PM _{2.5}	2
167	Thoothukudi	Satisfactory	58	PM ₁₀	1
168	Thrissur	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupati	Satisfactory	94	PM _{2.5}	2
170	Tirupur	Satisfactory	53	PM ₁₀	1
171	Udaipur	Moderate	183	PM _{2.5}	1
172	Udupi	Moderate	102	со	1
173	Ujjain	Moderate	167	PM ₁₀	1
174	Vapi	Poor	265	PM _{2.5}	1
175	Varanasi	Moderate	126	PM _{2.5}	4
176	Vatva	Moderate	176	PM ₁₀	1
177	Vijayapura	Satisfactory	58	PM ₁₀	1
178	Visakhapatnam	Poor	214	PM _{2.5}	1
179	Vrindavan	Moderate	169	PM ₁₀	1
180	Yadgir	Satisfactory	90	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Yamunanagar	Poor	217	PM _{2.5}	1
182	vellore	Satisfactory	94	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ajmer, Baghpat, Bhilai, Bihar Sharif, Buxar, Chittoor, Coimbatore, Dehradun, Dharwad, Eloor, Ernakulam, Gadag, Gummidipoondi, Haveri, Jind, Jorapokhar, Kaithal, Korba, Kozhikode, Naharlagun, Nashik, Pune, Raipur, Srinagar, Surat, Tumakuru as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.