

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	137	PM _{2.5}	1
2	Agra	Satisfactory	93	PM ₁₀	6
3	Ahmedabad	Moderate	135	PM ₁₀	8
4	Aizawl	Satisfactory	58	PM ₁₀	1
5	Ajmer	Satisfactory	93	03	1
6	Alwar	Satisfactory	89	PM ₁₀	1
7	Amaravati	Satisfactory	63	СО	1
8	Ambala	Moderate	105	PM ₁₀	1
9	Amritsar	Moderate	121	PM _{2.5}	1
10	Anantapur	Satisfactory	51	PM _{2.5}	1
11	Ankleshwar	Satisfactory	64	PM ₁₀	1
12	Araria	Moderate	195	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	42	PM _{2.5}	1
14	Arrah	Moderate	126	PM ₁₀	1
15	Asansol	Moderate	134	PM ₁₀	1
16	Aurangabad (Bihar)	Moderate	107	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	77	PM ₁₀	1
18	Baddi	Poor	249	O ₃	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Moderate	129	PM ₁₀	1
21	Bahadurgarh	Moderate	120	PM ₁₀	1
22	Ballabgarh	Satisfactory	90	PM ₁₀	1
23	Bareilly	Satisfactory	68	PM ₁₀	2
24	Baripada	Good	45	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Satisfactory	64	PM ₁₀	1
26	Bathinda	Satisfactory	73	PM _{2.5}	1
27	Begusarai	Very Poor	309	PM _{2.5}	1
28	Belgaum	Satisfactory	52	PM ₁₀	1
29	Bengaluru	Satisfactory	71	PM ₁₀	13
30	Bettiah	Poor	257	PM _{2.5}	1
31	Bhagalpur	Moderate	136	PM ₁₀	2
32	Bharatpur	Moderate	135	PM ₁₀	1
33	Bhilai	Good	41	CO, NO ₂	3
34	Bhiwadi	Moderate	175	PM ₁₀	1
35	Bhiwani	Satisfactory	100	PM ₁₀	1
36	Bhopal	Satisfactory	86	PM ₁₀	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	166	PM ₁₀	1
38	Bikaner	Poor	224	PM ₁₀	1
39	Bileipada	Moderate	163	PM ₁₀	1
40	Bulandshahr	Satisfactory	87	PM ₁₀	1
41	Chamarajanagar	Good	45	PM ₁₀	1
42	Chandigarh	Moderate	127	O ₃ , PM ₁₀	3
43	Charkhi Dadri	Poor	216	PM _{2.5}	1
44	Chennai	Satisfactory	58	СО	6
45	Chhal	Good	48	PM ₁₀	1
46	Chhapra	Poor	217	PM ₁₀	1
47	Chikkaballapur	Good	47	PM ₁₀	1
48	Chikkamagaluru	Good	46	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittorgarh	Satisfactory	80	PM ₁₀	1
50	Churu	Moderate	147	PM ₁₀	1
51	Coimbatore	Moderate	116	со	1
52	Cuddalore	Satisfactory	76	NO ₂	2
53	Damoh	Good	16	со	1
54	Dausa	Moderate	176	PM ₁₀	1
55	Davanagere	Satisfactory	51	PM ₁₀	1
56	Dehradun	Satisfactory	79	PM ₁₀	1
57	Delhi	Moderate	150	PM _{2.5} , O ₃	39
58	Dewas	Satisfactory	58	PM _{2.5}	1
59	Dhanbad	Poor	228	PM _{2.5}	1
60	Dharuhera	Moderate	167	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharwad	Satisfactory	74	PM ₁₀	1
62	Dholpur	Satisfactory	93	03	1
63	Durgapur	Satisfactory	91	PM ₁₀	1
64	Faridabad	Moderate	132	PM _{2.5}	2
65	Fatehabad	Moderate	154	PM ₁₀	1
66	Firozabad	Moderate	112	PM ₁₀	1
67	Gadag	Good	50	SO ₂	1
68	Gandhinagar	Moderate	115	PM _{2.5} , PM ₁₀	3
69	Gangtok	Satisfactory	60	03	1
70	Gaya	Moderate	113	PM ₁₀ , PM _{2.5}	3
71	Ghaziabad	Moderate	133	PM _{2.5} , PM ₁₀	4
72	Gorakhpur	Moderate	167	03	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Moderate	190	03	2
74	Gummidipoondi	Moderate	104	PM ₁₀	1
75	Gurugram	Moderate	162	PM _{2.5}	3
76	Guwahati	Satisfactory	98	O ₃ , PM _{2.5}	4
77	Gwalior	Moderate	177	PM ₁₀ , PM _{2.5}	4
78	Hajipur	Moderate	170	PM ₁₀	1
79	Haldia	Good	44	PM ₁₀	1
80	Hanumangarh	Moderate	149	PM ₁₀	1
81	Hapur	Satisfactory	67	03	1
82	Haveri	Satisfactory	55	PM ₁₀	1
83	Howrah	Satisfactory	64	PM ₁₀	3
84	Hubballi	Satisfactory	80	PM ₁₀ , CO	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hyderabad	Satisfactory	96	PM _{2.5} , PM ₁₀	12
86	Imphal	Satisfactory	78	SO ₂	2
87	Indore	Satisfactory	64	PM ₁₀	2
88	Jabalpur	Satisfactory	78	03	1
89	Jaipur	Satisfactory	99	PM ₁₀	6
90	Jalandhar	Moderate	108	PM ₁₀	1
91	Jhalawar	Satisfactory	71	O ₃	1
92	Jhansi	Moderate	154	PM ₁₀	1
93	Jind	Satisfactory	79	PM _{2.5}	1
94	Jodhpur	Satisfactory	99	O ₃ , PM _{2.5}	4
95	Jorapokhar	Moderate	122	PM ₁₀	1
96	Kaithal	Satisfactory	90	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalaburgi	Good	47	SO ₂	2
98	Kalyan	Satisfactory	90	PM ₁₀	1
99	Kanchipuram	Satisfactory	54	PM ₁₀	1
100	Kanpur	Moderate	139	PM _{2.5}	4
101	Karauli	Satisfactory	82	PM _{2.5}	1
102	Karnal	Satisfactory	54	PM _{2.5}	1
103	Katni	Satisfactory	73	03	1
104	Keonjhar	Satisfactory	92	PM ₁₀	1
105	Khanna	Moderate	131	PM ₁₀	1
106	Kishanganj	Moderate	140	PM ₁₀	1
107	Kochi	Satisfactory	74	PM ₁₀	1
108	Kohima	Satisfactory	75	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolhapur	Satisfactory	72	PM ₁₀	2
110	Kolkata	Satisfactory	61	O ₃ , PM ₁₀	7
111	Kollam	Satisfactory	70	PM ₁₀	1
112	Korba	Satisfactory	75	PM ₁₀	1
113	Kota	Moderate	157	O ₃ , PM _{2.5}	3
114	Kurukshetra	Moderate	117	PM ₁₀	1
115	Lucknow	Moderate	154	PM _{2.5}	6
116	Ludhiana	Poor	252	PM _{2.5}	1
117	Mandi Gobindgarh	Moderate	179	PM _{2.5}	1
118	Mandikhera	Satisfactory	75	PM ₁₀	1
119	Manesar	Moderate	134	PM _{2.5}	1
120	Mangalore	Satisfactory	57	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Meerut	Moderate	121	PM ₁₀	3
122	Milupara	Satisfactory	58	PM ₁₀	1
123	Moradabad	Satisfactory	73	PM ₁₀	6
124	Motihari	Moderate	117	NO ₂	1
125	Mumbai	Satisfactory	71	CO, PM ₁₀	17
126	Munger	Poor	212	PM ₁₀	1
127	Muzaffarnagar	Moderate	117	PM ₁₀	1
128	Muzaffarpur	Poor	247	PM ₁₀ , O ₃	3
129	Mysuru	Good	49	PM ₁₀	1
130	Nagaon	Moderate	102	O ₃	1
131	Nagpur	Good	49	PM _{2.5}	1
132	Nalbari	Moderate	193	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

$^{\star}\,\mathrm{AQI}$ is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nandesari	Good	50	СО	1
134	Narnaul	Moderate	179	PM ₁₀	1
135	Navi Mumbai	Satisfactory	96	PM ₁₀	2
136	Nayagarh	Moderate	150	PM _{2.5}	1
137	Noida	Moderate	155	NO ₂ , PM ₁₀	4
138	Pali	Satisfactory	80	03	1
139	Palwal	Satisfactory	79	PM ₁₀	1
140	Panchkula	Moderate	151	PM _{2.5}	1
141	Panipat	Satisfactory	89	PM ₁₀	1
142	Patiala	Satisfactory	97	PM ₁₀	1
143	Patna	Moderate	180	PM _{2.5}	6
144	Pithampur	Satisfactory	60	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pratapgarh	Satisfactory	72	03	1
146	Prayagraj	Satisfactory	58	PM ₁₀	3
147	Puducherry	Good	49	PM _{2.5}	1
148	Pune	Moderate	118	PM ₁₀	3
149	Purnia	Satisfactory	72	PM ₁₀	1
150	Raichur	Satisfactory	73	PM ₁₀	1
151	Raipur	Satisfactory	61	PM ₁₀ , NO ₂	4
152	Rairangpur	Satisfactory	72	PM ₁₀	1
153	Rajamahendravaram	Satisfactory	71	PM ₁₀	1
154	Rajgir	Moderate	112	со	1
155	Rajsamand	Satisfactory	58	PM _{2.5}	1
156	Ramanagara	Satisfactory	54	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanathapuram	Good	43	СО	1
158	Ratlam	Satisfactory	65	NO ₂	1
159	Rishikesh	Good	50	03	1
160	Rohtak	Satisfactory	91	PM _{2.5}	1
161	Rourkela	Moderate	113	PM _{2.5}	2
162	Sagar	Satisfactory	91	03	1
163	Saharsa	Poor	236	PM _{2.5}	1
164	Samastipur	Poor	268	PM ₁₀	1
165	Sasaram	Very Poor	308	O ₃	1
166	Satna	Satisfactory	68	PM ₁₀	1
167	Sawai Madhopur	Satisfactory	79	O ₃	1
168	Shillong	Satisfactory	69	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shivamogga	Good	47	PM ₁₀	1
170	Sikar	Moderate	126	PM ₁₀	1
171	Silchar	Good	38	СО	1
172	Siliguri	Satisfactory	81	PM ₁₀	1
173	Singrauli	Moderate	117	PM ₁₀	1
174	Sirsa	Moderate	128	PM ₁₀	1
175	Sivasagar	Good	27	PM _{2.5}	1
176	Siwan	Moderate	196	PM _{2.5}	1
177	Solapur	Moderate	106	PM ₁₀	1
178	Sri Ganganagar	Poor	276	PM ₁₀	1
179	Srinagar	Good	42	PM ₁₀	1
180	Suakati	Satisfactory	79	PM ₁₀	1

Notes:

available.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

Brajrajnagar, Bundi, Buxar, Byrnihat, Chandrapur, Chengalpattu, Chittoor, Darbhanga, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jaisalmer, Jhunjhunu, Kadapa, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal, Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Manguraha, Naharlagun, Nashik, Ooty, Palkalaiperur, Pimpri Chinchwad, Rupnagar, Salem, Sirohi, Sonipat, Surat, Thane, Udupi, Vijayawada, vellore as data was not

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Talcher	Satisfactory	67	PM ₁₀	1
182	Tensa	Satisfactory	76	PM ₁₀	1
183	Thiruvananthapuram	Good	45	со	2
184	Thoothukudi	Satisfactory	76	03	1
185	Thrissur	Satisfactory	68	PM ₁₀	1
186	Tirupati	Satisfactory	88	PM _{2.5} , PM ₁₀	2
187	Tirupur	Good	34	PM ₁₀	1
188	Tonk	Satisfactory	98	PM ₁₀	1
189	Tumakuru	Moderate	108	PM ₁₀	1
190	Tumidih	Satisfactory	56	PM ₁₀	1
191	Udaipur	Satisfactory	75	PM ₁₀	1
192	Ujjain	Satisfactory	75	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vapi	Satisfactory	89	PM _{2.5}	1
194	Varanasi	Satisfactory	65	SO ₂	4
195	Vatva	Moderate	118	PM ₁₀	1
196	Vijayapura	Good	46	PM ₁₀	1
197	Visakhapatnam	Moderate	111	PM ₁₀	1
198	Vrindavan	Moderate	154	PM ₁₀	1
199	Yadgir	Good	50	PM _{2.5}	1
200	Yamunanagar	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Banswara, Bidar, Bilaspur,

Prajrajnagar, Bundi, Buxar, Byrnihat, Chandrapur, Chengalpattu, Chittoor,
Darbhanga, Dindigul, Eloor, Ernakulam, Hassan, Hisar, Hosur, Jaisalmer,

Notes: Jhunjhunu, Kadapa, Kannur, Kashipur, Katihar, Khurja, Kolar, Koppal,
Kozhikode, Kunjemura, Madikeri, Maihar, Mandideep, Manguraha, Naharlagun,
Nashik, Ooty, Palkalaiperur, Pimpri Chinchwad, Rupnagar, Salem, Sirohi,
Sonipat, Surat, Thane, Udupi, Vijayawada, vellore as data was not

Some stations have data available at 3PM

available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.