

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM _{2.5} , PM ₁₀	2
2	Agra	Good	26	PM _{2.5} , SO ₂ , CO	6
3	Ahmedabad	Satisfactory	79	SO ₂	1
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	60	PM ₁₀	1
6	Alwar	Satisfactory	67	PM ₁₀	1
7	Amaravati	Good	36	СО	1
8	Ambala	Satisfactory	52	PM _{2.5}	1
9	Amritsar	Satisfactory	59	NO ₂	1
10	Arrah	Satisfactory	79	со	1
11	Asansol	Satisfactory	68	NO ₂	1
12	Aurangabad (Bihar)	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	65	СО	1
14	Bagalkot	Good	42	PM ₁₀	1
15	Baghpat	Good	49	O ₃	1
16	Ballabgarh	Good	46	PM ₁₀	1
17	Bareilly	Good	20	O ₃	1
18	Bathinda	Satisfactory	60	PM ₁₀	1
19	Begusarai	Good	32	PM _{2.5}	1
20	Bengaluru	Satisfactory	65	PM ₁₀	8
21	Bettiah	Satisfactory	57	PM ₁₀	1
22	Bhagalpur	Satisfactory	63	NO ₂ , CO	2
23	Bhiwadi	Good	44	PM ₁₀	1
24	Bhiwani	Satisfactory	71	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Good	49	PM _{2.5}	1
26	Bilaspur	Satisfactory	60	PM ₁₀	1
27	Bulandshahr	Good	37	O ₃	1
28	Buxar	Satisfactory	94	PM _{2.5}	1
29	Chamarajanagar	Good	35	PM ₁₀	1
30	Chandigarh	Good	41	O ₃ , PM ₁₀	3
31	Chandrapur	Moderate	102	PM _{2.5}	2
32	Chennai	Satisfactory	55	CO, PM ₁₀	8
33	Chhapra	Satisfactory	55	СО	1
34	Chikkamagaluru	Good	23	PM ₁₀	1
35	Coimbatore	Good	34	PM ₁₀	1
36	Damoh	Good	21	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Darbhanga	Good	43	со	1
38	Davanagere	Good	28	PM ₁₀	1
39	Dehradun	Good	40	03	1
40	Delhi	Satisfactory	72	O ₃ , CO, PM ₁₀	31
41	Dewas	Good	32	PM ₁₀	1
42	Dharuhera	Moderate	115	PM _{2.5}	1
43	Durgapur	Satisfactory	65	PM ₁₀	1
44	Eloor	Satisfactory	54	PM ₁₀	1
45	Faridabad	Satisfactory	77	SO ₂ , PM ₁₀	2
46	Firozabad	Good	34	SO ₂	1
47	Gadag	Good	24	SO ₂	1
48	Gandhinagar	Good	29	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gangtok	Good	12	03	1
50	Gaya	Satisfactory	74	NO ₂ , PM _{2.5} , PM ₁₀	3
51	Ghaziabad	Satisfactory	52	PM ₁₀ , PM _{2.5}	4
52	Greater Noida	Satisfactory	54	PM ₁₀	2
53	Gurugram	Satisfactory	74	PM ₁₀ , O ₃	3
54	Guwahati	Good	40	O ₃ , SO ₂	2
55	Gwalior	Good	41	O ₃	1
56	Hajipur	Satisfactory	53	PM ₁₀	1
57	Haldia	Good	34	СО	1
58	Hapur	Good	49	со	1
59	Hassan	Good	50	SO ₂	1
60	Haveri	Good	39	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Satisfactory	68	O ₃	1
62	Howrah	Good	30	PM ₁₀ , CO	3
63	Hubballi	Good	41	PM ₁₀	1
64	Hyderabad	Good	48	CO, PM _{2.5} , PM ₁₀	14
65	Imphal	Satisfactory	67	O ₃ , PM ₁₀	2
66	Indore	Good	46	NO ₂	1
67	Jabalpur	Good	38	со	1
68	Jaipur	Good	46	O ₃ , CO	3
69	Jalandhar	Good	46	03	1
70	Jhansi	Good	37	PM ₁₀	1
71	Jind	Satisfactory	75	со	1
72	Jodhpur	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Good	46	PM _{2.5}	1
74	Kalaburgi	Good	31	PM ₁₀	1
75	Kalyan	Satisfactory	51	PM ₁₀	1
76	Kannur	Satisfactory	53	PM _{2.5}	1
77	Kanpur	Good	36	PM ₁₀ , PM _{2.5}	4
78	Karnal	Good	34	PM ₁₀	1
79	Katihar	Satisfactory	62	PM ₁₀	1
80	Katni	Good	30	со	1
81	Khanna	Good	47	PM ₁₀	1
82	Kishanganj	Satisfactory	59	O ₃	1
83	Kochi	Moderate	138	PM _{2.5}	1
84	Kohima	Satisfactory	53	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Good	40	PM ₁₀ , CO, O ₃	7
86	Kollam	Satisfactory	59	PM ₁₀	1
87	Kota	Good	45	PM ₁₀	1
88	Kozhikode	Satisfactory	64	PM ₁₀	1
89	Kurukshetra	Good	37	PM _{2.5}	1
90	Lucknow	Good	46	NO ₂ , CO, PM _{2.5}	5
91	Ludhiana	Good	44	PM _{2.5}	1
92	Madikeri	Good	19	03	1
93	Mandi Gobindgarh	Moderate	104	PM _{2.5}	1
94	Mandideep	Satisfactory	54	03	1
95	Manglore	Good	49	NO ₂	1
96	Manguraha	Good	23	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Good	43	CO, PM ₁₀	3
98	Moradabad	Good	48	CO, PM ₁₀ , O ₃	6
99	Motihari	Good	49	03	1
100	Mumbai	Good	48	CO, SO ₂ , PM ₁₀	13
101	Muzaffarpur	Satisfactory	59	PM ₁₀	1
102	Mysuru	Good	46	PM ₁₀	1
103	Nagpur	Good	26	PM ₁₀	1
104	Narnaul	Good	40	PM _{2.5}	1
105	Navi Mumbai	Satisfactory	71	CO, PM ₁₀	3
106	Noida	Satisfactory	68	CO, SO ₂	3
107	Palwal	Satisfactory	76	PM ₁₀	1
108	Panchkula	Good	29	NO ₂	1

Possible Health Impacts

Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patiala	Good	45	O ₃	1
110	Patna	Satisfactory	88	PM ₁₀ , O ₃	6
111	Pithampur	Good	29	PM ₁₀	1
112	Prayagraj	Satisfactory	85	PM _{2.5} , SO ₂ , PM ₁₀	3
113	Puducherry	Good	37	PM ₁₀	1
114	Purnia	Good	44	PM _{2.5}	1
115	Raichur	Satisfactory	51	СО	1
116	Rajamahendravaram	Good	37	PM ₁₀	1
117	Rajgir	Good	32	со	1
118	Ramanagara	Good	41	PM ₁₀	1
119	Ratlam	Good	19	PM _{2.5}	1
120	Rohtak	Good	39	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rupnagar	Satisfactory	75	PM ₁₀	1
122	Sagar	Satisfactory	66	со	1
123	Saharsa	Good	40	NO ₂	1
124	Sasaram	Good	48	PM ₁₀	1
125	Satna	Satisfactory	79	PM ₁₀	1
126	Shillong	Good	18	PM ₁₀ , SO ₂	2
127	Shivamogga	Good	40	PM ₁₀	1
128	Singrauli	Moderate	104	NO ₂	1
129	Sirsa	Moderate	115	O ₃	1
130	Solapur	Satisfactory	78	PM ₁₀	1
131	Sonipat	Satisfactory	81	PM ₁₀	1
132	Srinagar	Good	48	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Talcher	Good	38	СО	1
134	Thane	Satisfactory	67	PM ₁₀	1
135	Thiruvananthapuram	Good	31	со	1
136	Thoothukudi	Good	41	PM ₁₀	1
137	Tirupati	Satisfactory	57	PM ₁₀	1
138	Udaipur	Good	49	PM ₁₀	1
139	Ujjain	Satisfactory	63	PM ₁₀	1
140	Varanasi	Satisfactory	54	SO ₂ , O ₃ , PM ₁₀	4
141	Vatva	Good	39	NO ₂	1
142	Vijayapura	Good	40	PM ₁₀	1
143	Visakhapatnam	Satisfactory	88	PM ₁₀	1
144	Vrindavan	Good	43	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yamunanagar	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Araria, Baddi, Bahadurgarh, Bhilai, Bhopal, Bidar, Brajrajnagar, Charkhi Dadri, Chikkaballapur, Ernakulam, Fatehabad, Gorakhpur, Gummidipoondi, Jorapokhar Khurja, Kolar, Koppal, Maihar, Mandikhera, Manesar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Nashik, Pali, Panipat, Pune, Samastipur, Siliguri, Siwan, Thrissur, Udupi, Vapi, Yadgir as data was not available.
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.