

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	86	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	65	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	68	PM <sub>10</sub> , CO	6
4	Ajmer	Satisfactory	81	PM <sub>10</sub>	1
5	Akola	Moderate	104	PM <sub>10</sub>	1
6	Alwar	Satisfactory	51	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	81	PM <sub>10</sub>	1
8	Ambala	Satisfactory	59	PM <sub>10</sub>	1
9	Amravati	Moderate	101	PM <sub>10</sub>	2
10	Amritsar	Moderate	104	PM <sub>10</sub>	1
11	Anantapur	Satisfactory	66	PM <sub>10</sub>	1
12	Ankleshwar	Moderate	184	O <sub>3</sub>	1

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Satisfactory	78	PM <sub>10</sub>	1
14	Ariyalur	Good	40	PM <sub>10</sub>	1
15	Arrah	Moderate	150	PM <sub>10</sub>	1
16	Aurangabad (Bihar)	Moderate	114	PM <sub>10</sub>	1
17	Aurangabad (Maharashtra)	Satisfactory	86	PM <sub>10</sub>	3
18	Baddi	Moderate	174	O <sub>3</sub>	1
19	Badlapur	Good	47	PM <sub>10</sub>	1
20	Bagalkot	Good	42	PM <sub>10</sub>	1
21	Baghpat	Moderate	147	PM <sub>10</sub>	1
22	Bahadurgarh	Moderate	145	PM <sub>10</sub>	1
23	Ballabgarh	Good	50	PM <sub>10</sub>	1
24	Banswara	Moderate	121	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## Asansol, Baran, Begusarai, Bettiah, Bilaspur, Brajrajnagar, Buxar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	80	PM <sub>10</sub>	2
26	Baripada	Moderate	112	PM <sub>10</sub>	1
27	Barmer	Good	40	O <sub>3</sub>	1
28	Bathinda	Moderate	179	PM <sub>10</sub>	1
29	Belgaum	Good	46	со	1
30	Bengaluru	Satisfactory	54	PM <sub>10</sub> , CO	10
31	Bhagalpur	Moderate	103	PM <sub>10</sub>	2
32	Bharatpur	Satisfactory	84	PM <sub>10</sub>	1
33	Bhilai	Satisfactory	58	PM <sub>10</sub>	2
34	Bhilwara	Satisfactory	68	PM <sub>10</sub>	1
35	Bhiwadi	Satisfactory	98	PM <sub>2.5</sub>	1
36	Bhiwani	Satisfactory	94	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## Asansol, Baran, Begusarai, Bettiah, Bilaspur, Brajrajnagar, Buxar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	79	PM <sub>10</sub>	3
38	Bidar	Satisfactory	51	NH <sub>3</sub>	1
39	Bihar Sharif	Moderate	105	PM <sub>10</sub>	1
40	Bikaner	Moderate	116	03	1
41	Bileipada	Moderate	143	PM <sub>10</sub>	1
42	Bulandshahr	Satisfactory	72	PM <sub>2.5</sub>	1
43	Bundi	Moderate	108	PM <sub>10</sub>	1
44	Byrnihat	Moderate	122	PM <sub>10</sub>	1
45	Chamarajanagar	Good	42	PM <sub>10</sub>	1
46	Chandigarh	Moderate	119	O <sub>3</sub> , PM <sub>10</sub>	3
47	Chandrapur	Satisfactory	53	PM <sub>10</sub>	1
48	Charkhi Dadri	Satisfactory	86	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	78	PM <sub>10</sub> , NO <sub>2</sub>	7
50	Chhal	Good	49	PM <sub>10</sub>	1
51	Chhapra	Poor	285	PM <sub>10</sub>	1
52	Chikkaballapur	Satisfactory	55	PM <sub>10</sub>	1
53	Chikkamagaluru	Good	32	03	1
54	Chittoor	Good	39	03	1
55	Chittorgarh	Satisfactory	70	PM <sub>2.5</sub>	1
56	Churu	Satisfactory	70	PM <sub>10</sub>	1
57	Cuddalore	Good	30	PM <sub>2.5</sub>	1
58	Damoh	Good	21	PM <sub>10</sub>	1
59	Dausa	Moderate	125	PM <sub>10</sub>	1
60	Davanagere	Satisfactory	56	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
  \* In case of a city with multiple monitoring locations, average value is used
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Satisfactory	84	PM <sub>10</sub>	1
62	Delhi	Moderate	119	PM <sub>10</sub> , O <sub>3</sub>	37
63	Dewas	Moderate	108	PM <sub>10</sub>	1
64	Dhanbad	Moderate	175	со	1
65	Dharwad	Satisfactory	72	PM <sub>10</sub>	1
66	Dholpur	Satisfactory	81	PM <sub>10</sub>	1
67	Dindigul	Satisfactory	51	PM <sub>10</sub>	1
68	Durgapur	Satisfactory	73	PM <sub>10</sub>	1
69	Faridabad	Moderate	119	PM <sub>2.5</sub>	4
70	Firozabad	Satisfactory	88	PM <sub>2.5</sub> , PM <sub>10</sub>	2
71	Gadag	Good	48	SO <sub>2</sub>	1
72	Gandhinagar	Satisfactory	60	PM <sub>2.5</sub> , O <sub>3</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gangtok	Good	42	SO <sub>2</sub>	1
74	Gaya	Satisfactory	91	PM <sub>10</sub> , PM <sub>2.5</sub>	3
75	Ghaziabad	Moderate	117	PM <sub>10</sub>	4
76	Gorakhpur	Moderate	110	PM <sub>10</sub>	1
77	Greater Noida	Moderate	118	PM <sub>10</sub>	2
78	Gurugram	Moderate	162	PM <sub>2.5</sub>	4
79	Guwahati	Good	40	O <sub>3</sub> , SO <sub>2</sub>	4
80	Gwalior	Satisfactory	60	PM <sub>10</sub>	3
81	Hajipur	Moderate	174	PM <sub>10</sub>	1
82	Haldia	Satisfactory	58	PM <sub>10</sub>	1
83	Hanumangarh	Satisfactory	95	PM <sub>10</sub>	1
84	Hapur	Satisfactory	74	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haveri	Good	41	PM <sub>10</sub>	1
86	Hisar	Satisfactory	70	O <sub>3</sub>	1
87	Hosur	Satisfactory	74	PM <sub>10</sub>	1
88	Howrah	Satisfactory	73	PM <sub>10</sub>	3
89	Hubballi	Moderate	182	со	1
90	Hyderabad	Satisfactory	67	PM <sub>10</sub>	12
91	Indore	Satisfactory	96	PM <sub>10</sub>	1
92	Jabalpur	Moderate	120	PM <sub>10</sub>	1
93	Jaipur	Satisfactory	81	PM <sub>10</sub>	6
94	Jaisalmer	Good	37	PM <sub>10</sub>	1
95	Jalandhar	Satisfactory	87	PM <sub>10</sub>	1
96	Jalgaon	Moderate	128	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalna	Satisfactory	98	PM <sub>10</sub>	1
98	Jhalawar	Satisfactory	62	PM <sub>10</sub>	1
99	Jhansi	Moderate	130	PM <sub>10</sub>	1
100	Jhunjhunu	Moderate	190	03	1
101	Jind	Moderate	166	со	1
102	Jodhpur	Good	50	со	5
103	Kadapa	Good	35	PM <sub>2.5</sub>	1
104	Kaithal	Moderate	104	PM <sub>10</sub>	1
105	Kalaburgi	Satisfactory	67	PM <sub>10</sub>	1
106	Kalyan	Poor	202	O <sub>3</sub>	1
107	Kanpur	Satisfactory	97	PM <sub>10</sub> , CO	3
108	Karauli	Satisfactory	61	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Satisfactory	82	PM <sub>10</sub>	1
110	Katihar	Moderate	131	PM <sub>10</sub>	1
111	Katni	Moderate	136	PM <sub>10</sub>	1
112	Keonjhar	Satisfactory	95	PM <sub>10</sub>	1
113	Khanna	Satisfactory	62	PM <sub>10</sub>	1
114	Khurja	Satisfactory	95	PM <sub>2.5</sub>	1
115	Kishanganj	Satisfactory	55	PM <sub>10</sub>	1
116	Kochi	Satisfactory	76	СО	1
117	Kohima	Good	44	PM <sub>10</sub>	1
118	Kolhapur	Satisfactory	59	PM <sub>10</sub>	2
119	Kolkata	Satisfactory	62	PM <sub>10</sub>	7
120	Kollam	Satisfactory	76	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Korba	Satisfactory	84	PM <sub>10</sub>	2
122	Kota	Satisfactory	88	PM <sub>10</sub>	3
123	Kunjemura	Satisfactory	96	PM <sub>10</sub>	1
124	Kurukshetra	Satisfactory	96	PM <sub>10</sub>	1
125	Latur	Satisfactory	77	PM <sub>10</sub>	1
126	Lucknow	Moderate	102	PM <sub>2.5</sub>	6
127	Ludhiana	Satisfactory	61	03	1
128	Madikeri	Good	39	PM <sub>10</sub>	1
129	Maihar	Good	39	PM <sub>10</sub>	1
130	Mandi Gobindgarh	Satisfactory	83	PM <sub>10</sub>	1
131	Mandideep	Satisfactory	88	O <sub>3</sub>	1
132	Mandikhera	Satisfactory	56	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manesar	Satisfactory	84	PM <sub>2.5</sub>	1
134	Mangalore	Satisfactory	74	PM <sub>10</sub>	1
135	Manguraha	Moderate	143	PM <sub>10</sub>	1
136	Meerut	Moderate	144	PM <sub>10</sub>	3
137	Milupara	Satisfactory	60	PM <sub>10</sub>	1
138	Moradabad	Moderate	117	PM <sub>10</sub> , PM <sub>2.5</sub>	6
139	Motihari	Moderate	152	PM <sub>10</sub>	1
140	Mumbai	Satisfactory	89	PM <sub>10</sub>	17
141	Muzaffarnagar	Moderate	133	PM <sub>10</sub>	1
142	Muzaffarpur	Moderate	156	PM <sub>2.5</sub>	3
143	Mysuru	Satisfactory	52	PM <sub>10</sub>	1
144	Nagaon	Good	50	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagaur	Good	44	PM <sub>10</sub>	1
146	Nagpur	Satisfactory	83	PM <sub>10</sub>	3
147	Naharlagun	Good	12	PM <sub>2.5</sub>	1
148	Nalbari	Good	21	NO <sub>2</sub>	1
149	Narnaul	Satisfactory	57	PM <sub>10</sub>	1
150	Nashik	Satisfactory	73	PM <sub>10</sub>	4
151	Navi Mumbai	Moderate	162	PM <sub>10</sub>	3
152	Nayagarh	Moderate	196	PM <sub>10</sub>	1
153	Noida	Moderate	110	PM <sub>10</sub>	3
154	Ooty	Satisfactory	62	PM <sub>10</sub>	1
155	Pali	Satisfactory	80	PM <sub>10</sub>	1
156	Palkalaiperur	Satisfactory	62	SO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Palwal	Satisfactory	82	03	1
158	Panipat	Moderate	108	PM <sub>10</sub>	1
159	Patiala	Satisfactory	92	PM <sub>10</sub>	1
160	Patna	Moderate	190	PM <sub>2.5</sub> , NO <sub>2</sub>	6
161	Pimpri Chinchwad	Satisfactory	73	PM <sub>10</sub>	1
162	Pithampur	Satisfactory	85	PM <sub>10</sub>	1
163	Pratapgarh	Moderate	101	PM <sub>10</sub>	1
164	Prayagraj	Satisfactory	67	PM <sub>10</sub>	3
165	Puducherry	Satisfactory	66	PM <sub>10</sub>	1
166	Pune	Moderate	110	NO <sub>2</sub> , PM <sub>10</sub>	6
167	Purnia	Satisfactory	78	PM <sub>10</sub>	1
168	Raichur	Good	20	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raipur	Satisfactory	77	PM <sub>10</sub> , NO <sub>2</sub>	4
170	Rajamahendravaram	Moderate	102	PM <sub>10</sub>	1
171	Rajsamand	Moderate	190	03	1
172	Ramanagara	Satisfactory	54	PM <sub>10</sub>	1
173	Ramanathapuram	Good	34	PM <sub>10</sub>	1
174	Ratlam	Satisfactory	91	PM <sub>10</sub>	1
175	Rishikesh	Satisfactory	65	PM <sub>10</sub>	1
176	Rohtak	Satisfactory	76	PM <sub>2.5</sub>	1
177	Rourkela	Moderate	125	PM <sub>10</sub>	3
178	Rupnagar	Moderate	119	PM <sub>10</sub>	1
179	Sagar	Satisfactory	77	PM <sub>10</sub>	1
180	Samastipur	Satisfactory	78	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sangli	Good	50	PM <sub>10</sub>	1
182	Satna	Moderate	114	PM <sub>10</sub>	1
183	Sawai Madhopur	Satisfactory	87	PM <sub>10</sub>	1
184	Shillong	Good	49	PM <sub>10</sub>	1
185	Shivamogga	Good	44	PM <sub>10</sub>	1
186	Sikar	Satisfactory	62	PM <sub>10</sub>	1
187	Silchar	Good	32	со	1
188	Siliguri	Good	33	PM <sub>10</sub>	1
189	Singrauli	Moderate	114	PM <sub>10</sub>	1
190	Sivasagar	Satisfactory	66	со	1
191	Siwan	Moderate	174	PM <sub>10</sub>	1
192	Solapur	Moderate	107	PM <sub>10</sub>	3

Notes:

## \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

## Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sri Ganganagar	Moderate	116	PM <sub>10</sub>	1
194	Suakati	Satisfactory	99	PM <sub>10</sub>	1
195	Surat	Good	39	PM <sub>2.5</sub>	1
196	Talcher	Moderate	110	со	1
197	Tensa	Satisfactory	99	PM <sub>10</sub>	1
198	Thane	Satisfactory	69	PM <sub>10</sub>	1
199	Thiruvananthapuram	Good	42	PM <sub>10</sub>	2
200	Thoothukudi	Satisfactory	54	O <sub>3</sub>	1
201	Thrissur	Satisfactory	52	PM <sub>10</sub>	1
202	Tirupati	Satisfactory	63	PM <sub>10</sub>	1
203	Tirupur	Good	49	PM <sub>10</sub>	1
204	Tonk	Moderate	136	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tumakuru	Moderate	102	PM <sub>10</sub>	1
206	Tumidih	Satisfactory	77	PM <sub>10</sub>	1
207	Udaipur	Satisfactory	59	PM <sub>10</sub>	1
208	Ujjain	Satisfactory	96	PM <sub>2.5</sub>	1
209	Vapi	Good	40	PM <sub>2.5</sub>	1
210	Varanasi	Satisfactory	71	PM <sub>10</sub>	4
211	Vatva	Satisfactory	67	PM <sub>10</sub>	1
212	Vijayapura	Good	49	PM <sub>10</sub>	1
213	Vijayawada	Satisfactory	70	PM <sub>10</sub>	1
214	Visakhapatnam	Moderate	135	PM <sub>10</sub>	1
215	Vrindavan	Moderate	167	PM <sub>10</sub>	1
216	Yadgir	Satisfactory	52	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yamunanagar	Satisfactory	97	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

## \* AOL is not calculated for today's bulletin for Ahmednagar Aizawl

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.