

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	82	SO <sub>2</sub>	1
2	Agra	Satisfactory	88	O <sub>3</sub>	6
3	Ahmedabad	Moderate	104	PM <sub>10</sub>	7
4	Aizawl	Good	46	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	89	PM <sub>10</sub>	1
6	Alwar	Satisfactory	84	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	74	PM <sub>10</sub>	1
8	Ambala	Satisfactory	72	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	101	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	104	со	1
11	Araria	Satisfactory	51	со	1
12	Arrah	Moderate	106	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	82	PM <sub>10</sub>	1
14	Aurangabad (Bihar)	Satisfactory	98	PM <sub>10</sub>	1
15	Aurangabad (Maharashtra)	Moderate	137	PM <sub>10</sub>	1
16	Bagalkot	Satisfactory	62	O <sub>3</sub>	1
17	Baghpat	Moderate	157	PM <sub>10</sub>	1
18	Bahadurgarh	Moderate	136	PM <sub>10</sub>	1
19	Ballabgarh	Satisfactory	85	PM <sub>10</sub>	1
20	Banswara	Moderate	106	PM <sub>10</sub>	1
21	Baripada	Poor	201	O <sub>3</sub>	1
22	Barmer	Satisfactory	92	PM <sub>10</sub>	1
23	Bathinda	Moderate	181	PM <sub>2.5</sub>	1
24	Belgaum	Good	47	СО	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	63	СО	12
26	Bhagalpur	Satisfactory	80	PM <sub>10</sub>	2
27	Bharatpur	Moderate	140	PM <sub>10</sub>	1
28	Bhilai	Good	46	PM <sub>10</sub>	2
29	Bhiwadi	Moderate	200	PM <sub>10</sub>	1
30	Bhiwani	Satisfactory	88	PM <sub>2.5</sub>	1
31	Bhopal	Satisfactory	85	PM <sub>10</sub>	3
32	Bidar	Good	41	NH <sub>3</sub>	1
33	Bihar Sharif	Satisfactory	79	PM <sub>10</sub>	1
34	Bikaner	Moderate	179	PM <sub>10</sub>	1
35	Bilaspur	Satisfactory	62	со	1
36	Bileipada	Moderate	131	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Moderate	105	PM <sub>10</sub>	1
38	Bundi	Moderate	155	СО	1
39	Byrnihat	Poor	221	PM <sub>10</sub>	1
40	Chamarajanagar	Good	45	PM <sub>10</sub>	1
41	Chandigarh	Moderate	108	PM <sub>10</sub>	3
42	Charkhi Dadri	Moderate	175	PM <sub>2.5</sub>	1
43	Chennai	Satisfactory	72	CO, PM <sub>10</sub>	8
44	Chhal	Satisfactory	81	PM <sub>10</sub>	1
45	Chhapra	Moderate	128	PM <sub>10</sub>	1
46	Chikkaballapur	Good	45	PM <sub>10</sub>	1
47	Chikkamagaluru	Good	38	O <sub>3</sub>	1
48	Chittoor	Satisfactory	95	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Churu	Moderate	152	PM <sub>10</sub>	1
50	Coimbatore	Moderate	152	PM <sub>10</sub>	1
51	Cuddalore	Good	25	PM <sub>2.5</sub>	1
52	Damoh	Good	18	PM <sub>10</sub>	1
53	Dausa	Moderate	150	PM <sub>10</sub>	1
54	Davanagere	Good	32	PM <sub>2.5</sub>	1
55	Dehradun	Satisfactory	68	PM <sub>10</sub>	1
56	Delhi	Moderate	158	PM <sub>2.5</sub>	37
57	Dewas	Moderate	109	PM <sub>10</sub>	1
58	Dhanbad	Moderate	176	со	1
59	Dharuhera	Moderate	173	PM <sub>10</sub>	1
60	Dholpur	Satisfactory	100	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Durgapur	Satisfactory	55	PM <sub>10</sub>	1
62	Eloor	Satisfactory	72	PM <sub>10</sub>	1
63	Faridabad	Moderate	122	PM <sub>10</sub> , PM <sub>2.5</sub>	4
64	Fatehabad	Satisfactory	98	03	1
65	Firozabad	Moderate	128	PM <sub>10</sub>	2
66	Gadag	Moderate	106	PM <sub>10</sub>	1
67	Gandhinagar	Satisfactory	81	PM <sub>2.5</sub> , O <sub>3</sub>	3
68	Gangtok	Satisfactory	51	03	1
69	Gaya	Satisfactory	76	PM <sub>2.5</sub>	3
70	Ghaziabad	Moderate	152	PM <sub>10</sub>	4
71	Gorakhpur	Satisfactory	68	SO <sub>2</sub>	1
72	Greater Noida	Moderate	171	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gummidipoondi	Moderate	106	PM <sub>10</sub>	1
74	Gurugram	Poor	204	PM <sub>2.5</sub> , PM <sub>10</sub>	4
75	Guwahati	Satisfactory	51	PM <sub>10</sub>	4
76	Gwalior	Moderate	110	PM <sub>10</sub>	1
77	Hajipur	Satisfactory	51	03	1
78	Haldia	Satisfactory	51	PM <sub>10</sub>	1
79	Hanumangarh	Poor	211	PM <sub>10</sub>	1
80	Hapur	Satisfactory	62	PM <sub>10</sub>	1
81	Hassan	Good	49	PM <sub>10</sub>	1
82	Haveri	Good	40	PM <sub>10</sub>	1
83	Hisar	Moderate	113	PM <sub>2.5</sub>	1
84	Hosur	Satisfactory	65	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Satisfactory	83	PM <sub>10</sub> , CO	3
86	Hubballi	Satisfactory	86	PM <sub>10</sub>	2
87	Hyderabad	Satisfactory	84	PM <sub>10</sub>	9
88	Indore	Satisfactory	74	PM <sub>10</sub>	2
89	Jabalpur	Satisfactory	96	PM <sub>10</sub>	1
90	Jaipur	Moderate	120	PM <sub>10</sub>	5
91	Jaisalmer	Moderate	135	PM <sub>10</sub>	1
92	Jalandhar	Poor	205	PM <sub>10</sub>	1
93	Jhalawar	Satisfactory	71	PM <sub>10</sub>	1
94	Jhansi	Satisfactory	67	PM <sub>2.5</sub>	1
95	Jhunjhunu	Satisfactory	92	O <sub>3</sub>	1
96	Jind	Satisfactory	86	СО	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Moderate	115	PM <sub>10</sub>	3
98	Kadapa	Satisfactory	62	O <sub>3</sub>	1
99	Kalaburgi	Satisfactory	71	PM <sub>10</sub>	1
100	Kalyan	Moderate	108	PM <sub>10</sub>	1
101	Kanchipuram	Good	44	PM <sub>10</sub>	1
102	Kanpur	Satisfactory	89	PM <sub>10</sub> , CO	4
103	Karauli	Satisfactory	93	O <sub>3</sub>	1
104	Karnal	Satisfactory	78	PM <sub>10</sub>	1
105	Katihar	Satisfactory	82	со	1
106	Katni	Moderate	125	PM <sub>10</sub>	1
107	Keonjhar	Satisfactory	100	PM <sub>10</sub>	1
108	Khanna	Satisfactory	89	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Good	44	PM <sub>2.5</sub>	1
110	Kishanganj	Satisfactory	65	со	1
111	Kochi	Satisfactory	68	со	1
112	Kohima	Satisfactory	73	PM <sub>10</sub>	1
113	Kolhapur	Satisfactory	60	PM <sub>10</sub>	2
114	Kolkata	Satisfactory	52	PM <sub>10</sub>	7
115	Kollam	Satisfactory	52	PM <sub>10</sub>	1
116	Koppal	Satisfactory	93	03	1
117	Korba	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	2
118	Kota	Satisfactory	76	PM <sub>2.5</sub>	3
119	Kurukshetra	Moderate	122	PM <sub>2.5</sub>	1
120	Lucknow	Moderate	136	PM <sub>10</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Moderate	149	PM <sub>10</sub>	1
122	Madikeri	Good	29	03	1
123	Mandi Gobindgarh	Satisfactory	93	PM <sub>10</sub>	1
124	Mandideep	Satisfactory	87	PM <sub>10</sub>	1
125	Mandikhera	Satisfactory	75	PM <sub>10</sub>	1
126	Manesar	Poor	261	PM <sub>2.5</sub>	1
127	Mangalore	Good	41	PM <sub>10</sub>	1
128	Meerut	Moderate	156	PM <sub>10</sub>	2
129	Milupara	Satisfactory	71	PM <sub>10</sub>	1
130	Moradabad	Satisfactory	80	SO <sub>2</sub>	6
131	Motihari	Satisfactory	67	NO <sub>2</sub>	1
132	Mumbai	Satisfactory	69	PM <sub>10</sub>	18

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Satisfactory	91	PM <sub>10</sub>	1
134	Muzaffarnagar	Moderate	124	PM <sub>10</sub>	1
135	Muzaffarpur	Moderate	134	03	3
136	Mysuru	Satisfactory	54	03	1
137	Nagaon	Satisfactory	86	PM <sub>10</sub>	1
138	Nagpur	Satisfactory	79	PM <sub>10</sub>	1
139	Naharlagun	Good	47	PM <sub>2.5</sub>	1
140	Nalbari	Satisfactory	61	PM <sub>10</sub>	1
141	Nandesari	Good	25	со	1
142	Narnaul	Moderate	120	PM <sub>10</sub>	1
143	Nashik	Satisfactory	65	PM <sub>10</sub>	3
144	Navi Mumbai	Satisfactory	78	PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nayagarh	Moderate	157	PM <sub>10</sub>	1
146	Noida	Moderate	182	NO <sub>2</sub> , PM <sub>10</sub>	4
147	Ooty	Moderate	106	PM <sub>10</sub>	1
148	Pali	Moderate	111	PM <sub>10</sub>	1
149	Palkalaiperur	Satisfactory	62	SO <sub>2</sub>	1
150	Palwal	Satisfactory	74	PM <sub>10</sub>	1
151	Patiala	Moderate	104	PM <sub>10</sub>	1
152	Patna	Satisfactory	93	PM <sub>2.5</sub>	6
153	Pimpri Chinchwad	Moderate	102	PM <sub>2.5</sub>	2
154	Pithampur	Satisfactory	100	PM <sub>10</sub>	1
155	Pratapgarh	Moderate	118	PM <sub>10</sub>	1
156	Prayagraj	Satisfactory	74	PM <sub>10</sub>	3

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Puducherry	Good	47	O <sub>3</sub>	1
158	Pune	Satisfactory	95	NO <sub>2</sub> , PM <sub>2.5</sub>	3
159	Purnia	Satisfactory	82	PM <sub>10</sub>	1
160	Raichur	Good	46	SO <sub>2</sub>	1
161	Raipur	Satisfactory	74	PM <sub>10</sub> , NO <sub>2</sub>	3
162	Rairangpur	Satisfactory	81	03	1
163	Rajamahendravaram	Satisfactory	66	PM <sub>10</sub>	1
164	Rajgir	Satisfactory	62	PM <sub>10</sub>	1
165	Rajsamand	Moderate	103	PM <sub>10</sub>	1
166	Ramanagara	Satisfactory	71	03	1
167	Ratlam	Moderate	101	PM <sub>10</sub>	1
168	Rishikesh	Satisfactory	52	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Satisfactory	100	PM <sub>2.5</sub>	1
170	Rourkela	Moderate	103	PM <sub>10</sub>	2
171	Rupnagar	Moderate	101	PM <sub>10</sub>	1
172	Sagar	Satisfactory	77	03	1
173	Saharsa	Satisfactory	75	03	1
174	Samastipur	Moderate	113	PM <sub>10</sub>	1
175	Sasaram	Poor	228	O <sub>3</sub>	1
176	Satna	Satisfactory	96	PM <sub>10</sub>	1
177	Shillong	Good	43	PM <sub>2.5</sub>	1
178	Shivamogga	Satisfactory	52	PM <sub>10</sub>	1
179	Sikar	Satisfactory	86	PM <sub>10</sub>	1
180	Silchar	Good	49	СО	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### $^{\star}$ AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siliguri	Satisfactory	58	03	1
182	Singrauli	Poor	234	PM <sub>10</sub>	1
183	Sivasagar	Good	38	PM <sub>10</sub>	1
184	Solapur	Moderate	114	PM <sub>10</sub>	2
185	Sri Ganganagar	Poor	269	PM <sub>10</sub>	1
186	Suakati	Moderate	103	PM <sub>10</sub>	1
187	Surat	Poor	237	PM <sub>10</sub>	1
188	Tensa	Satisfactory	91	PM <sub>10</sub>	1
189	Thiruvananthapuram	Good	24	PM <sub>10</sub>	2
190	Thoothukudi	Good	37	PM <sub>10</sub>	1
191	Thrissur	Satisfactory	68	PM <sub>10</sub>	1
192	Tirupati	Satisfactory	72	PM <sub>10</sub>	2

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tonk	Moderate	155	PM <sub>10</sub>	1
194	Tumakuru	Satisfactory	87	СО	1
195	Tumidih	Moderate	130	PM <sub>10</sub>	1
196	Udaipur	Moderate	123	PM <sub>10</sub>	1
197	Ujjain	Moderate	144	PM <sub>2.5</sub>	1
198	Vapi	Good	46	PM <sub>10</sub>	1
199	Varanasi	Satisfactory	53	O <sub>3</sub> , PM <sub>10</sub>	4
200	Vatva	Moderate	105	PM <sub>10</sub>	1
201	Vijayapura	Good	49	PM <sub>10</sub>	1
202	Vijayawada	Satisfactory	79	PM <sub>2.5</sub>	1
203	Visakhapatnam	Moderate	108	PM <sub>10</sub>	1
204	Vrindavan	Good	44	SO <sub>2</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### \* AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yadgir	Satisfactory	58	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

 $^{\star}$  AQI is not calculated for today's bulletin for Anantapur, Ariyalur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.