

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	62	PM ₁₀	1
2	Agra	Poor	244	O ₃	1
3	Ahmedabad	Moderate	114	PM ₁₀	1
4	Aizawl	Satisfactory	64	PM ₁₀	1
5	Ajmer	Moderate	173	PM ₁₀	1
6	Alwar	Satisfactory	65	PM ₁₀	1
7	Amaravati	Satisfactory	52	PM ₁₀	1
8	Ambala	Satisfactory	61	03	1
9	Amritsar	Satisfactory	97	PM ₁₀	1
10	Ankleshwar	Satisfactory	84	PM ₁₀	1
11	Asansol	Satisfactory	90	PM ₁₀	1
12	Aurangabad	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bidar, Chikkaballapur, Coimbatore, Davanagere, Jind, Kalaburgi, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	49	PM _{2.5}	1
14	Baghpat	Moderate	181	PM ₁₀	1
15	Ballabgarh	Satisfactory	85	СО	1
16	Bathinda	Good	38	PM ₁₀	1
17	Bengaluru	Moderate	101	O ₃ , PM _{2.5} , PM ₁₀	8
18	Bhiwadi	Moderate	160	PM _{2.5}	1
19	Bhiwani	Moderate	123	O ₃	1
20	Bhopal	Moderate	119	PM ₁₀	1
21	Brajrajnagar	Satisfactory	80	PM ₁₀	1
22	Bulandshahr	Moderate	161	PM ₁₀	1
23	Chamarajanagar	Satisfactory	60	PM ₁₀	1
24	Chandigarh	Good	38	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bidar, Chikkaballapur, Coimbatore, Davanagere, Jind, Kalaburgi, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	66	PM _{2.5}	1
26	Charkhi Dadri	Moderate	102	PM ₁₀	1
27	Chennai	Satisfactory	52	CO, O ₃ , PM ₁₀	7
28	Chikkamagaluru	Satisfactory	56	PM ₁₀	1
29	Damoh	Good	44	PM ₁₀	1
30	Delhi	Moderate	134	PM ₁₀ , O ₃	27
31	Dewas	Moderate	120	PM ₁₀	1
32	Dharuhera	Moderate	141	PM ₁₀	1
33	Durgapur	Moderate	118	PM ₁₀	1
34	Eloor	Good	48	со	1
35	Ernakulam	Satisfactory	76	PM _{2.5}	1
36	Faridabad	Moderate	152	O ₃ , PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bidar, Chikkaballapur, Coimbatore, Davanagere, Jind, Kalaburgi, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Good	48	PM ₁₀	1
38	Gadag	Satisfactory	74	SO ₂	1
39	Gandhinagar	Moderate	108	PM ₁₀	1
40	Gaya	Moderate	176	PM _{2.5} , O ₃	2
41	Ghaziabad	Moderate	178	PM ₁₀	4
42	Greater Noida	Moderate	182	PM ₁₀	2
43	Gummidipoondi	Moderate	142	PM _{2.5}	1
44	Gurugram	Moderate	105	PM ₁₀ , PM _{2.5}	3
45	Guwahati	Moderate	116	PM ₁₀	2
46	Gwalior	Moderate	135	PM ₁₀	1
47	Hajipur	Poor	254	PM ₁₀	1
48	Haldia	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bidar, Chikkaballapur, Coimbatore, Davanagere, Jind, Kalaburgi, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	109	PM ₁₀	1
50	Hassan	Satisfactory	99	PM ₁₀	1
51	Hisar	Satisfactory	54	PM ₁₀	1
52	Howrah	Satisfactory	73	PM ₁₀	3
53	Hubballi	Satisfactory	85	PM ₁₀	1
54	Hyderabad	Satisfactory	91	PM ₁₀ , PM _{2.5}	5
55	Indore	Moderate	136	PM ₁₀	1
56	Jabalpur	Satisfactory	95	PM ₁₀	1
57	Jaipur	Moderate	179	PM _{2.5} , PM ₁₀	3
58	Jalandhar	Good	46	PM ₁₀	1
59	Jodhpur	Poor	263	PM ₁₀	1
60	Jorapokhar	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bidar, Chikkaballapur, Coimbatore, Davanagere, Jind, Kalaburgi, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Good	37	PM ₁₀	1
62	Kalyan	Moderate	135	O ₃	1
63	Kannur	Moderate	107	PM ₁₀	1
64	Kanpur	Satisfactory	90	PM _{2.5}	2
65	Karnal	Satisfactory	92	PM ₁₀	1
66	Katni	Moderate	119	PM ₁₀	1
67	Khanna	Good	34	PM ₁₀	1
68	Kolar	Satisfactory	73	СО	1
69	Kolkata	Satisfactory	70	CO, O ₃ , PM ₁₀	7
70	Kollam	Moderate	141	PM _{2.5}	1
71	Koppal	Good	49	со	1
72	Kota	Moderate	181	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bidar, Chikkaballapur, Coimbatore, Davanagere, Jind, Kalaburgi, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	57	PM ₁₀	1
74	Kurukshetra	Satisfactory	71	PM ₁₀	1
75	Lucknow	Moderate	187	PM _{2.5} , PM ₁₀ , O ₃	4
76	Ludhiana	Satisfactory	55	NO ₂	1
77	Mandi Gobindgarh	Satisfactory	97	PM _{2.5}	1
78	Mandideep	Satisfactory	55	PM ₁₀	1
79	Mandikhera	Satisfactory	58	PM ₁₀	1
80	Manesar	Satisfactory	94	PM ₁₀	1
81	Manglore	Satisfactory	56	PM ₁₀	1
82	Medikeri	Good	49	PM ₁₀	1
83	Meerut	Moderate	157	O ₃ , PM ₁₀	3
84	Moradabad	Moderate	148	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bidar, Chikkaballapur, Coimbatore, Davanagere, Jind, Kalaburgi, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Satisfactory	58	PM _{2.5} , PM ₁₀	19
86	Muzaffarnagar	Moderate	134	PM ₁₀	1
87	Muzaffarpur	Moderate	152	PM _{2.5} , PM ₁₀	2
88	Nagpur	Satisfactory	74	PM ₁₀	1
89	Nandesari	Satisfactory	95	со	1
90	Narnaul	Moderate	170	PM ₁₀	1
91	Nashik	Satisfactory	58	PM _{2.5}	1
92	Navi Mumbai	Satisfactory	95	PM ₁₀	3
93	Noida	Moderate	158	PM ₁₀	3
94	Pali	Poor	270	PM _{2.5}	1
95	Palwal	Satisfactory	82	PM ₁₀	1
96	Panchkula	Good	43	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bidar, Chikkaballapur, Coimbatore, Davanagere, Jind, Kalaburgi, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Moderate	126	PM ₁₀	1
98	Patiala	Good	46	PM ₁₀	1
99	Patna	Poor	210	PM _{2.5}	3
100	Pithampur	Satisfactory	82	PM ₁₀	1
101	Puducherry	Good	47	03	1
102	Pune	Satisfactory	78	CO, PM ₁₀ , PM _{2.5}	6
103	Raichur	Satisfactory	72	PM ₁₀	1
104	Rajamahendravaram	Satisfactory	56	PM ₁₀	1
105	Ramanagara	Satisfactory	80	03	1
106	Ratlam	Moderate	119	PM ₁₀	1
107	Rohtak	Satisfactory	81	NO ₂	1
108	Rupnagar	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bidar, Chikkaballapur, Coimbatore, Davanagere, Jind, Kalaburgi, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Satisfactory	77	PM _{2.5}	1
110	Shivamogga	Satisfactory	54	PM ₁₀	1
111	Siliguri	Moderate	119	PM _{2.5}	1
112	Singrauli	Poor	275	PM _{2.5}	1
113	Sirsa	Good	35	PM ₁₀	1
114	Solapur	Moderate	102	PM _{2.5}	1
115	Sonipat	Moderate	150	PM ₁₀	1
116	Srinagar	Satisfactory	68	PM ₁₀	1
117	Talcher	Satisfactory	89	СО	1
118	Thane	Satisfactory	81	PM ₁₀	1
119	Thiruvananthapuram	Satisfactory	58	PM ₁₀	2
120	Thoothukudi	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bidar, Chikkaballapur, Coimbatore, Davanagere, Jind, Kalaburgi, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	78	O ₃	1
122	Udaipur	Moderate	119	PM ₁₀	1
123	Ujjain	Moderate	137	PM ₁₀	1
124	Vapi	Good	36	PM ₁₀	1
125	Varanasi	Moderate	172	PM ₁₀	1
126	Vatva	Moderate	156	PM _{2.5}	1
127	Visakhapatnam	Satisfactory	97	PM ₁₀	1
128	Yadgir	Moderate	162	O ₃	1
129	Yamunanagar	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bidar, Chikkaballapur, Coimbatore, Davanagere, Jind, Kalaburgi, Kochi, Kohima, Maihar, Mysuru, Naharlagun, Satna, Shillong, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.