



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	42	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	27	O <sub>3</sub> , SO <sub>2</sub> , PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	77	CO	1
4	Aizawl	Good	21	CO	1
5	Ajmer	Satisfactory	89	PM <sub>10</sub>	1
6	Alwar	Satisfactory	51	PM <sub>10</sub>	1
7	Amaravati	Good	45	O <sub>3</sub>	1
8	Ambala	Satisfactory	100	PM <sub>10</sub>	1
9	Ankleshwar	Satisfactory	78	PM <sub>2.5</sub>	1
10	Asansol	Moderate	147	PM <sub>10</sub>	1
11	Aurangabad (Bihar)	Moderate	120	PM <sub>2.5</sub>	1
12	Aurangabad (Maharashtra)	Good	50	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	192	PM <sub>10</sub>	1
14	Bagalkot	Good	42	PM <sub>10</sub>	1
15	Bahadurgarh	Good	38	PM <sub>10</sub>	1
16	Ballabgarh	Good	41	CO	1
17	Bareilly	Satisfactory	64	PM <sub>10</sub>	1
18	Bathinda	Good	32	NO <sub>2</sub>	1
19	Bengaluru	Satisfactory	51	PM <sub>10</sub> , CO	9
20	Bhiwadi	Satisfactory	72	PM <sub>10</sub>	1
21	Bhopal	Satisfactory	72	PM <sub>10</sub>	1
22	Bilaspur	Satisfactory	80	CO	1
23	Brajrajnagar	Satisfactory	58	PM <sub>10</sub>	1
24	Bulandshahr	Satisfactory	90	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Bagpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Buxar	Moderate	112	PM <sub>10</sub>	1
26	Chamarajanagar	Good	40	PM <sub>10</sub>	1
27	Chandigarh	Good	50	O <sub>3</sub> , PM <sub>2.5</sub>	3
28	Chandrapur	Satisfactory	76	PM <sub>10</sub>	2
29	Charkhi Dadri	Satisfactory	76	PM <sub>10</sub>	1
30	Chennai	Satisfactory	61	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	8
31	Chhapra	Satisfactory	70	CO	1
32	Chikkaballapur	Satisfactory	52	PM <sub>10</sub>	1
33	Chikkamagaluru	Good	25	O <sub>3</sub>	1
34	Coimbatore	Satisfactory	75	PM <sub>2.5</sub>	1
35	Damoh	Good	25	PM <sub>2.5</sub>	1
36	Darbhanga	Good	41	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Delhi	Satisfactory	84	PM <sub>10</sub> , NO <sub>2</sub> , CO	35
38	Dewas	Satisfactory	62	PM <sub>10</sub>	1
39	Eloor	Satisfactory	58	PM <sub>10</sub>	1
40	Ernakulam	Good	40	NO <sub>2</sub>	1
41	Faridabad	Moderate	111	O <sub>3</sub> , SO <sub>2</sub> , PM <sub>2.5</sub>	4
42	Fatehabad	Satisfactory	63	PM <sub>10</sub>	1
43	Firozabad	Satisfactory	96	O <sub>3</sub>	1
44	Gandhinagar	Satisfactory	53	PM <sub>10</sub>	1
45	Gangtok	Good	17	O <sub>3</sub>	1
46	Gaya	Moderate	113	PM <sub>2.5</sub>	3
47	Ghaziabad	Satisfactory	82	PM <sub>10</sub> , O <sub>3</sub>	4
48	Gorakhpur	Good	45	SO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Greater Noida	Satisfactory	86	PM <sub>10</sub> , O <sub>3</sub>	2
50	Gurugram	Satisfactory	75	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	3
51	Guwahati	Satisfactory	52	O <sub>3</sub> , PM <sub>10</sub>	2
52	Gwalior	Good	41	PM <sub>10</sub>	1
53	Hajipur	Good	44	PM <sub>10</sub>	1
54	Haldia	Good	49	PM <sub>10</sub>	1
55	Hapur	Good	45	PM <sub>2.5</sub>	1
56	Hassan	Satisfactory	64	SO <sub>2</sub>	1
57	Haveri	Good	48	CO	1
58	Hisar	Satisfactory	67	O <sub>3</sub>	1
59	Howrah	Satisfactory	86	PM <sub>10</sub>	3
60	Hubballi	Satisfactory	51	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Satisfactory	59	PM <sub>10</sub> , PM <sub>2.5</sub>	14
62	Imphal	Good	41	SO <sub>2</sub>	1
63	Indore	Satisfactory	92	PM <sub>10</sub>	1
64	Jabalpur	Satisfactory	94	PM <sub>10</sub>	1
65	Jaipur	Satisfactory	57	PM <sub>10</sub> , NO <sub>2</sub>	3
66	Jalandhar	Satisfactory	59	PM <sub>10</sub>	1
67	Jhansi	Good	44	PM <sub>2.5</sub>	1
68	Jind	Satisfactory	66	O <sub>3</sub>	1
69	Jodhpur	Moderate	101	PM <sub>10</sub>	1
70	Kaithal	Satisfactory	56	PM <sub>2.5</sub>	1
71	Kalyan	Satisfactory	86	PM <sub>10</sub>	1
72	Kannur	Satisfactory	53	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Good	39	PM <sub>10</sub> , CO	4
74	Karnal	Good	41	PM <sub>10</sub>	1
75	Katni	Satisfactory	90	PM <sub>10</sub>	1
76	Khanna	Satisfactory	52	PM <sub>10</sub>	1
77	Khurja	Satisfactory	84	PM <sub>2.5</sub>	1
78	Kishanganj	Satisfactory	61	O <sub>3</sub>	1
79	Kochi	Satisfactory	64	CO	1
80	Kohima	Satisfactory	53	SO <sub>2</sub>	1
81	Kolkata	Satisfactory	63	PM <sub>10</sub> , PM <sub>2.5</sub>	7
82	Kollam	Good	49	PM <sub>2.5</sub>	1
83	Koppal	Satisfactory	65	CO	1
84	Kota	Good	49	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	64	PM <sub>10</sub>	1
86	Kurukshetra	Good	42	O <sub>3</sub>	1
87	Lucknow	Satisfactory	57	CO, NO <sub>2</sub> , O <sub>3</sub>	6
88	Ludhiana	Good	33	O <sub>3</sub>	1
89	Madikeri	Good	16	SO <sub>2</sub>	1
90	Mandi Gobindgarh	Moderate	150	PM <sub>2.5</sub>	1
91	Mandideep	Satisfactory	52	O <sub>3</sub>	1
92	Mandikhera	Good	20	O <sub>3</sub>	1
93	Manglore	Good	47	CO	1
94	Manguraha	Good	32	PM <sub>10</sub>	1
95	Meerut	Satisfactory	62	PM <sub>10</sub> , O <sub>3</sub>	3
96	Moradabad	Satisfactory	78	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Good	46	O <sub>3</sub>	1
98	Mumbai	Satisfactory	63	PM <sub>2.5</sub> , CO, SO <sub>2</sub>	14
99	Munger	Satisfactory	97	PM <sub>10</sub>	1
100	Muzaffarnagar	Satisfactory	66	PM <sub>10</sub>	1
101	Muzaffarpur	Satisfactory	60	CO, PM <sub>10</sub>	2
102	Mysuru	Good	45	PM <sub>10</sub>	1
103	Nagpur	Satisfactory	80	PM <sub>10</sub>	1
104	Naharlagun	Good	23	SO <sub>2</sub>	1
105	Narnaul	Good	28	NO <sub>2</sub>	1
106	Navi Mumbai	Satisfactory	60	CO, PM <sub>10</sub>	2
107	Noida	Satisfactory	82	PM <sub>10</sub> , CO	4
108	Palwal	Satisfactory	61	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Satisfactory	57	PM <sub>2.5</sub>	1
110	Panipat	Satisfactory	60	PM <sub>10</sub>	1
111	Patiala	Satisfactory	64	PM <sub>10</sub>	1
112	Patna	Satisfactory	75	PM <sub>10</sub> , CO	6
113	Pithampur	Moderate	103	PM <sub>10</sub>	1
114	Prayagraj	Satisfactory	80	PM <sub>10</sub> , SO <sub>2</sub>	3
115	Puducherry	Good	43	PM <sub>10</sub>	1
116	Purnia	Satisfactory	80	PM <sub>10</sub>	1
117	Rajamahendravaram	Good	49	PM <sub>10</sub>	1
118	Rajgir	Good	30	PM <sub>2.5</sub>	1
119	Ratlam	Good	43	PM <sub>10</sub>	1
120	Rohtak	Good	42	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rupnagar	Satisfactory	62	PM <sub>2.5</sub>	1
122	Sagar	Satisfactory	58	CO	1
123	Saharsa	Moderate	142	PM <sub>10</sub>	1
124	Sasaram	Good	50	NO <sub>2</sub>	1
125	Satna	Satisfactory	68	PM <sub>10</sub>	1
126	Shillong	Good	26	PM <sub>10</sub>	2
127	Shivamogga	Good	49	PM <sub>10</sub>	1
128	Singrauli	Satisfactory	98	NO <sub>2</sub>	1
129	Sirsa	Satisfactory	69	O <sub>3</sub>	1
130	Sonipat	Satisfactory	57	PM <sub>10</sub>	1
131	Srinagar	Good	39	PM <sub>10</sub>	1
132	Talcher	Satisfactory	81	NO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thane	Satisfactory	77	O <sub>3</sub>	1
134	Thiruvananthapuram	Good	50	CO	1
135	Thoothukudi	Good	13	NO <sub>2</sub>	1
136	Thrissur	Good	40	PM <sub>10</sub>	1
137	Tirupati	Good	50	CO	1
138	Udaipur	Good	41	PM <sub>10</sub>	1
139	Ujjain	Moderate	102	PM <sub>10</sub>	1
140	Varanasi	Satisfactory	74	PM <sub>10</sub>	4
141	Vatva	Satisfactory	78	PM <sub>10</sub>	1
142	Vijayapura	Good	39	PM <sub>10</sub>	1
143	Visakhapatnam	Moderate	122	PM <sub>10</sub>	1
144	Vrindavan	Good	44	SO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 02, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yadgir	Good	29	CO	1
146	Yamunanagar	Satisfactory	56	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Amritsar, Araria, Arrah, Baghpat, Begusarai, Bettiah, Bhagalpur, Bhilai, Bhiwani, Bidar, Bihar Sharif, Davanagere, Dehradun, Dharuhera, Durgapur, Gadag, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kolar, Maihar, Manesar, Nandesari, Nashik, Pali, Pune, Raichur, Ramanagara, Samastipur, Siliguri, Siwan, Solapur, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.