

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	61	PM ₁₀	1
2	Agra	Moderate	177	PM _{2.5}	1
3	Ahmedabad	Moderate	132	PM ₁₀	1
4	Aizawl	Satisfactory	62	PM ₁₀	1
5	Ajmer	Moderate	111	PM ₁₀	1
6	Alwar	Satisfactory	84	PM ₁₀	1
7	Amaravati	Good	45	O ₃	1
8	Ambala	Moderate	116	PM ₁₀	1
9	Amritsar	Satisfactory	89	PM ₁₀	1
10	Ankleshwar	Moderate	104	PM ₁₀	1
11	Asansol	Moderate	127	PM ₁₀	1
12	Bagalkot	Satisfactory	60	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Kalaburgi, Maihar, Mandi Gobindgarh, Muzaffarnagar, Nandesari, Nashik, Raichur, Satna, Shillong, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	396	PM ₁₀	1
14	Bahadurgarh	Poor	217	PM _{2.5}	1
15	Ballabgarh	Moderate	169	PM _{2.5}	1
16	Bathinda	Moderate	111	PM ₁₀	1
17	Bengaluru	Satisfactory	64	PM _{2.5} , PM ₁₀ , O ₃	8
18	Bhiwadi	Poor	299	PM ₁₀	1
19	Bhiwani	Moderate	169	PM ₁₀	1
20	Bhopal	Moderate	114	O ₃	1
21	Bulandshahr	Very Poor	303	PM ₁₀	1
22	Chamarajanagar	Satisfactory	56	PM ₁₀	1
23	Chandigarh	Moderate	117	PM ₁₀	1
24	Chandrapur	Satisfactory	84	PM ₁₀	2

Possible Health Impacts

od Minimal Impact

Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Kalaburgi, Maihar, Mandi Gobindgarh, Muzaffarnagar, Nandesari, Nashik, Raichur, Satna, Shillong, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	184	PM ₁₀	1
26	Chennai	Satisfactory	51	O ₃ , CO, PM ₁₀	7
27	Chikkaballapur	Good	49	PM ₁₀	1
28	Chikkamagaluru	Good	49	03	1
29	Damoh	Satisfactory	51	PM _{2.5}	1
30	Delhi	Poor	238	PM _{2.5} , PM ₁₀	8
31	Dewas	Moderate	119	PM ₁₀	1
32	Dharuhera	Poor	290	PM ₁₀	1
33	Durgapur	Poor	219	PM _{2.5}	1
34	Eloor	Good	46	со	1
35	Faridabad	Poor	254	PM _{2.5} , PM ₁₀ , O ₃	4
36	Fatehabad	Poor	204	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Kalaburgi, Maihar, Mandi Gobindgarh, Muzaffarnagar, Nandesari, Nashik, Raichur, Satna, Shillong, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Satisfactory	61	SO ₂	1
38	Gandhinagar	Satisfactory	66	PM ₁₀	1
39	Gaya	Moderate	158	O ₃ , PM _{2.5}	2
40	Ghaziabad	Very Poor	308	PM ₁₀	4
41	Greater Noida	Poor	282	PM ₁₀	1
42	Gummidipoondi	Good	29	PM _{2.5}	1
43	Gurugram	Poor	250	PM ₁₀ , PM _{2.5}	3
44	Guwahati	Moderate	150	PM _{2.5}	2
45	Gwalior	Moderate	117	PM ₁₀	1
46	Hajipur	Poor	268	PM ₁₀	1
47	Haldia	Satisfactory	74	PM ₁₀	1
48	Hapur	Poor	207	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Kalaburgi, Maihar, Mandi Gobindgarh, Muzaffarnagar, Nandesari, Nashik, Raichur, Satna, Shillong, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Satisfactory	77	PM ₁₀	1
50	Hisar	Poor	206	PM ₁₀	1
51	Howrah	Satisfactory	95	PM ₁₀	3
52	Hubballi	Satisfactory	81	PM ₁₀	1
53	Hyderabad	Satisfactory	76	PM ₁₀ , PM _{2.5}	5
54	Indore	Moderate	126	PM ₁₀	1
55	Jabalpur	Moderate	107	PM ₁₀	1
56	Jaipur	Moderate	135	PM ₁₀	3
57	Jalandhar	Satisfactory	53	PM ₁₀	1
58	Jind	Poor	229	PM _{2.5}	1
59	Jodhpur	Moderate	183	PM _{2.5}	1
60	Jorapokhar	Moderate	152	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Kalaburgi, Maihar, Mandi Gobindgarh, Muzaffarnagar, Nandesari, Nashik, Raichur, Satna, Shillong, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	164	PM ₁₀	1
62	Kalyan	Moderate	112	PM ₁₀	1
63	Kannur	Satisfactory	66	PM _{2.5}	1
64	Kanpur	Moderate	161	PM _{2.5}	2
65	Karnal	Moderate	137	PM ₁₀	1
66	Katni	Moderate	150	PM ₁₀	1
67	Khanna	Satisfactory	96	PM ₁₀	1
68	Kochi	Satisfactory	75	PM ₁₀	1
69	Kohima	Moderate	102	PM ₁₀	1
70	Kolar	Satisfactory	65	03	1
71	Kolkata	Satisfactory	96	PM _{2.5} , PM ₁₀ , O ₃	7
72	Kollam	Satisfactory	76	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Kalaburgi, Maihar, Mandi Gobindgarh, Muzaffarnagar, Nandesari, Nashik, Raichur, Satna, Shillong, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	58	03	1
74	Kota	Moderate	124	PM ₁₀	1
75	Kozhikode	Satisfactory	60	со	1
76	Kurukshetra	Moderate	178	PM ₁₀	1
77	Lucknow	Poor	218	PM _{2.5}	4
78	Ludhiana	Moderate	106	PM _{2.5}	1
79	Mandideep	Good	50	PM ₁₀	1
80	Mandikhera	Moderate	101	СО	1
81	Manesar	Poor	277	PM _{2.5}	1
82	Manglore	Good	40	PM ₁₀	1
83	Medikeri	Good	42	03	1
84	Meerut	Poor	249	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Kalaburgi, Maihar, Mandi Gobindgarh, Muzaffarnagar, Nandesari, Nashik, Raichur, Satna, Shillong, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Moradabad	Poor	218	PM _{2.5}	1
86	Mumbai	Satisfactory	79	PM _{2.5} , PM ₁₀	19
87	Muzaffarpur	Moderate	163	PM _{2.5}	1
88	Mysuru	Satisfactory	84	03	1
89	Nagpur	Satisfactory	72	PM ₁₀	1
90	Naharlagun	Satisfactory	76	PM ₁₀	1
91	Narnaul	Poor	227	PM ₁₀	1
92	Navi Mumbai	Moderate	102	PM ₁₀ , PM _{2.5}	2
93	Noida	Poor	249	PM ₁₀	3
94	Pali	Moderate	145	PM ₁₀	1
95	Palwal	Moderate	145	PM ₁₀	1
96	Panchkula	Satisfactory	71	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Kalaburgi, Maihar, Mandi Gobindgarh, Muzaffarnagar, Nandesari, Nashik, Raichur, Satna, Shillong, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panipat	Poor	271	PM ₁₀	1
98	Patiala	Moderate	120	PM ₁₀	1
99	Patna	Poor	221	PM _{2.5} , PM ₁₀ , O ₃	6
100	Pithampur	Satisfactory	86	PM ₁₀	1
101	Puducherry	Good	45	03	1
102	Pune	Satisfactory	82	PM _{2.5} , PM ₁₀	4
103	Rajamahendravaram	Satisfactory	52	СО	1
104	Ramanagara	Satisfactory	79	O ₃	1
105	Ratlam	Moderate	110	PM ₁₀	1
106	Rohtak	Moderate	122	PM _{2.5}	1
107	Rupnagar	Good	50	PM ₁₀	1
108	Sagar	Satisfactory	78	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Kalaburgi, Maihar, Mandi Gobindgarh, Muzaffarnagar, Nandesari, Nashik, Raichur, Satna, Shillong, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	62	O ₃	1
110	Siliguri	Satisfactory	99	PM _{2.5}	1
111	Singrauli	Poor	202	PM ₁₀	1
112	Sirsa	Moderate	108	PM ₁₀	1
113	Sonipat	Severe	421	PM ₁₀	1
114	Srinagar	Good	36	NO ₂	1
115	Talcher	Moderate	175	NO ₂	1
116	Thane	Satisfactory	100	PM ₁₀	1
117	Thiruvananthapuram	Good	50	O ₃	1
118	Thoothukudi	Satisfactory	54	PM ₁₀	1
119	Thrissur	Satisfactory	54	O ₃	1
120	Tirupati	Good	47	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Kalaburgi, Maihar, Mandi Gobindgarh, Muzaffarnagar, Nandesari, Nashik, Raichur, Satna, Shillong, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Satisfactory	90	PM ₁₀	1
122	Udupi	Poor	273	O ₃	1
123	Ujjain	Moderate	151	PM _{2.5}	1
124	Vapi	Satisfactory	90	PM ₁₀	1
125	Varanasi	Poor	213	PM ₁₀	1
126	Vijayapura	Satisfactory	51	PM ₁₀	1
127	Visakhapatnam	Satisfactory	75	PM ₁₀	1
128	Yadgir	Moderate	162	O ₃	1
129	Yamunanagar	Poor	235	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Brajrajnagar, Coimbatore, Davanagere, Ernakulam, Kalaburgi, Maihar, Mandi Gobindgarh, Muzaffarnagar, Nandesari, Nashik, Raichur, Satna, Shillong, Solapur, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.