

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	52	PM _{2.5}	1
2	Ahmedabad	Poor	231	OZONE	1
3	Ajmer	Satisfactory	72	PM ₁₀	1
4	Alwar	Satisfactory	60	PM ₁₀	1
5	Amaravati	Good	38	OZONE	1
6	Ambala	Moderate	123	PM ₁₀	1
7	Amritsar	Satisfactory	70	PM _{2.5}	1
8	Asanol	Satisfactory	62	PM _{2.5}	1
9	Aurangabad	Satisfactory	62	PM ₁₀	1
10	Baghpat	Satisfactory	96	OZONE	1
11	Bahadurgarh	Satisfactory	84	PM ₁₀	1
12	Ballabgarh	Moderate	147	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Eloor, Hubballi, Kalaburagi, Mysuru, Palwal, Patna, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	104	со	1
14	Bengaluru	Satisfactory	76	OZONE, PM _{2.5} , PM ₁₀	7
15	Bhiwadi	Moderate	149	PM ₁₀	1
16	Bhiwani	Satisfactory	100	PM ₁₀	1
17	Bhopal	Moderate	136	OZONE	1
18	Brajrajnagar	Satisfactory	99	СО	1
19	Bulandshahr	Moderate	180	OZONE	1
20	Chandigarh	Moderate	102	PM ₁₀	1
21	Chandrapur	Moderate	110	PM ₁₀	1
22	Chennai	Satisfactory	80	PM _{2.5} , CO, OZONE	3
23	Chikkaballapur	Good	38	PM ₁₀	1
24	Coimbatore	Satisfactory	77	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Eloor, Hubballi, Kalaburagi, Mysuru, Palwal, Patna, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Satisfactory	93	PM ₁₀	1
26	Delhi	Moderate	112	PM ₁₀ , OZONE, PM _{2.5}	36
27	Dewas	Moderate	102	OZONE	1
28	Dharuhera	Moderate	132	PM ₁₀	1
29	Faridabad	Moderate	102	OZONE	1
30	Fatehabad	Satisfactory	85	PM ₁₀	1
31	GandhiNagar	Satisfactory	91	PM ₁₀	1
32	Gaya	Moderate	110	PM _{2.5}	1
33	Ghaziabad	Moderate	119	PM ₁₀	2
34	Greater_Noida	Moderate	151	OZONE, CO	2
35	Gurugram	Satisfactory	78	OZONE	1
36	Guwahati	Good	32	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Eloor, Hubballi, Kalaburagi, Mysuru, Palwal, Patna, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Good	26	PM ₁₀	1
38	Hapur	Satisfactory	100	PM ₁₀	1
39	Hisar	Satisfactory	91	PM ₁₀	1
40	Howrah	Satisfactory	96	PM _{2.5}	2
41	Hyderabad	Satisfactory	99	PM _{2.5} , PM ₁₀	6
42	Indore	Moderate	110	PM _{2.5}	1
43	Jabalpur	Moderate	117	PM ₁₀	1
44	Jaipur	Satisfactory	94	PM _{2.5} , PM ₁₀	3
45	Jalandhar	Satisfactory	64	PM ₁₀	1
46	Jind	Satisfactory	91	PM ₁₀	1
47	Jodhpur	Moderate	106	PM ₁₀	1
48	Jorapokhar	Satisfactory	75	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Eloor, Hubballi, Kalaburagi, Mysuru, Palwal, Patna, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Satisfactory	75	PM ₁₀	1
50	Kalyan	Satisfactory	99	PM ₁₀	1
51	Kanpur	Moderate	134	PM _{2.5}	1
52	Karnal	Moderate	113	PM _{2.5}	1
53	Katni	Moderate	163	PM ₁₀	1
54	Khanna	Satisfactory	71	PM ₁₀	1
55	Kolkata	Satisfactory	70	PM ₁₀ , PM _{2.5} , OZONE	5
56	Kota	Satisfactory	90	PM _{2.5}	1
57	Kurukshetra	Satisfactory	98	PM ₁₀	1
58	Loni_Dehat	Moderate	128	PM ₁₀	1
59	Lucknow	Moderate	170	PM _{2.5}	4
60	Ludhiana	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Eloor, Hubballi, Kalaburagi, Mysuru, Palwal, Patna, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	70	PM _{2.5}	1
62	Mandi Gobindgarh	Moderate	143	PM _{2.5}	1
63	Mandideep	Satisfactory	77	PM ₁₀	1
64	Mandikhera	Satisfactory	93	PM ₁₀	1
65	Manesar	Satisfactory	98	PM ₁₀	1
66	Meerut	Moderate	108	PM ₁₀	1
67	Moradabad	Moderate	140	PM ₁₀	1
68	Mumbai	Moderate	124	CO, PM _{2.5}	9
69	Muzaffarnagar	Moderate	107	PM _{2.5}	1
70	Muzaffarpur	Poor	227	OZONE	1
71	Nagpur	Satisfactory	75	NO ₂	1
72	Narnaul	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Eloor, Hubballi, Kalaburagi, Mysuru, Palwal, Patna, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Satisfactory	58	PM _{2.5}	1
74	Navi Mumbai	Satisfactory	92	PM ₁₀ , PM _{2.5} , CO	3
75	Noida	Moderate	114	PM ₁₀	4
76	Pali	Satisfactory	62	PM ₁₀	1
77	Panchkula	Satisfactory	69	PM _{2.5}	1
78	Panipat	Moderate	114	PM ₁₀	1
79	Patiala	Satisfactory	52	PM ₁₀	1
80	Pithampur	Satisfactory	85	PM ₁₀	1
81	Pune	Satisfactory	86	SO ₂	1
82	Rajamahendravaram	Good	48	OZONE	1
83	Ratlam	Moderate	116	PM ₁₀	1
84	Rohtak	Satisfactory	57	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Eloor, Hubballi, Kalaburagi, Mysuru, Palwal, Patna, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rupnagar	Satisfactory	72	PM ₁₀	1
86	Satna	Poor	223	PM ₁₀	1
87	Siliguri	Good	44	OZONE	1
88	Singrauli	Moderate	136	PM _{2.5}	1
89	Sirsa	Satisfactory	99	PM ₁₀	1
90	Solapur	Satisfactory	84	PM ₁₀	1
91	Sonipat	Satisfactory	89	PM ₁₀	1
92	Thane	Satisfactory	54	PM ₁₀	1
93	Thiruvananthapuram	Good	40	OZONE	1
94	Tirupati	Good	49	PM ₁₀	1
95	Udaipur	Satisfactory	74	PM _{2.5}	1
96	Ujjain	Moderate	103	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Eloor, Hubballi, Kalaburagi, Mysuru, Palwal, Patna, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vapi	Moderate	174	PM _{2.5}	1
98	Varanasi	Poor	220	PM ₁₀	1
99	Vatva	Moderate	102	PM ₁₀	1
100	Visakhapatnam	Moderate	121	PM ₁₀	1
101	Yadgir	Satisfactory	57	OZONE	1
102	Yamunanagar	Poor	265	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate Breathing discomfort to the people with lungs, asthma and heart disease		
Poor Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Eloor, Hubballi, Kalaburagi, Mysuru, Palwal, Patna, Ramanagara, Shillong, Talcher, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.