



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	86	PM <sub>10</sub>	2
2	Agra	Moderate	126	PM <sub>10</sub>	5
3	Ahmedabad	Moderate	157	PM <sub>2.5</sub>	6
4	Aizawl	Satisfactory	99	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	95	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	95	PM <sub>10</sub>	1
7	Amaravati	Good	35	O <sub>3</sub>	1
8	Ambala	Moderate	187	PM <sub>10</sub>	1
9	Amritsar	Moderate	156	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	135	PM <sub>2.5</sub>	1
11	Araria	Satisfactory	92	O <sub>3</sub>	1
12	Arrah	Moderate	186	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonapat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	188	O <sub>3</sub>	1
14	Aurangabad	Poor	207	PM <sub>2.5</sub>	1
15	Aurangabad	Moderate	105	PM <sub>10</sub>	1
16	Baddi	Moderate	184	PM <sub>2.5</sub>	1
17	Bagalkot	Good	50	PM <sub>2.5</sub>	1
18	Baghpat	Poor	285	PM <sub>2.5</sub>	1
19	Bahadurgarh	Very Poor	301	PM <sub>2.5</sub>	1
20	Ballabgarh	Poor	202	PM <sub>2.5</sub>	1
21	Bathinda	Moderate	160	PM <sub>10</sub>	1
22	Bengaluru	Satisfactory	96	PM <sub>10</sub> , CO	6
23	Bettiah	Satisfactory	89	PM <sub>10</sub>	1
24	Bhagalpur	Poor	205	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Very Poor	305	PM <sub>2.5</sub>	1
26	Bhopal	Moderate	111	O <sub>3</sub>	1
27	Bidar	Satisfactory	96	PM <sub>10</sub>	1
28	Bihar Sharif	Poor	219	PM <sub>2.5</sub>	1
29	Bilaspur	Satisfactory	59	PM <sub>10</sub>	1
30	Bulandshahr	Poor	277	PM <sub>10</sub>	1
31	Buxar	Very Poor	302	PM <sub>10</sub>	1
32	Chamarajanagar	Good	44	PM <sub>10</sub>	1
33	Chandigarh	Moderate	192	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	3
34	Chandrapur	Moderate	115	PM <sub>10</sub> , O <sub>3</sub>	2
35	Charkhi Dadri	Very Poor	334	PM <sub>2.5</sub>	1
36	Chennai	Good	45	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	8

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Moderate	197	PM <sub>10</sub>	1
38	Chikkaballapur	Moderate	107	PM <sub>10</sub>	1
39	Chikkamagaluru	Satisfactory	70	PM <sub>2.5</sub>	1
40	Coimbatore	Satisfactory	66	PM <sub>2.5</sub>	1
41	Damoh	Satisfactory	64	PM <sub>10</sub>	1
42	Darbhanga	Poor	211	PM <sub>10</sub>	1
43	Davanagere	Satisfactory	84	PM <sub>10</sub>	1
44	Dehradun	Moderate	121	PM <sub>2.5</sub>	1
45	Delhi	Poor	295	PM <sub>10</sub>	36
46	Dewas	Moderate	106	PM <sub>10</sub>	1
47	Durgapur	Moderate	168	PM <sub>2.5</sub>	1
48	Eloor	Satisfactory	73	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Good	46	PM <sub>10</sub>	1
50	Faridabad	Poor	296	PM <sub>2.5</sub>	2
51	Fatehabad	Poor	226	PM <sub>2.5</sub>	1
52	Firozabad	Moderate	190	O <sub>3</sub>	1
53	Gadag	Satisfactory	52	PM <sub>2.5</sub>	1
54	Gandhinagar	Moderate	143	PM <sub>2.5</sub> , PM <sub>10</sub>	3
55	Gaya	Moderate	188	O <sub>3</sub> , PM <sub>2.5</sub>	3
56	Ghaziabad	Very Poor	328	PM <sub>2.5</sub> , PM <sub>10</sub>	4
57	Gorakhpur	Satisfactory	68	PM <sub>10</sub>	1
58	Greater Noida	Poor	269	PM <sub>10</sub>	1
59	Gummidipoondi	Good	31	PM <sub>10</sub>	1
60	Gurugram	Very Poor	303	PM <sub>10</sub> , PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Good	44	O <sub>3</sub> , PM <sub>10</sub>	2
62	Gwalior	Moderate	195	PM <sub>2.5</sub>	1
63	Hajipur	Moderate	110	PM <sub>2.5</sub>	1
64	Haldia	Satisfactory	65	PM <sub>10</sub>	1
65	Hapur	Very Poor	347	PM <sub>10</sub>	1
66	Haveri	Satisfactory	73	PM <sub>10</sub>	1
67	Hisar	Moderate	184	PM <sub>2.5</sub>	1
68	Howrah	Satisfactory	84	O <sub>3</sub> , PM <sub>10</sub>	3
69	Hyderabad	Moderate	110	PM <sub>10</sub> , PM <sub>2.5</sub>	6
70	Indore	Moderate	127	PM <sub>10</sub>	1
71	Jabalpur	Moderate	172	PM <sub>10</sub>	1
72	Jaipur	Moderate	156	PM <sub>2.5</sub> , PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jalandhar	Moderate	162	PM <sub>10</sub>	1
74	Jhansi	Moderate	195	PM <sub>10</sub>	1
75	Jind	Very Poor	314	PM <sub>2.5</sub>	1
76	Jodhpur	Moderate	156	PM <sub>2.5</sub>	1
77	Kaithal	Poor	249	PM <sub>2.5</sub>	1
78	Kalyan	Moderate	186	PM <sub>2.5</sub>	1
79	Kannur	Satisfactory	77	PM <sub>10</sub>	1
80	Kanpur	Moderate	135	PM <sub>2.5</sub> , PM <sub>10</sub>	3
81	Katihar	Moderate	129	PM <sub>10</sub>	1
82	Katni	Poor	216	PM <sub>10</sub>	1
83	Khanna	Poor	227	PM <sub>2.5</sub>	1
84	Kishanganj	Satisfactory	93	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kochi	Satisfactory	93	CO	1
86	Kohima	Satisfactory	79	PM <sub>10</sub>	1
87	Kolkata	Satisfactory	75	PM <sub>10</sub> , NO <sub>2</sub>	7
88	Kollam	Satisfactory	97	PM <sub>10</sub>	1
89	Kota	Moderate	126	PM <sub>2.5</sub>	1
90	Kozhikode	Satisfactory	60	PM <sub>10</sub>	1
91	Lucknow	Poor	244	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	6
92	Ludhiana	Moderate	178	PM <sub>2.5</sub>	1
93	Madikeri	Satisfactory	64	PM <sub>10</sub>	1
94	Mandi Gobindgarh	Very Poor	349	PM <sub>2.5</sub>	1
95	Mandideep	Satisfactory	58	PM <sub>10</sub>	1
96	Mandikhera	Satisfactory	100	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	292	PM <sub>10</sub>	3
98	Moradabad	Moderate	184	PM <sub>2.5</sub> , O <sub>3</sub>	3
99	Motihari	Moderate	171	O <sub>3</sub>	1
100	Mumbai	Moderate	114	PM <sub>2.5</sub> , PM <sub>10</sub>	16
101	Munger	Poor	247	PM <sub>10</sub>	1
102	Muzaffarnagar	Very Poor	318	PM <sub>10</sub>	1
103	Muzaffarpur	Moderate	153	PM <sub>10</sub> , PM <sub>2.5</sub>	2
104	Mysuru	Satisfactory	58	PM <sub>10</sub>	1
105	Nagpur	Moderate	181	PM <sub>2.5</sub>	1
106	Narnaul	Moderate	147	PM <sub>10</sub>	1
107	Navi Mumbai	Moderate	183	PM <sub>10</sub>	3
108	Noida	Very Poor	322	PM <sub>10</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonapat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Moderate	123	PM <sub>10</sub>	1
110	Palwal	Moderate	147	PM <sub>10</sub>	1
111	Panchkula	Moderate	195	PM <sub>2.5</sub>	1
112	Patiala	Moderate	163	PM <sub>10</sub>	1
113	Patna	Poor	239	PM <sub>2.5</sub>	6
114	Pithampur	Moderate	113	PM <sub>10</sub>	1
115	Prayagraj	Moderate	126	PM <sub>10</sub>	1
116	Puducherry	Good	25	PM <sub>10</sub>	1
117	Pune	Moderate	162	PM <sub>2.5</sub> , PM <sub>10</sub>	6
118	Purnia	Satisfactory	70	NO <sub>2</sub>	1
119	Rajamahendravaram	Good	38	PM <sub>10</sub>	1
120	Rajgir	Moderate	162	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Moderate	106	PM <sub>10</sub>	1
122	Rohtak	Poor	264	PM <sub>2.5</sub>	1
123	Rupnagar	Moderate	108	PM <sub>10</sub>	1
124	Sagar	Satisfactory	88	CO	1
125	Saharsa	Moderate	185	PM <sub>10</sub>	1
126	Samastipur	Moderate	188	PM <sub>2.5</sub>	1
127	Satna	Satisfactory	81	PM <sub>10</sub>	1
128	Shillong	Satisfactory	71	PM <sub>10</sub>	2
129	Shivamogga	Satisfactory	63	PM <sub>10</sub>	1
130	Siliguri	Satisfactory	77	PM <sub>10</sub>	1
131	Singrauli	Very Poor	341	PM <sub>10</sub>	1
132	Sirsa	Moderate	179	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Satisfactory	92	PM <sub>10</sub>	1
134	Srinagar	Good	32	PM <sub>10</sub>	1
135	Talcher	Satisfactory	77	O <sub>3</sub>	1
136	Thiruvananthapuram	Satisfactory	54	PM <sub>10</sub> , CO	2
137	Thoothukudi	Good	47	PM <sub>10</sub>	1
138	Tirupati	Satisfactory	74	PM <sub>10</sub>	1
139	Udaipur	Moderate	107	PM <sub>10</sub>	1
140	Ujjain	Moderate	144	PM <sub>10</sub>	1
141	Varanasi	Moderate	126	PM <sub>10</sub> , PM <sub>2.5</sub>	4
142	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
143	Visakhapatnam	Moderate	103	PM <sub>10</sub>	1
144	Vrindavan	Moderate	116	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Mangalore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 28, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yamunanagar	Poor	214	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Begusarai, Bhilai, Bhiwani, Brajrajnagar, Dharuhera, Gangtok, Hassan, Hubballi, Imphal, Jorapokhar, Kalaburgi, Karnal, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manglore, Manguraha, Naharlagun, Nandesari, Nashik, Panipat, Raichur, Ratlam, Sasaram, Siwan, Sonipat, Thane, Thrissur, Udupi, Vapi, Vatva, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.