

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	174	PM _{2.5}	1
2	Ahmedabad	Moderate	167	OZONE	1
3	Ajmer	Satisfactory	88	PM ₁₀	1
4	Amaravati	Satisfactory	55	OZONE	1
5	Ambala	Moderate	197	OZONE	1
6	Amritsar	Moderate	181	PM _{2.5}	1
7	Ankleshwar	Satisfactory	86	PM ₁₀	1
8	Asanol	Satisfactory	79	PM ₁₀	1
9	Aurangabad	Moderate	107	OZONE	1
10	Baghpat	Poor	228	PM ₁₀	1
11	Bahadurgarh	Moderate	188	PM _{2.5}	1
12	Ballabgarh	Poor	282	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Nagpur, Patna, Rupnagar, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	144	PM ₁₀	1
14	Bengaluru	Satisfactory	88	PM ₁₀ , PM _{2.5} , OZONE	7
15	Bhiwadi	Poor	293	PM ₁₀	1
16	Bhiwani	Moderate	108	PM ₁₀	1
17	Bulandshahr	Poor	257	OZONE	1
18	Chandrapur	Moderate	110	OZONE, PM ₁₀	2
19	Chennai	Good	44	со	3
20	Chikkaballapur	Satisfactory	60	PM ₁₀	1
21	Delhi	Poor	236	PM ₁₀ , PM _{2.5}	33
22	Dewas	Satisfactory	90	PM ₁₀	1
23	Dharuhera	Moderate	162	PM _{2.5}	1
24	Durgapur	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Nagpur, Patna, Rupnagar, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Very Poor	309	PM _{2.5}	1
26	Fatehabad	Moderate	156	PM ₁₀	1
27	GandhiNagar	Satisfactory	94	PM ₁₀	1
28	Gaya	Satisfactory	100	PM _{2.5}	1
29	Ghaziabad	Poor	259	PM ₁₀	3
30	Greater_Noida	Poor	241	PM ₁₀	1
31	Gurugram	Poor	225	PM ₁₀	1
32	Guwahati	Satisfactory	75	PM _{2.5}	1
33	Hapur	Moderate	184	PM ₁₀	1
34	Hisar	Moderate	166	OZONE	1
35	Howrah	Satisfactory	100	PM _{2.5} , PM ₁₀	2
36	Hyderabad	Satisfactory	63	OZONE, PM ₁₀ , PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Nagpur, Patna, Rupnagar, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jaipur	Moderate	126	PM _{2.5} , PM ₁₀	2
38	Jalandhar	Moderate	105	PM ₁₀	1
39	Jind	Moderate	131	PM ₁₀	1
40	Jodhpur	Moderate	151	PM _{2.5}	1
41	Jorapokhar	Satisfactory	73	PM ₁₀	1
42	Kaithal	Moderate	120	PM ₁₀	1
43	Kalaburagi	Moderate	101	PM ₁₀	1
44	Kanpur	Moderate	176	PM _{2.5}	1
45	Karnal	Moderate	117	PM ₁₀	1
46	Khanna	Satisfactory	62	PM ₁₀	1
47	Kolkata	Satisfactory	86	PM ₁₀ , PM _{2.5}	2
48	Kota	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Nagpur, Patna, Rupnagar, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kurukshetra	Moderate	101	PM ₁₀	1
50	Loni_Dehat	Very Poor	308	PM ₁₀	1
51	Lucknow	Poor	259	PM _{2.5}	4
52	Ludhiana	Satisfactory	78	PM _{2.5}	1
53	Maihar	Good	43	PM _{2.5}	1
54	Mandi Gobindgarh	Satisfactory	63	PM ₁₀	1
55	Mandideep	Moderate	184	PM ₁₀	1
56	Mandikhera	Moderate	122	PM ₁₀	1
57	Manesar	Moderate	170	PM ₁₀	1
58	Moradabad	Moderate	180	OZONE	1
59	Mumbai	Satisfactory	97	со	1
60	Muzaffarnagar	Moderate	192	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Nagpur, Patna, Rupnagar, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Muzaffarpur	Moderate	107	PM _{2.5}	1
62	Narnaul	Moderate	144	PM _{2.5}	1
63	Nashik	Satisfactory	84	OZONE	1
64	Navi Mumbai	Moderate	104	со	1
65	Noida	Poor	223	PM _{2.5}	1
66	Pali	Moderate	142	PM ₁₀	1
67	Palwal	Very Poor	316	PM _{2.5}	1
68	Panchkula	Satisfactory	88	OZONE	1
69	Panipat	Moderate	137	PM ₁₀	1
70	Patiala	Moderate	101	PM ₁₀	1
71	Pithampur	Moderate	108	PM ₁₀	1
72	Pune	Satisfactory	63	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Nagpur, Patna, Rupnagar, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rajamahendravaram	Moderate	181	OZONE	1
74	Ratlam	Moderate	102	PM _{2.5}	1
75	Rohtak	Moderate	145	PM _{2.5}	1
76	Satna	Satisfactory	79	PM ₁₀	1
77	Singrauli	Moderate	190	PM ₁₀	1
78	Sirsa	Satisfactory	98	PM ₁₀	1
79	Solapur	Satisfactory	98	PM ₁₀	1
80	Sonipat	Moderate	176	PM _{2.5}	1
81	Thane	Satisfactory	85	PM ₁₀	1
82	Thiruvananthapuram	Satisfactory	60	OZONE	1
83	Tirupati	Satisfactory	52	NO ₂	1
84	Udaipur	Satisfactory	86	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Nagpur, Patna, Rupnagar, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ujjain	Moderate	192	OZONE	1
86	Vapi	Satisfactory	93	PM ₁₀	1
87	Varanasi	Poor	231	PM ₁₀	1
88	Vatva	Poor	259	OZONE	1
89	Vijayawada	Satisfactory	55	PM ₁₀	1
90	Visakhapatnam	Satisfactory	87	PM ₁₀	1
91	Yamunanagar	Moderate	129	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Brajrajnagar, Damoh, Nagpur, Patna, Rupnagar, Siliguri, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.