

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	150	PM <sub>2.5</sub>	1
2	Agra	Moderate	178	PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	195	PM <sub>2.5</sub> , PM <sub>10</sub>	5
4	Aizawl	Good	10	со	1
5	Ajmer	Satisfactory	96	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	75	PM <sub>2.5</sub>	1
7	Amaravati	Satisfactory	63	PM <sub>10</sub>	1
8	Ambala	Poor	230	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	121	PM <sub>10</sub>	1
10	Ankleshwar	Very Poor	329	PM <sub>2.5</sub>	1
11	Asansol	Poor	209	PM <sub>2.5</sub>	1
12	Aurangabad	Satisfactory	92	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	51	PM <sub>2.5</sub>	1
14	Baghpat	Poor	225	PM <sub>2.5</sub>	1
15	Bahadurgarh	Poor	246	PM <sub>2.5</sub>	1
16	Ballabgarh	Poor	270	PM <sub>2.5</sub>	1
17	Bathinda	Poor	258	PM <sub>10</sub>	1
18	Bengaluru	Satisfactory	86	PM <sub>2.5</sub> , PM <sub>10</sub>	10
19	Bettiah	Poor	218	PM <sub>10</sub>	1
20	Bhagalpur	Poor	232	PM <sub>10</sub> , PM <sub>2.5</sub>	2
21	Bhilai	Satisfactory	53	PM <sub>10</sub>	1
22	Bhiwadi	Poor	244	PM <sub>2.5</sub>	1
23	Bhiwani	Moderate	137	PM <sub>10</sub>	1
24	Bhopal	Moderate	168	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bidar	Moderate	117	PM <sub>10</sub>	1
26	Bihar Sharif	Poor	282	PM <sub>2.5</sub>	1
27	Bilaspur	Satisfactory	88	PM <sub>10</sub>	1
28	Brajrajnagar	Satisfactory	53	03	1
29	Bulandshahr	Poor	292	PM <sub>2.5</sub>	1
30	Buxar	Very Poor	302	PM <sub>10</sub>	1
31	Chamarajanagar	Good	38	PM <sub>10</sub>	1
32	Chandigarh	Satisfactory	98	PM <sub>2.5</sub> , PM <sub>10</sub>	2
33	Chandrapur	Moderate	159	PM <sub>2.5</sub>	2
34	Charkhi Dadri	Poor	214	PM <sub>2.5</sub>	1
35	Chennai	Moderate	120	PM <sub>2.5</sub> , PM <sub>10</sub>	7
36	Chhapra	Very Poor	328	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Moderate	105	PM <sub>2.5</sub>	1
38	Chikkamagaluru	Good	32	PM <sub>10</sub>	1
39	Coimbatore	Good	34	PM <sub>2.5</sub>	1
40	Damoh	Moderate	150	PM <sub>2.5</sub>	1
41	Darbhanga	Very Poor	304	PM <sub>2.5</sub>	1
42	Delhi	Very Poor	305	PM <sub>10</sub> , PM <sub>2.5</sub>	29
43	Dewas	Moderate	136	PM <sub>2.5</sub>	1
44	Dharuhera	Poor	279	PM <sub>2.5</sub>	1
45	Durgapur	Poor	249	PM <sub>2.5</sub>	1
46	Eloor	Satisfactory	62	PM <sub>10</sub>	1
47	Ernakulam	Good	41	со	1
48	Faridabad	Very Poor	311	PM <sub>10</sub> , PM <sub>2.5</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Poor	207	PM <sub>2.5</sub>	1
50	Firozabad	Very Poor	351	PM <sub>2.5</sub>	1
51	Gandhinagar	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Gaya	Moderate	179	PM <sub>2.5</sub> , PM <sub>10</sub>	3
53	Ghaziabad	Poor	294	PM <sub>2.5</sub>	4
54	Gorakhpur	Satisfactory	89	PM <sub>2.5</sub>	1
55	Greater Noida	Poor	282	PM <sub>2.5</sub>	2
56	Gurugram	Poor	277	PM <sub>2.5</sub>	3
57	Guwahati	Moderate	172	PM <sub>2.5</sub>	2
58	Gwalior	Poor	237	PM <sub>2.5</sub>	1
59	Hajipur	Moderate	195	PM <sub>2.5</sub>	1
60	Haldia	Satisfactory	72	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	280	PM <sub>2.5</sub>	1
62	Hisar	Very Poor	339	PM <sub>2.5</sub>	1
63	Howrah	Moderate	180	PM <sub>2.5</sub>	2
64	Hubballi	Good	39	PM <sub>10</sub>	1
65	Hyderabad	Moderate	162	PM <sub>2.5</sub> , PM <sub>10</sub>	6
66	Indore	Moderate	164	PM <sub>2.5</sub>	1
67	Jaipur	Moderate	110	PM <sub>10</sub> , PM <sub>2.5</sub>	2
68	Jalandhar	Moderate	164	PM <sub>2.5</sub>	1
69	Jind	Poor	288	PM <sub>2.5</sub>	1
70	Jodhpur	Poor	215	PM <sub>2.5</sub>	1
71	Kaithal	Poor	206	PM <sub>2.5</sub>	1
72	Kannur	Good	41	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Poor	249	PM <sub>2.5</sub>	3
74	Karnal	Poor	234	PM <sub>10</sub>	1
75	Katihar	Poor	245	PM <sub>10</sub>	1
76	Katni	Poor	214	PM <sub>2.5</sub>	1
77	Khanna	Moderate	152	PM <sub>2.5</sub>	1
78	Kishanganj	Moderate	195	PM <sub>10</sub>	1
79	Kochi	Satisfactory	97	PM <sub>2.5</sub>	1
80	Kohima	Satisfactory	80	PM <sub>10</sub>	1
81	Kolkata	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	6
82	Kota	Poor	268	PM <sub>2.5</sub>	1
83	Kurukshetra	Moderate	189	PM <sub>2.5</sub>	1
84	Lucknow	Moderate	191	PM <sub>2.5</sub>	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ludhiana	Moderate	132	PM <sub>2.5</sub>	1
86	Maihar	Poor	209	PM <sub>2.5</sub>	1
87	Mandideep	Satisfactory	78	PM <sub>10</sub>	1
88	Mandikhera	Moderate	133	PM <sub>2.5</sub>	1
89	Manesar	Poor	242	PM <sub>2.5</sub>	1
90	Medikeri	Good	27	O <sub>3</sub>	1
91	Meerut	Poor	255	PM <sub>2.5</sub>	3
92	Moradabad	Poor	218	PM <sub>2.5</sub>	2
93	Motihari	Moderate	186	PM <sub>2.5</sub>	1
94	Mumbai	Moderate	109	PM <sub>10</sub> , PM <sub>2.5</sub>	21
95	Muzaffarnagar	Poor	244	PM <sub>2.5</sub>	1
96	Muzaffarpur	Poor	278	PM <sub>2.5</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mysuru	Good	39	PM <sub>10</sub>	1
98	Nagpur	Moderate	110	PM <sub>10</sub>	1
99	Naharlagun	Moderate	117	O <sub>3</sub>	1
100	Narnaul	Moderate	177	PM <sub>2.5</sub>	1
101	Nashik	Satisfactory	79	PM <sub>2.5</sub>	1
102	Navi Mumbai	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	3
103	Noida	Poor	286	PM <sub>2.5</sub>	3
104	Pali	Moderate	191	PM <sub>2.5</sub>	1
105	Palwal	Moderate	151	PM <sub>10</sub>	1
106	Panchkula	Satisfactory	82	PM <sub>2.5</sub>	1
107	Panipat	Poor	216	PM <sub>10</sub>	1
108	Patiala	Moderate	115	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Patna	Poor	258	PM <sub>2.5</sub> , PM <sub>10</sub>	5
110	Pithampur	Moderate	173	PM <sub>2.5</sub>	1
111	Prayagraj	Poor	262	PM <sub>2.5</sub>	3
112	Puducherry	Satisfactory	77	PM <sub>10</sub>	1
113	Pune	Satisfactory	84	SO <sub>2</sub> , PM <sub>2.5</sub>	3
114	Purnia	Poor	291	PM <sub>2.5</sub>	1
115	Raichur	Moderate	188	PM <sub>2.5</sub>	1
116	Rajamahendravaram	Satisfactory	61	PM <sub>10</sub>	1
117	Rajgir	Moderate	139	PM <sub>10</sub>	1
118	Ramanagara	Good	48	PM <sub>2.5</sub>	1
119	Ratlam	Moderate	125	PM <sub>10</sub>	1
120	Rohtak	Poor	215	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rupnagar	Moderate	161	PM <sub>10</sub>	1
122	Saharsa	Very Poor	376	PM <sub>10</sub>	1
123	Sasaram	Very Poor	370	PM <sub>2.5</sub>	1
124	Satna	Satisfactory	63	PM <sub>10</sub>	1
125	Shillong	Good	26	SO <sub>2</sub>	1
126	Shivamogga	Satisfactory	54	PM <sub>10</sub>	1
127	Siliguri	Satisfactory	83	PM <sub>10</sub>	1
128	Singrauli	Very Poor	356	PM <sub>2.5</sub>	1
129	Sirsa	Moderate	158	PM <sub>2.5</sub>	1
130	Siwan	Very Poor	301	PM <sub>2.5</sub>	1
131	Sonipat	Moderate	173	PM <sub>10</sub>	1
132	Talcher	Good	33	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thane	Moderate	195	PM <sub>10</sub>	1
134	Thiruvananthapuram	Good	42	PM <sub>10</sub> , PM <sub>2.5</sub>	2
135	Thrissur	Good	36	PM <sub>10</sub>	1
136	Tirupati	Moderate	122	PM <sub>2.5</sub>	1
137	Udaipur	Poor	278	PM <sub>2.5</sub>	1
138	Ujjain	Moderate	134	PM <sub>2.5</sub>	1
139	Vapi	Moderate	196	PM <sub>2.5</sub>	1
140	Varanasi	Poor	208	PM <sub>2.5</sub>	4
141	Vatva	Poor	257	PM <sub>2.5</sub>	1
142	Vijayapura	Good	47	PM <sub>2.5</sub>	1
143	Visakhapatnam	Good	44	PM <sub>10</sub>	1
144	Vrindavan	Moderate	163	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yadgir	Moderate	151	PM <sub>2.5</sub>	1
146	Yamunanagar	Moderate	192	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

### Notes:

- \* AQI is not calculated for today's bulletin for Davanagere, Gadag, Gummidipoondi, Hassan, Jabalpur, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kollam, Koppal, Kozhikode, Mandi Gobindgarh, Manglore, Manguraha, Munger, Nandesari, Sagar, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.