

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	33	PM <sub>10</sub>	2
2	Agra	Satisfactory	63	PM <sub>10</sub> , PM <sub>2.5</sub>	6
3	Ahmedabad	Satisfactory	98	O <sub>3</sub> , PM <sub>10</sub> , CO	6
4	Aizawl	Good	40	O <sub>3</sub>	1
5	Ajmer	Satisfactory	82	PM <sub>2.5</sub>	1
6	Alwar	Moderate	101	PM <sub>10</sub>	1
7	Amaravati	Good	34	O <sub>3</sub>	1
8	Ambala	Moderate	120	PM <sub>2.5</sub>	1
9	Amritsar	Poor	244	PM <sub>2.5</sub>	1
10	Ankleshwar	Satisfactory	93	PM <sub>10</sub>	1
11	Araria	Good	48	со	1
12	Arrah	Good	46	NO <sub>2</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	68	NO <sub>2</sub>	1
14	Aurangabad (Bihar)	Moderate	102	PM <sub>10</sub>	1
15	Baddi	Moderate	114	PM <sub>2.5</sub>	1
16	Bagalkot	Good	46	PM <sub>10</sub>	1
17	Baghpat	Moderate	107	PM <sub>2.5</sub>	1
18	Bahadurgarh	Moderate	148	PM <sub>2.5</sub>	1
19	Ballabgarh	Satisfactory	85	PM <sub>2.5</sub>	1
20	Bareilly	Satisfactory	94	PM <sub>10</sub>	1
21	Bathinda	Satisfactory	85	PM <sub>10</sub>	1
22	Bengaluru	Satisfactory	62	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	8
23	Bhagalpur	Satisfactory	74	со	1
24	Bhiwadi	Moderate	174	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Satisfactory	58	PM <sub>10</sub>	1
26	Bihar Sharif	Satisfactory	72	СО	1
27	Bilaspur	Satisfactory	61	PM <sub>10</sub>	1
28	Brajrajnagar	Good	48	со	1
29	Bulandshahr	Moderate	143	PM <sub>10</sub>	1
30	Buxar	Moderate	200	PM <sub>2.5</sub>	1
31	Chamarajanagar	Good	41	PM <sub>10</sub>	1
32	Chandigarh	Moderate	122	PM <sub>2.5</sub> , PM <sub>10</sub>	3
33	Chandrapur	Satisfactory	74	PM <sub>2.5</sub> , CO	2
34	Charkhi Dadri	Moderate	162	PM <sub>10</sub>	1
35	Chennai	Satisfactory	84	O <sub>3</sub> , CO, PM <sub>10</sub>	7
36	Chikkamagaluru	Good	26	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra),
  Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur,
  Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan,
  Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha,
  Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan,
  Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	36	PM <sub>2.5</sub>	1
38	Damoh	Good	37	PM <sub>2.5</sub>	1
39	Darbhanga	Moderate	110	со	1
40	Davanagere	Good	21	PM <sub>10</sub>	1
41	Dehradun	Satisfactory	62	PM <sub>10</sub>	1
42	Delhi	Moderate	163	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	34
43	Dewas	Satisfactory	52	PM <sub>10</sub>	1
44	Durgapur	Satisfactory	55	PM <sub>10</sub>	1
45	Eloor	Satisfactory	54	PM <sub>10</sub>	1
46	Ernakulam	Satisfactory	57	со	1
47	Faridabad	Moderate	164	PM <sub>10</sub>	3
48	Fatehabad	Moderate	163	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Satisfactory	89	O <sub>3</sub> , PM <sub>10</sub>	2
50	Gandhinagar	Satisfactory	53	PM <sub>10</sub>	1
51	Gaya	Satisfactory	74	PM <sub>2.5</sub> , PM <sub>10</sub>	2
52	Ghaziabad	Moderate	148	PM <sub>2.5</sub> , PM <sub>10</sub>	4
53	Gorakhpur	Good	45	SO <sub>2</sub>	1
54	Greater Noida	Moderate	128	PM <sub>10</sub>	2
55	Gurugram	Moderate	200	PM <sub>2.5</sub> , PM <sub>10</sub>	2
56	Guwahati	Good	44	O <sub>3</sub> , PM <sub>10</sub>	2
57	Gwalior	Good	35	PM <sub>2.5</sub>	1
58	Hajipur	Satisfactory	63	PM <sub>10</sub>	1
59	Haldia	Good	36	PM <sub>10</sub>	1
60	Hapur	Moderate	188	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Good	35	NO <sub>2</sub>	1
62	Haveri	Good	19	PM <sub>10</sub>	1
63	Hisar	Moderate	193	PM <sub>10</sub>	1
64	Howrah	Good	46	PM <sub>10</sub> , CO	3
65	Hubballi	Satisfactory	51	со	1
66	Hyderabad	Satisfactory	53	CO, PM <sub>10</sub> , NO <sub>2</sub>	12
67	Imphal	Satisfactory	88	03	1
68	Indore	Satisfactory	54	PM <sub>10</sub>	1
69	Jabalpur	Satisfactory	75	PM <sub>10</sub>	1
70	Jaipur	Satisfactory	98	PM <sub>10</sub>	2
71	Jalandhar	Moderate	139	PM <sub>10</sub>	1
72	Jhansi	Satisfactory	56	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Moderate	181	PM <sub>2.5</sub>	1
74	Jodhpur	Satisfactory	89	PM <sub>10</sub>	1
75	Kaithal	Moderate	161	PM <sub>10</sub>	1
76	Kannur	Satisfactory	54	PM <sub>2.5</sub>	1
77	Kanpur	Satisfactory	55	PM <sub>10</sub> , PM <sub>2.5</sub>	3
78	Karnal	Satisfactory	100	PM <sub>10</sub>	1
79	Katni	Moderate	113	PM <sub>10</sub>	1
80	Khanna	Moderate	104	PM <sub>2.5</sub>	1
81	Kochi	Satisfactory	61	со	1
82	Kohima	Satisfactory	57	PM <sub>10</sub>	1
83	Kolkata	Good	43	PM <sub>10</sub> , O <sub>3</sub>	7
84	Kollam	Satisfactory	56	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Moderate	136	O <sub>3</sub>	1
86	Kota	Moderate	103	PM <sub>2.5</sub>	1
87	Kozhikode	Satisfactory	72	PM <sub>10</sub>	1
88	Kurukshetra	Moderate	136	PM <sub>2.5</sub>	1
89	Lucknow	Satisfactory	66	PM <sub>2.5</sub> , PM <sub>10</sub> , NO <sub>2</sub>	6
90	Ludhiana	Moderate	175	PM <sub>10</sub>	1
91	Madikeri	Good	31	O <sub>3</sub>	1
92	Mandideep	Good	49	03	1
93	Mandikhera	Satisfactory	76	PM <sub>10</sub>	1
94	Manesar	Moderate	173	PM <sub>2.5</sub>	1
95	Manglore	Satisfactory	55	со	1
96	Meerut	Moderate	141	PM <sub>2.5</sub> , PM <sub>10</sub>	3

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Satisfactory	98	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	6
98	Mumbai	Satisfactory	59	CO, PM <sub>10</sub> , SO <sub>2</sub>	11
99	Muzaffarnagar	Poor	220	PM <sub>2.5</sub>	1
100	Muzaffarpur	Satisfactory	51	со	3
101	Mysuru	Good	48	03	1
102	Nagpur	Satisfactory	59	PM <sub>10</sub>	1
103	Narnaul	Satisfactory	52	PM <sub>2.5</sub>	1
104	Nashik	Good	27	со	1
105	Navi Mumbai	Good	49	со	1
106	Noida	Moderate	157	PM <sub>10</sub> , PM <sub>2.5</sub>	3
107	Pali	Moderate	114	PM <sub>2.5</sub>	1
108	Palwal	Moderate	112	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panchkula	Satisfactory	68	PM <sub>2.5</sub>	1
110	Panipat	Moderate	143	PM <sub>10</sub>	1
111	Patiala	Satisfactory	100	PM <sub>10</sub>	1
112	Patna	Satisfactory	89	PM <sub>10</sub> , PM <sub>2.5</sub> , NO <sub>2</sub>	6
113	Pithampur	Satisfactory	75	PM <sub>10</sub>	1
114	Prayagraj	Good	49	SO <sub>2</sub> , PM <sub>10</sub>	2
115	Puducherry	Good	43	PM <sub>10</sub>	1
116	Pune	Satisfactory	84	SO <sub>2</sub> , CO	6
117	Purnia	Moderate	123	PM <sub>10</sub>	1
118	Raichur	Good	46	со	1
119	Rajamahendravaram	Good	36	PM <sub>10</sub>	1
120	Rajgir	Satisfactory	52	СО	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ramanagara	Good	30	PM <sub>10</sub>	1
122	Ratlam	Satisfactory	52	PM <sub>10</sub>	1
123	Rohtak	Poor	202	PM <sub>2.5</sub>	1
124	Rupnagar	Satisfactory	68	PM <sub>10</sub>	1
125	Sagar	Satisfactory	57	со	1
126	Saharsa	Satisfactory	87	NO <sub>2</sub>	1
127	Sasaram	Satisfactory	67	PM <sub>2.5</sub>	1
128	Satna	Good	35	PM <sub>10</sub>	1
129	Shillong	Good	24	PM <sub>10</sub>	1
130	Shivamogga	Satisfactory	51	PM <sub>10</sub>	1
131	Siliguri	Good	20	со	1
132	Sirsa	Moderate	134	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Satisfactory	61	PM <sub>10</sub>	1
134	Sonipat	Poor	226	PM <sub>10</sub>	1
135	Srinagar	Moderate	103	PM <sub>10</sub>	1
136	Talcher	Satisfactory	52	03	1
137	Thane	Satisfactory	72	PM <sub>10</sub>	1
138	Thiruvananthapuram	Good	34	СО	1
139	Thoothukudi	Good	34	O <sub>3</sub>	1
140	Thrissur	Good	43	O <sub>3</sub>	1
141	Tirupati	Good	43	PM <sub>10</sub>	1
142	Udaipur	Satisfactory	75	PM <sub>2.5</sub>	1
143	Ujjain	Satisfactory	73	PM <sub>10</sub>	1
144	Varanasi	Good	49	03	3

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vijayapura	Good	49	PM <sub>10</sub>	1
146	Visakhapatnam	Satisfactory	93	PM <sub>10</sub>	1
147	Vrindavan	Satisfactory	65	PM <sub>10</sub>	1
148	Yadgir	Good	29	СО	1
149	Yamunanagar	Moderate	180	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad (Maharashtra), Begusarai, Bettiah, Bhilai, Bhiwani, Bidar, Chhapra, Chikkaballapur, Dharuhera, Gadag, Gangtok, Gummidipoondi, Jorapokhar, Kalaburgi, Kalyan, Katihar, Khurja, Kishanganj, Kolar, Maihar, Mandi Gobindgarh, Manguraha, Motihari, Munger, Naharlagun, Nandesari, Samastipur, Singrauli, Siwan, Udupi, Vapi, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.