

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	138	PM <sub>10</sub>	1
2	Agra	Poor	285	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	200	PM <sub>10</sub>	1
4	Aizawl	Satisfactory	80	PM <sub>10</sub>	1
5	Ajmer	Moderate	119	PM <sub>10</sub>	1
6	Alwar	Moderate	107	PM <sub>10</sub>	1
7	Amaravati	Moderate	135	PM <sub>2.5</sub>	1
8	Ambala	Moderate	144	PM <sub>2.5</sub>	1
9	Amritsar	Poor	205	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	198	PM <sub>2.5</sub>	1
11	Asansol	Moderate	197	PM <sub>2.5</sub>	1
12	Bagalkot	Good	39	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Coimbatore, Davanagere, Dewas, Dharuhera, Durgapur, Gada Hajipur, Hapur, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Rupnagar, Shillong, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	325	PM <sub>2.5</sub>	1
14	Bahadurgarh	Very Poor	338	PM <sub>2.5</sub>	1
15	Ballabgarh	Poor	247	PM <sub>2.5</sub>	1
16	Bathinda	Moderate	158	PM <sub>2.5</sub>	1
17	Bengaluru	Satisfactory	92	PM <sub>10</sub> , PM <sub>2.5</sub>	9
18	Bhiwadi	Very Poor	345	PM <sub>10</sub>	1
19	Bhiwani	Moderate	153	PM <sub>10</sub>	1
20	Bhopal	Moderate	117	PM <sub>10</sub>	1
21	Brajrajnagar	Moderate	107	PM <sub>2.5</sub>	1
22	Bulandshahr	Very Poor	318	PM <sub>2.5</sub>	1
23	Chandigarh	Moderate	120	PM <sub>10</sub>	1
24	Chandrapur	Moderate	114	PM <sub>10</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Coimbatore, Davanagere, Dewas, Dharuhera, Durgapur, Gada Hajipur, Hapur, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Rupnagar, Shillong, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Very Poor	349	PM <sub>2.5</sub>	1
26	Chennai	Satisfactory	88	PM <sub>2.5</sub> , PM <sub>10</sub>	8
27	Chikkaballapur	Satisfactory	74	PM <sub>10</sub>	1
28	Chikkamagaluru	Satisfactory	61	PM <sub>2.5</sub>	1
29	Damoh	Moderate	173	PM <sub>10</sub>	1
30	Delhi	Very Poor	364	PM <sub>2.5</sub> , PM <sub>10</sub>	34
31	Eloor	Good	47	СО	1
32	Ernakulam	Satisfactory	93	PM <sub>2.5</sub>	1
33	Faridabad	Very Poor	354	PM <sub>2.5</sub>	1
34	Fatehabad	Poor	204	PM <sub>2.5</sub>	1
35	Gandhinagar	Moderate	114	PM <sub>10</sub>	1
36	Gaya	Poor	206	PM <sub>2.5</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Coimbatore, Davanagere, Dewas, Dharuhera, Durgapur, Gada Hajipur, Hapur, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Rupnagar, Shillong, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Very Poor	394	PM <sub>2.5</sub>	2
38	Greater Noida	Very Poor	379	PM <sub>2.5</sub>	1
39	Gummidipoondi	Moderate	142	PM <sub>2.5</sub>	1
40	Gurugram	Very Poor	324	PM <sub>2.5</sub>	4
41	Guwahati	Very Poor	308	PM <sub>2.5</sub>	1
42	Gwalior	Poor	222	PM <sub>2.5</sub>	1
43	Haldia	Moderate	177	PM <sub>2.5</sub>	1
44	Hisar	Very Poor	306	PM <sub>2.5</sub>	1
45	Howrah	Very Poor	304	PM <sub>2.5</sub>	3
46	Hubballi	Moderate	104	PM <sub>10</sub>	1
47	Hyderabad	Moderate	142	PM <sub>2.5</sub> , PM <sub>10</sub>	6
48	Indore	Moderate	134	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Coimbatore, Davanagere, Dewas, Dharuhera, Durgapur, Gada Hajipur, Hapur, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Rupnagar, Shillong, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Moderate	194	PM <sub>10</sub>	1
50	Jaipur	Moderate	176	PM <sub>2.5</sub>	3
51	Jalandhar	Poor	215	PM <sub>2.5</sub>	1
52	Jind	Poor	292	PM <sub>2.5</sub>	1
53	Kaithal	Moderate	198	PM <sub>2.5</sub>	1
54	Kalyan	Poor	201	PM <sub>2.5</sub>	1
55	Kannur	Satisfactory	100	PM <sub>2.5</sub>	1
56	Kanpur	Very Poor	316	PM <sub>2.5</sub>	2
57	Karnal	Moderate	178	PM <sub>2.5</sub>	1
58	Katni	Poor	251	PM <sub>10</sub>	1
59	Khanna	Moderate	107	PM <sub>10</sub>	1
60	Kohima	Moderate	127	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Coimbatore, Davanagere, Dewas, Dharuhera, Durgapur, Gada Hajipur, Hapur, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Rupnagar, Shillong, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kolar	Satisfactory	58	03	1
62	Kolkata	Poor	285	PM <sub>2.5</sub>	7
63	Kollam	Satisfactory	89	PM <sub>10</sub>	1
64	Koppal	Satisfactory	90	PM <sub>2.5</sub>	1
65	Kota	Moderate	142	PM <sub>2.5</sub>	1
66	Kozhikode	Satisfactory	82	PM <sub>10</sub>	1
67	Kurukshetra	Poor	226	PM <sub>2.5</sub>	1
68	Lucknow	Very Poor	343	PM <sub>10</sub> , PM <sub>2.5</sub>	4
69	Ludhiana	Moderate	118	PM <sub>10</sub>	1
70	Maihar	Satisfactory	60	PM <sub>10</sub>	1
71	Mandi Gobindgarh	Moderate	166	PM <sub>2.5</sub>	1
72	Mandideep	Moderate	186	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Coimbatore, Davanagere, Dewas, Dharuhera, Durgapur, Gada Hajipur, Hapur, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Rupnagar, Shillong, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandikhera	Moderate	193	PM <sub>2.5</sub>	1
74	Manesar	Very Poor	328	PM <sub>2.5</sub>	1
75	Manglore	Satisfactory	86	PM <sub>10</sub>	1
76	Medikeri	Satisfactory	70	PM <sub>10</sub>	1
77	Meerut	Very Poor	332	PM <sub>2.5</sub>	2
78	Moradabad	Severe	432	PM <sub>2.5</sub>	1
79	Mumbai	Moderate	180	PM <sub>2.5</sub>	17
80	Muzaffarpur	Poor	266	PM <sub>2.5</sub>	1
81	Mysuru	Satisfactory	66	PM <sub>10</sub>	1
82	Nandesari	Good	42	со	1
83	Narnaul	Very Poor	355	PM <sub>10</sub>	1
84	Nashik	Moderate	136	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Coimbatore, Davanagere, Dewas, Dharuhera, Durgapur, Gada Hajipur, Hapur, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Rupnagar, Shillong, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Poor	263	PM <sub>2.5</sub>	3
86	Noida	Very Poor	372	PM <sub>2.5</sub>	4
87	Pali	Poor	209	PM <sub>10</sub>	1
88	Palwal	Moderate	142	PM <sub>10</sub>	1
89	Panchkula	Moderate	116	PM <sub>2.5</sub>	1
90	Patiala	Moderate	166	PM <sub>2.5</sub>	1
91	Patna	Very Poor	319	PM <sub>2.5</sub> , PM <sub>10</sub>	4
92	Pithampur	Moderate	119	PM <sub>2.5</sub>	1
93	Puducherry	Satisfactory	66	PM <sub>10</sub>	1
94	Pune	Moderate	130	PM <sub>2.5</sub> , PM <sub>10</sub>	6
95	Rajamahendravaram	Poor	209	PM <sub>2.5</sub>	1
96	Ramanagara	Satisfactory	80	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Coimbatore, Davanagere, Dewas, Dharuhera, Durgapur, Gada Hajipur, Hapur, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Rupnagar, Shillong, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ratlam	Moderate	131	PM <sub>10</sub>	1
98	Rohtak	Very Poor	317	PM <sub>2.5</sub>	1
99	Sagar	Moderate	127	PM <sub>2.5</sub>	1
100	Satna	Moderate	148	PM <sub>10</sub>	1
101	Shivamogga	Satisfactory	66	PM <sub>10</sub>	1
102	Siliguri	Very Poor	311	PM <sub>2.5</sub>	1
103	Singrauli	Poor	202	PM <sub>2.5</sub>	1
104	Sirsa	Moderate	132	PM <sub>10</sub>	1
105	Solapur	Moderate	127	PM <sub>10</sub>	1
106	Sonipat	Poor	201	PM <sub>2.5</sub>	1
107	Talcher	Moderate	118	PM <sub>10</sub>	1
108	Thane	Poor	259	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Coimbatore, Davanagere, Dewas, Dharuhera, Durgapur, Gada Hajipur, Hapur, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Rupnagar, Shillong, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Satisfactory	62	PM <sub>10</sub>	2
110	Thoothukudi	Good	49	PM <sub>10</sub>	1
111	Thrissur	Satisfactory	80	03	1
112	Tirupati	Satisfactory	82	PM <sub>2.5</sub>	1
113	Udaipur	Moderate	156	PM <sub>2.5</sub>	1
114	Ujjain	Moderate	192	PM <sub>2.5</sub>	1
115	Varanasi	Poor	278	PM <sub>2.5</sub>	1
116	Vatva	Poor	201	PM <sub>10</sub>	1
117	Vijayapura	Good	50	со	1
118	Visakhapatnam	Poor	214	PM <sub>2.5</sub>	1
119	Yadgir	Satisfactory	92	PM <sub>10</sub>	1
120	Yamunanagar	Very Poor	306	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Coimbatore, Davanagere, Dewas, Dharuhera, Durgapur, Gada Hajipur, Hapur, Jodhpur, Jorapokhar, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Panipat, Raichur, Rupnagar, Shillong, Vapi as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.