

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	188	PM <sub>2.5</sub>	1
2	Agra	Very Poor	312	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	134	PM <sub>10</sub>	1
4	Aizawl	Good	32	PM <sub>10</sub>	1
5	Ajmer	Moderate	113	PM <sub>10</sub>	1
6	Alwar	Moderate	107	PM <sub>10</sub>	1
7	Amaravati	Moderate	130	PM <sub>2.5</sub>	1
8	Ambala	Moderate	144	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	174	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	153	PM <sub>2.5</sub>	1
11	Asansol	Poor	277	PM <sub>2.5</sub>	1
12	Bagalkot	Good	33	PM <sub>10</sub>	1

### Possible Health Impacts

Severe

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Patiala, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	338	PM <sub>2.5</sub>	1
14	Bahadurgarh	Very Poor	306	PM <sub>2.5</sub>	1
15	Ballabgarh	Poor	229	PM <sub>2.5</sub>	1
16	Bathinda	Moderate	149	PM <sub>2.5</sub>	1
17	Bengaluru	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	9
18	Bhiwadi	Very Poor	312	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	147	PM <sub>10</sub>	1
20	Bhopal	Moderate	167	PM <sub>2.5</sub>	1
21	Brajrajnagar	Moderate	183	PM <sub>2.5</sub>	1
22	Bulandshahr	Very Poor	336	PM <sub>2.5</sub>	1
23	Chandigarh	Moderate	196	PM <sub>2.5</sub>	1
24	Chandrapur	Moderate	132	PM <sub>2.5</sub> , PM <sub>10</sub>	2

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Patiala, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	191	PM <sub>2.5</sub>	1
26	Chennai	Moderate	130	PM <sub>2.5</sub>	7
27	Chikkaballapur	Satisfactory	89	PM <sub>2.5</sub>	1
28	Damoh	Moderate	171	PM <sub>2.5</sub>	1
29	Delhi	Very Poor	387	PM <sub>2.5</sub> , PM <sub>10</sub>	37
30	Dewas	Moderate	115	PM <sub>10</sub>	1
31	Dharuhera	Very Poor	319	PM <sub>10</sub>	1
32	Durgapur	Very Poor	330	PM <sub>2.5</sub>	1
33	Eloor	Satisfactory	51	PM <sub>10</sub>	1
34	Ernakulam	Moderate	133	PM <sub>2.5</sub>	1
35	Faridabad	Very Poor	392	PM <sub>10</sub> , PM <sub>2.5</sub>	2
36	Fatehabad	Poor	275	PM <sub>2.5</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Patiala, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Satisfactory	90	PM <sub>10</sub>	1
38	Gaya	Moderate	194	PM <sub>2.5</sub>	2
39	Ghaziabad	Severe	423	PM <sub>2.5</sub>	2
40	Greater Noida	Severe	420	PM <sub>2.5</sub>	1
41	Gummidipoondi	Poor	236	PM <sub>2.5</sub>	1
42	Gurugram	Very Poor	342	PM <sub>2.5</sub>	3
43	Guwahati	Poor	272	PM <sub>2.5</sub>	2
44	Gwalior	Very Poor	304	PM <sub>2.5</sub>	1
45	Haldia	Moderate	145	PM <sub>10</sub>	1
46	Hisar	Poor	284	PM <sub>2.5</sub>	1
47	Howrah	Poor	280	PM <sub>2.5</sub>	3
48	Hubballi	Moderate	108	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Patiala, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	116	PM <sub>2.5</sub> , PM <sub>10</sub>	6
50	Indore	Moderate	124	PM <sub>10</sub>	1
51	Jabalpur	Poor	280	PM <sub>2.5</sub>	1
52	Jaipur	Moderate	196	PM <sub>2.5</sub>	3
53	Jalandhar	Moderate	117	PM <sub>10</sub>	1
54	Jind	Very Poor	301	PM <sub>2.5</sub>	1
55	Jodhpur	Moderate	173	PM <sub>2.5</sub>	1
56	Jorapokhar	Moderate	147	PM <sub>10</sub>	1
57	Kaithal	Poor	250	PM <sub>2.5</sub>	1
58	Kalyan	Poor	227	PM <sub>2.5</sub>	1
59	Kannur	Moderate	104	PM <sub>2.5</sub>	1
60	Kanpur	Very Poor	322	PM <sub>2.5</sub>	2

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Patiala, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Poor	252	PM <sub>2.5</sub>	1
62	Katni	Poor	273	PM <sub>2.5</sub>	1
63	Khanna	Moderate	125	PM <sub>2.5</sub>	1
64	Kohima	Satisfactory	97	PM <sub>10</sub>	1
65	Kolar	Satisfactory	54	O <sub>3</sub>	1
66	Kolkata	Poor	268	PM <sub>2.5</sub>	7
67	Kollam	Moderate	176	PM <sub>2.5</sub>	1
68	Koppal	Satisfactory	97	PM <sub>2.5</sub>	1
69	Kota	Poor	210	PM <sub>2.5</sub>	1
70	Kozhikode	Satisfactory	78	PM <sub>10</sub>	1
71	Kurukshetra	Poor	248	PM <sub>2.5</sub>	1
72	Lucknow	Poor	299	PM <sub>2.5</sub>	4

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Patiala, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Moderate	114	PM <sub>10</sub>	1
74	Maihar	Moderate	180	PM <sub>2.5</sub>	1
75	Mandi Gobindgarh	Moderate	101	PM <sub>10</sub>	1
76	Mandideep	Moderate	133	PM <sub>10</sub>	1
77	Mandikhera	Poor	211	PM <sub>2.5</sub>	1
78	Manesar	Poor	298	PM <sub>2.5</sub>	1
79	Manglore	Satisfactory	94	PM <sub>2.5</sub>	1
80	Medikeri	Satisfactory	75	PM <sub>10</sub>	1
81	Meerut	Very Poor	354	PM <sub>2.5</sub>	2
82	Moradabad	Very Poor	361	PM <sub>2.5</sub>	1
83	Mumbai	Poor	224	PM <sub>2.5</sub>	18
84	Muzaffarpur	Poor	257	PM <sub>2.5</sub>	2

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Patiala, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Satisfactory	82	PM <sub>10</sub>	1
86	Nandesari	Satisfactory	99	СО	1
87	Nashik	Moderate	118	PM <sub>2.5</sub>	1
88	Navi Mumbai	Moderate	187	PM <sub>2.5</sub> , CO	3
89	Noida	Severe	415	PM <sub>2.5</sub>	3
90	Pali	Moderate	105	PM <sub>10</sub>	1
91	Palwal	Moderate	109	PM <sub>2.5</sub>	1
92	Panchkula	Poor	227	PM <sub>2.5</sub>	1
93	Patna	Poor	204	PM <sub>2.5</sub> , PM <sub>10</sub>	6
94	Pithampur	Moderate	164	PM <sub>2.5</sub>	1
95	Puducherry	Moderate	122	PM <sub>2.5</sub>	1
96	Pune	Moderate	156	PM <sub>2.5</sub>	5

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Patiala, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Moderate	128	PM <sub>10</sub>	1
98	Rajamahendravaram	Moderate	185	PM <sub>2.5</sub>	1
99	Ratlam	Moderate	125	PM <sub>10</sub>	1
100	Rohtak	Very Poor	305	PM <sub>2.5</sub>	1
101	Sagar	Satisfactory	59	PM <sub>2.5</sub>	1
102	Satna	Satisfactory	99	PM <sub>10</sub>	1
103	Shivamogga	Moderate	104	PM <sub>2.5</sub>	1
104	Siliguri	Very Poor	304	PM <sub>2.5</sub>	1
105	Singrauli	Very Poor	343	PM <sub>2.5</sub>	1
106	Sirsa	Poor	207	PM <sub>2.5</sub>	1
107	Solapur	Moderate	139	PM <sub>10</sub>	1
108	Sonipat	Poor	226	PM <sub>2.5</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Patiala, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	113	PM <sub>10</sub>	1
110	Thane	Moderate	186	PM <sub>10</sub>	1
111	Thiruvananthapuram	Moderate	128	PM <sub>2.5</sub>	1
112	Thoothukudi	Satisfactory	85	PM <sub>10</sub>	1
113	Thrissur	Moderate	110	PM <sub>2.5</sub>	1
114	Tirupati	Moderate	130	PM <sub>2.5</sub>	1
115	Udaipur	Moderate	152	PM <sub>2.5</sub>	1
116	Ujjain	Moderate	135	O <sub>3</sub>	1
117	Vapi	Moderate	169	PM <sub>10</sub>	1
118	Varanasi	Poor	291	PM <sub>2.5</sub>	1
119	Vatva	Poor	216	PM <sub>10</sub>	1
120	Vijayapura	Good	48	СО	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Patiala, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Moderate	167	PM <sub>2.5</sub>	1
122	Yadgir	Satisfactory	95	PM <sub>10</sub>	1
123	Yamunanagar	Poor	255	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bidar, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Gadag, Hajipur, Hapur, Kalaburgi, Kochi, Muzaffarnagar, Nagpur, Narnaul, Panipat, Patiala, Ramanagara, Rupnagar, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.