

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	77	PM _{2.5}	1
2	Agra	Satisfactory	67	PM ₁₀	6
3	Ahmedabad	Moderate	107	PM ₁₀	7
4	Aizawl	Good	28	PM ₁₀	1
5	Ajmer	Satisfactory	87	PM ₁₀	1
6	Akola	Moderate	114	PM ₁₀	1
7	Alwar	Satisfactory	69	PM ₁₀	1
8	Amaravati	Satisfactory	84	PM ₁₀	1
9	Ambala	Good	49	PM ₁₀	1
10	Amravati	Moderate	124	PM ₁₀	2
11	Anantapur	Satisfactory	68	PM ₁₀	1
12	Ankleshwar	Moderate	172	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Satisfactory	64	PM ₁₀	1
14	Ariyalur	Good	48	PM ₁₀	1
15	Arrah	Moderate	133	PM ₁₀	1
16	Asansol	Satisfactory	66	PM ₁₀	1
17	Aurangabad (Bihar)	Moderate	123	PM ₁₀	1
18	Aurangabad (Maharashtra)	Moderate	110	PM ₁₀	3
19	Baddi	Moderate	129	PM ₁₀	1
20	Badlapur	Satisfactory	66	PM ₁₀	1
21	Bagalkot	Good	42	PM ₁₀	1
22	Baghpat	Moderate	160	O ₃	1
23	Bahadurgarh	Satisfactory	81	PM ₁₀	1
24	Ballabgarh	Satisfactory	56	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Banswara	Moderate	153	PM _{2.5}	1
26	Bareilly	Satisfactory	58	PM ₁₀	2
27	Baripada	Satisfactory	97	PM ₁₀	1
28	Barmer	Satisfactory	92	PM ₁₀	1
29	Bathinda	Satisfactory	82	PM ₁₀	1
30	Begusarai	Poor	211	PM ₁₀	1
31	Belgaum	Good	47	СО	1
32	Bengaluru	Good	49	PM ₁₀ , CO	12
33	Bhagalpur	Moderate	138	PM ₁₀	1
34	Bharatpur	Satisfactory	75	PM ₁₀	1
35	Bhilai	Satisfactory	56	PM ₁₀	2
36	Bhiwadi	Satisfactory	65	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Moderate	127	PM ₁₀	1
38	Bhopal	Satisfactory	96	PM ₁₀	3
39	Bidar	Satisfactory	55	NH ₃	1
40	Bihar Sharif	Moderate	107	PM ₁₀	1
41	Bikaner	Moderate	173	03	1
42	Bilaspur	Satisfactory	76	PM _{2.5}	1
43	Bileipada	Moderate	119	PM ₁₀	1
44	Bulandshahr	Satisfactory	55	PM ₁₀	1
45	Bundi	Moderate	109	PM ₁₀	1
46	Byrnihat	Moderate	116	PM ₁₀	1
47	Chamarajanagar	Good	40	PM ₁₀	1
48	Chandigarh	Moderate	135	O ₃ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Satisfactory	90	PM ₁₀	1
50	Charkhi Dadri	Satisfactory	61	PM ₁₀	1
51	Chennai	Satisfactory	66	со	7
52	Chhal	Satisfactory	63	PM ₁₀	1
53	Chhapra	Poor	279	PM ₁₀	1
54	Chikkaballapur	Satisfactory	51	PM ₁₀	1
55	Chikkamagaluru	Good	41	PM ₁₀	1
56	Chittoor	Good	38	PM _{2.5}	1
57	Churu	Good	42	O ₃	1
58	Damoh	Good	27	PM ₁₀	1
59	Dausa	Moderate	126	PM ₁₀	1
60	Davanagere	Good	41	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Satisfactory	84	PM ₁₀	1
62	Delhi	Satisfactory	90	PM ₁₀	37
63	Dewas	Moderate	129	PM ₁₀	1
64	Dholpur	Satisfactory	82	PM ₁₀	1
65	Durgapur	Satisfactory	62	PM ₁₀	1
66	Faridabad	Satisfactory	94	PM ₁₀ , PM _{2.5}	4
67	Firozabad	Satisfactory	82	PM ₁₀	2
68	Gadag	Good	45	SO ₂	1
69	Gandhinagar	Moderate	104	PM _{2.5} , PM ₁₀	3
70	Gangtok	Good	43	SO ₂	1
71	Gaya	Satisfactory	91	PM ₁₀ , PM _{2.5}	3
72	Ghaziabad	Satisfactory	75	PM ₁₀ , CO	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Satisfactory	100	PM _{2.5}	1
74	Greater Noida	Moderate	117	PM ₁₀	2
75	Gummidipoondi	Moderate	102	PM ₁₀	1
76	Gurugram	Moderate	125	03	3
77	Guwahati	Good	27	SO ₂	4
78	Gwalior	Satisfactory	77	PM ₁₀	4
79	Hajipur	Moderate	159	PM ₁₀	1
80	Haldia	Satisfactory	51	PM ₁₀	1
81	Hanumangarh	Satisfactory	69	PM ₁₀	1
82	Hapur	Moderate	106	03	1
83	Hassan	Good	49	PM ₁₀	1
84	Haveri	Good	38	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hisar	Satisfactory	71	O ₃	1
86	Hosur	Satisfactory	56	PM ₁₀	1
87	Howrah	Satisfactory	68	PM ₁₀	3
88	Hubballi	Moderate	119	CO, PM ₁₀	2
89	Hyderabad	Satisfactory	82	PM ₁₀	13
90	Indore	Moderate	122	PM ₁₀	1
91	Jabalpur	Moderate	122	PM ₁₀	1
92	Jaipur	Satisfactory	74	PM ₁₀	6
93	Jaisalmer	Satisfactory	63	со	1
94	Jalandhar	Satisfactory	100	PM ₁₀	1
95	Jalgaon	Moderate	144	PM ₁₀	1
96	Jalna	Moderate	125	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhalawar	Satisfactory	72	PM ₁₀	1
98	Jhansi	Moderate	133	PM ₁₀	1
99	Jhunjhunu	Satisfactory	65	PM ₁₀	1
100	Jind	Satisfactory	56	со	1
101	Jodhpur	Satisfactory	59	со	5
102	Kadapa	Good	40	PM _{2.5}	1
103	Kaithal	Satisfactory	74	PM ₁₀	1
104	Kalaburgi	Satisfactory	67	PM ₁₀	1
105	Kannur	Satisfactory	77	PM ₁₀	1
106	Kanpur	Satisfactory	97	со	3
107	Karauli	Satisfactory	51	PM ₁₀	1
108	Karnal	Satisfactory	61	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katihar	Moderate	119	PM ₁₀	1
110	Keonjhar	Satisfactory	84	PM ₁₀	1
111	Khanna	Satisfactory	63	PM ₁₀	1
112	Khurja	Satisfactory	82	PM _{2.5}	1
113	Kishanganj	Good	45	PM ₁₀	1
114	Kochi	Satisfactory	71	со	1
115	Kolhapur	Satisfactory	60	PM ₁₀	2
116	Kolkata	Satisfactory	57	PM ₁₀	7
117	Kollam	Satisfactory	54	PM _{2.5}	1
118	Korba	Satisfactory	66	PM ₁₀	2
119	Kota	Satisfactory	99	PM ₁₀	3
120	Kurukshetra	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Latur	Satisfactory	81	PM ₁₀	1
122	Lucknow	Satisfactory	97	PM ₁₀	6
123	Madikeri	Good	23	PM ₁₀	1
124	Maihar	Good	48	PM _{2.5}	1
125	Mandi Gobindgarh	Moderate	118	PM ₁₀	1
126	Mandideep	Satisfactory	98	PM ₁₀	1
127	Mandikhera	Satisfactory	80	PM ₁₀	1
128	Manesar	Satisfactory	58	PM ₁₀	1
129	Mangalore	Satisfactory	54	PM ₁₀	1
130	Manguraha	Moderate	115	PM ₁₀	1
131	Meerut	Satisfactory	86	PM ₁₀	3
132	Milupara	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Moradabad	Satisfactory	82	PM ₁₀	6
134	Motihari	Moderate	140	PM ₁₀	1
135	Mumbai	Satisfactory	98	PM ₁₀	18
136	Muzaffarpur	Moderate	125	03	3
137	Mysuru	Good	47	PM ₁₀	1
138	Nagaon	Good	44	03	1
139	Nagaur	Good	37	03	1
140	Nagpur	Moderate	113	PM ₁₀	3
141	Naharlagun	Good	21	PM ₁₀	1
142	Nalbari	Good	22	NO ₂	1
143	Nanded	Satisfactory	84	PM ₁₀	1
144	Narnaul	Good	46	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nashik	Satisfactory	84	PM ₁₀	3
146	Navi Mumbai	Satisfactory	68	PM ₁₀	3
147	Nayagarh	Moderate	102	PM ₁₀	1
148	Noida	Moderate	123	NO ₂	4
149	Ooty	Satisfactory	56	PM ₁₀	1
150	Palkalaiperur	Satisfactory	63	SO ₂	1
151	Palwal	Good	48	PM ₁₀	1
152	Panipat	Satisfactory	91	PM ₁₀	1
153	Patiala	Satisfactory	72	PM ₁₀	1
154	Patna	Moderate	199	PM _{2.5}	6
155	Pimpri Chinchwad	Satisfactory	82	PM ₁₀	1
156	Pithampur	Moderate	110	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pratapgarh	Moderate	106	PM ₁₀	1
158	Prayagraj	Satisfactory	69	PM ₁₀	3
159	Puducherry	Satisfactory	51	PM ₁₀	1
160	Pune	Moderate	112	NO ₂ , PM ₁₀	6
161	Raichur	Satisfactory	66	PM ₁₀	1
162	Raipur	Satisfactory	79	PM ₁₀	4
163	Rajamahendravaram	Satisfactory	87	PM ₁₀	1
164	Rajsamand	Satisfactory	62	со	1
165	Ramanagara	Satisfactory	61	PM _{2.5}	1
166	Ramanathapuram	Good	42	PM ₁₀	1
167	Ratlam	Satisfactory	93	PM ₁₀	1
168	Rishikesh	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Good	38	03	1
170	Rourkela	Moderate	120	PM ₁₀	3
171	Rupnagar	Moderate	132	PM ₁₀	1
172	Sagar	Satisfactory	90	PM ₁₀	1
173	Samastipur	Moderate	128	PM ₁₀	1
174	Satna	Satisfactory	95	PM ₁₀	1
175	Sawai Madhopur	Satisfactory	81	PM ₁₀	1
176	Shillong	Good	33	PM ₁₀	1
177	Shivamogga	Satisfactory	60	PM ₁₀	1
178	Sikar	Good	48	PM ₁₀	1
179	Silchar	Good	29	со	1
180	Siliguri	Good	33	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Singrauli	Satisfactory	100	PM ₁₀	1
182	Sivasagar	Satisfactory	70	со	1
183	Solapur	Moderate	114	PM ₁₀	3
184	Sri Ganganagar	Moderate	123	PM ₁₀	1
185	Suakati	Satisfactory	91	PM ₁₀	1
186	Talcher	Moderate	106	со	1
187	Tensa	Satisfactory	95	PM ₁₀	1
188	Thane	Satisfactory	85	PM ₁₀	1
189	Thiruvananthapuram	Good	26	PM ₁₀	2
190	Thoothukudi	Satisfactory	84	O ₃	1
191	Thrissur	Satisfactory	59	PM ₁₀	1
192	Tirupati	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tirupur	Good	48	PM ₁₀	1
194	Tumakuru	Moderate	146	PM ₁₀	1
195	Tumidih	Satisfactory	79	PM ₁₀	1
196	Udaipur	Satisfactory	70	PM ₁₀	1
197	Ujjain	Moderate	122	PM _{2.5}	1
198	Vapi	Satisfactory	57	PM _{2.5}	1
199	Varanasi	Satisfactory	74	PM ₁₀	4
200	Vatva	Moderate	105	PM ₁₀	1
201	Vijayapura	Good	49	PM ₁₀	1
202	Vijayawada	Satisfactory	67	PM ₁₀	1
203	Visakhapatnam	Moderate	145	PM ₁₀	1
204	Vrindavan	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yadgir	Satisfactory	64	PM ₁₀	1
206	Yamunanagar	Moderate	114	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amritsar,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.