

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	33	O ₃	1
2	Agra	Good	42	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	73	PM ₁₀	8
4	Aizawl	Good	18	SO ₂	1
5	Ajmer	Satisfactory	68	PM ₁₀	1
6	Alwar	Good	50	PM ₁₀	1
7	Amaravati	Good	22	03	1
8	Ambala	Satisfactory	73	PM ₁₀	1
9	Amritsar	Satisfactory	62	PM ₁₀	1
10	Ankleshwar	Satisfactory	72	PM ₁₀	1
11	Asansol	Satisfactory	56	PM _{2.5}	1
12	Aurangabad	Satisfactory	52	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	26	PM ₁₀	1
14	Baghpat	Satisfactory	62	PM ₁₀	1
15	Bahadurgarh	Satisfactory	83	PM ₁₀	1
16	Ballabgarh	Satisfactory	55	PM ₁₀	1
17	Bathinda	Good	31	со	1
18	Bengaluru	Satisfactory	52	PM _{2.5} , PM ₁₀	7
19	Bettiah	Satisfactory	57	PM ₁₀	1
20	Bhiwadi	Moderate	123	PM _{2.5}	1
21	Bhiwani	Satisfactory	62	PM ₁₀	1
22	Bhopal	Good	44	PM ₁₀	1
23	Bulandshahr	Satisfactory	54	O ₃	1
24	Chamarajanagar	Good	46	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	26	PM ₁₀	2
26	Charkhi Dadri	Moderate	103	PM ₁₀	1
27	Chennai	Satisfactory	67	PM ₁₀ , CO	7
28	Chikkaballapur	Good	29	NO ₂	1
29	Chikkamagaluru	Good	36	PM ₁₀	1
30	Damoh	Good	18	NO ₂	1
31	Davanagere	Good	18	O ₃	1
32	Delhi	Satisfactory	99	PM _{2.5} , PM ₁₀	36
33	Dewas	Satisfactory	58	PM ₁₀	1
34	Dharuhera	Satisfactory	88	PM _{2.5}	1
35	Durgapur	Satisfactory	91	PM ₁₀	1
36	Eloor	Satisfactory	78	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	42	PM ₁₀	1
38	Faridabad	Satisfactory	77	PM ₁₀ , O ₃	4
39	Fatehabad	Satisfactory	57	03	1
40	Firozabad	Good	27	03	1
41	Gadag	Good	20	SO ₂	1
42	Gandhinagar	Satisfactory	65	PM _{2.5} , PM ₁₀	2
43	Gaya	Satisfactory	61	PM _{2.5} , O ₃	2
44	Ghaziabad	Satisfactory	88	PM ₁₀	4
45	Gorakhpur	Good	19	со	1
46	Greater Noida	Moderate	104	PM ₁₀	2
47	Gurugram	Satisfactory	82	PM ₁₀ , PM _{2.5}	3
48	Guwahati	Satisfactory	52	SO ₂	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Good	42	PM ₁₀	2
50	Hajipur	Satisfactory	77	СО	1
51	Haldia	Good	42	PM ₁₀	1
52	Hapur	Satisfactory	56	PM ₁₀	1
53	Hassan	Good	43	PM ₁₀	1
54	Hisar	Satisfactory	73	PM ₁₀	1
55	Howrah	Satisfactory	65	PM ₁₀ , CO, PM _{2.5}	3
56	Hubballi	Good	40	СО	1
57	Hyderabad	Good	41	NO ₂ , PM ₁₀ , PM _{2.5}	6
58	Indore	Satisfactory	69	PM ₁₀	1
59	Jabalpur	Good	42	PM ₁₀	1
60	Jaipur	Satisfactory	71	PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Satisfactory	61	PM _{2.5}	1
62	Jind	Satisfactory	53	NO ₂	1
63	Jodhpur	Moderate	114	PM _{2.5}	1
64	Kaithal	Satisfactory	55	03	1
65	Kalaburgi	Good	33	PM ₁₀	1
66	Kalyan	Good	32	со	1
67	Kannur	Good	37	NO ₂	1
68	Kanpur	Good	33	O ₃ , PM ₁₀ , NO ₂	3
69	Karnal	Moderate	111	SO ₂	1
70	Katni	Good	46	PM ₁₀	1
71	Khanna	Satisfactory	75	PM ₁₀	1
72	Kochi	Good	42	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kohima	Good	46	PM ₁₀	1
74	Kolkata	Satisfactory	60	PM ₁₀ , PM _{2.5} , O ₃	7
75	Kollam	Satisfactory	99	СО	1
76	Koppal	Good	29	СО	1
77	Kota	Satisfactory	69	PM _{2.5}	1
78	Kozhikode	Good	43	со	1
79	Kurukshetra	Satisfactory	55	PM _{2.5}	1
80	Lucknow	Good	48	PM ₁₀ , CO, PM _{2.5}	6
81	Ludhiana	Satisfactory	69	PM ₁₀	1
82	Maihar	Good	29	PM _{2.5}	1
83	Mandi Gobindgarh	Satisfactory	55	PM ₁₀	1
84	Mandideep	Good	49	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandikhera	Good	37	PM _{2.5}	1
86	Manesar	Moderate	108	PM _{2.5}	1
87	Medikeri	Good	23	SO ₂	1
88	Meerut	Satisfactory	52	PM ₁₀	2
89	Moradabad	Satisfactory	65	PM ₁₀	1
90	Mumbai	Satisfactory	55	O ₃ , PM ₁₀ , CO	21
91	Muzaffarnagar	Satisfactory	84	СО	1
92	Muzaffarpur	Good	31	PM ₁₀	1
93	Mysuru	Good	46	O ₃	1
94	Nagpur	Satisfactory	85	со	1
95	Nandesari	Satisfactory	79	PM _{2.5}	1
96	Narnaul	Satisfactory	70	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nashik	Good	29	PM ₁₀	1
98	Navi Mumbai	Good	25	PM ₁₀	1
99	Noida	Satisfactory	81	PM ₁₀ , O ₃	4
100	Pali	Satisfactory	55	PM ₁₀	1
101	Palwal	Satisfactory	99	PM _{2.5}	1
102	Panchkula	Good	44	03	1
103	Panipat	Good	50	PM ₁₀	1
104	Patiala	Good	39	PM ₁₀	1
105	Patna	Satisfactory	76	PM ₁₀ , PM _{2.5}	5
106	Pithampur	Satisfactory	63	PM ₁₀	1
107	Prayagraj	Good	46	PM ₁₀	3
108	Puducherry	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pune	Satisfactory	59	PM _{2.5} , CO	4
110	Rajamahendravaram	Satisfactory	53	PM ₁₀	1
111	Ramanagara	Good	35	PM ₁₀	1
112	Ratlam	Satisfactory	55	PM ₁₀	1
113	Rohtak	Satisfactory	89	PM _{2.5}	1
114	Satna	Satisfactory	58	PM ₁₀	1
115	Shivamogga	Good	40	PM ₁₀	1
116	Siliguri	Satisfactory	51	PM ₁₀	1
117	Singrauli	Satisfactory	66	PM ₁₀	1
118	Sirsa	Satisfactory	61	03	1
119	Solapur	Good	50	PM ₁₀	1
120	Sonipat	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Srinagar	Satisfactory	86	PM ₁₀	1
122	Talcher	Moderate	102	со	1
123	Thane	Satisfactory	67	PM ₁₀	1
124	Thiruvananthapuram	Good	47	CO, O ₃	2
125	Thoothukudi	Satisfactory	54	PM ₁₀	1
126	Thrissur	Satisfactory	66	SO ₂	1
127	Tirupati	Good	39	PM ₁₀	1
128	Udaipur	Moderate	120	PM ₁₀	1
129	Ujjain	Moderate	101	PM ₁₀	1
130	Vapi	Satisfactory	67	PM ₁₀	1
131	Varanasi	Satisfactory	58	PM ₁₀ , NO ₂	4
132	Vatva	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vijayapura	Good	50	СО	1
134	Visakhapatnam	Moderate	110	PM ₁₀	1
135	Vrindavan	Good	35	PM ₁₀	1
136	Yadgir	Good	26	PM ₁₀	1
137	Yamunanagar	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Bihar Sharif, Brajrajnagar, Chandigarh, Coimbatore, Darbhanga, Gummidipoondi, Jorapokhar, Kolar, Manglore, Motihari, Naharlagun, Raichur, Rupnagar, Sagar, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.