

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	101	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	76	O <sub>3</sub>	5
3	Ahmedabad	Moderate	109	PM <sub>10</sub>	7
4	Aizawl	Good	44	PM <sub>10</sub>	1
5	Alwar	Satisfactory	72	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	52	со	1
7	Ambala	Satisfactory	70	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	83	PM <sub>2.5</sub>	1
9	Anantapur	Good	37	со	1
10	Ankleshwar	Satisfactory	61	PM <sub>2.5</sub>	1
11	Araria	Moderate	125	PM <sub>10</sub>	1
12	Ariyalur	Satisfactory	62	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	98	PM <sub>10</sub>	1
14	Asansol	Moderate	143	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Satisfactory	66	PM <sub>10</sub>	1
16	Bagalkot	Good	46	PM <sub>10</sub>	1
17	Baghpat	Poor	231	PM <sub>2.5</sub>	1
18	Bahadurgarh	Moderate	193	PM <sub>2.5</sub>	1
19	Ballabgarh	Poor	279	PM <sub>2.5</sub>	1
20	Banswara	Satisfactory	91	O <sub>3</sub>	1
21	Bareilly	Satisfactory	78	PM <sub>10</sub>	2
22	Barmer	Moderate	108	O <sub>3</sub>	1
23	Bathinda	Satisfactory	72	PM <sub>10</sub>	1
24	Begusarai	Poor	216	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Good	48	СО	1
26	Bengaluru	Satisfactory	51	NO <sub>2</sub> , PM <sub>10</sub>	12
27	Bettiah	Moderate	136	PM <sub>10</sub>	1
28	Bhagalpur	Satisfactory	96	PM <sub>10</sub>	2
29	Bharatpur	Moderate	163	03	1
30	Bhilai	Good	40	PM <sub>10</sub>	2
31	Bhiwadi	Poor	209	PM <sub>10</sub>	1
32	Bhiwani	Moderate	111	PM <sub>10</sub>	1
33	Bhopal	Satisfactory	100	со	3
34	Bihar Sharif	Moderate	159	со	1
35	Bikaner	Moderate	144	PM <sub>10</sub>	1
36	Bileipada	Moderate	149	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AOL is not calculated for today's bulletin for Aimer, Aurangahad (Bibar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Brajrajnagar	Satisfactory	100	СО	1
38	Bulandshahr	Moderate	134	PM <sub>2.5</sub>	1
39	Byrnihat	Poor	237	PM <sub>2.5</sub>	1
40	Chamarajanagar	Satisfactory	52	PM <sub>10</sub>	1
41	Chandigarh	Satisfactory	96	O <sub>3</sub> , PM <sub>10</sub>	3
42	Chandrapur	Satisfactory	80	PM <sub>2.5</sub>	1
43	Charkhi Dadri	Poor	287	PM <sub>2.5</sub>	1
44	Chennai	Satisfactory	64	CO, SO <sub>2</sub>	8
45	Chhal	Good	38	03	1
46	Chhapra	Moderate	141	PM <sub>10</sub>	1
47	Chikkaballapur	Good	33	PM <sub>10</sub>	1
48	Chikkamagaluru	Good	48	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittorgarh	Moderate	112	03	1
50	Churu	Moderate	138	03	1
51	Coimbatore	Satisfactory	60	PM <sub>10</sub>	1
52	Cuddalore	Satisfactory	76	NO <sub>2</sub>	2
53	Damoh	Good	23	PM <sub>2.5</sub>	1
54	Dausa	Moderate	133	PM <sub>10</sub>	1
55	Davanagere	Good	44	PM <sub>10</sub>	1
56	Dehradun	Satisfactory	84	со	1
57	Delhi	Poor	234	PM <sub>2.5</sub> , PM <sub>10</sub>	38
58	Dewas	Moderate	102	PM <sub>10</sub>	1
59	Dharuhera	Moderate	190	PM <sub>2.5</sub>	1
60	Dharwad	Satisfactory	55	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Moderate	138	O <sub>3</sub>	1
62	Dindigul	Good	46	SO <sub>2</sub>	1
63	Durgapur	Moderate	106	PM <sub>10</sub>	1
64	Faridabad	Moderate	151	PM <sub>10</sub>	3
65	Firozabad	Satisfactory	79	03	2
66	Gadag	Good	46	SO <sub>2</sub>	1
67	Gandhinagar	Satisfactory	52	PM <sub>10</sub>	3
68	Gangtok	Good	50	03	1
69	Gaya	Satisfactory	80	PM <sub>10</sub> , O <sub>3</sub>	3
70	Ghaziabad	Poor	204	PM <sub>2.5</sub> , PM <sub>10</sub>	4
71	Gorakhpur	Moderate	115	PM <sub>10</sub>	1
72	Greater Noida	Poor	248	PM <sub>10</sub>	2

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AOL is not calculated for today's bulletin for Aimer, Aurangahad (Bibar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gurugram	Poor	222	PM <sub>2.5</sub>	4
74	Guwahati	Moderate	102	PM <sub>10</sub>	4
75	Gwalior	Moderate	126	O <sub>3</sub> , PM <sub>2.5</sub>	4
76	Hajipur	Moderate	161	PM <sub>10</sub>	1
77	Haldia	Good	40	PM <sub>10</sub>	1
78	Hanumangarh	Moderate	117	PM <sub>10</sub>	1
79	Hapur	Satisfactory	82	O <sub>3</sub>	1
80	Hassan	Satisfactory	58	PM <sub>10</sub>	1
81	Haveri	Good	37	со	1
82	Howrah	Satisfactory	72	PM <sub>10</sub> , CO	3
83	Hubballi	Satisfactory	91	PM <sub>10</sub>	1
84	Hyderabad	Satisfactory	81	PM <sub>10</sub>	10

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Satisfactory	74	PM <sub>10</sub>	2
86	Jabalpur	Moderate	101	PM <sub>10</sub>	1
87	Jaipur	Moderate	110	O <sub>3</sub> , PM <sub>10</sub>	6
88	Jalandhar	Moderate	101	PM <sub>10</sub>	1
89	Jhalawar	Satisfactory	75	PM <sub>10</sub>	1
90	Jhansi	Moderate	142	PM <sub>10</sub>	1
91	Jhunjhunu	Very Poor	304	03	1
92	Jind	Moderate	146	PM <sub>2.5</sub>	1
93	Jodhpur	Moderate	137	03	3
94	Jorapokhar	Moderate	119	PM <sub>10</sub>	1
95	Kaithal	Moderate	105	PM <sub>10</sub>	1
96	Kalaburgi	Good	39	SO <sub>2</sub>	2

Notes:

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Satisfactory	87	PM <sub>10</sub>	1
98	Kanpur	Satisfactory	86	PM <sub>10</sub>	4
99	Karauli	Moderate	122	03	1
100	Karnal	Satisfactory	89	PM <sub>2.5</sub>	1
101	Katihar	Satisfactory	97	PM <sub>2.5</sub>	1
102	Katni	Moderate	105	PM <sub>10</sub>	1
103	Keonjhar	Satisfactory	81	PM <sub>10</sub>	1
104	Khanna	Satisfactory	75	PM <sub>10</sub>	1
105	Khurja	Moderate	142	PM <sub>2.5</sub>	1
106	Kishanganj	Satisfactory	86	PM <sub>10</sub>	1
107	Kochi	Satisfactory	70	PM <sub>10</sub>	1
108	Kohima	Satisfactory	71	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolhapur	Satisfactory	68	03	2
110	Kolkata	Satisfactory	86	03	7
111	Kollam	Moderate	105	PM <sub>10</sub>	1
112	Korba	Satisfactory	62	PM <sub>10</sub>	2
113	Kota	Moderate	120	O <sub>3</sub> , PM <sub>2.5</sub>	3
114	Kurukshetra	Moderate	115	PM <sub>10</sub>	1
115	Lucknow	Satisfactory	86	PM <sub>10</sub>	6
116	Ludhiana	Satisfactory	92	PM <sub>10</sub>	1
117	Madikeri	Good	28	SO <sub>2</sub>	1
118	Mandi Gobindgarh	Poor	219	PM <sub>2.5</sub>	1
119	Mandideep	Moderate	109	PM <sub>10</sub>	1
120	Mandikhera	Satisfactory	89	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### AOL is not calculated for today's bulletin for Aimer Aurongobad (Riber)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Manesar	Poor	231	PM <sub>2.5</sub>	1
122	Mangalore	Good	46	СО	1
123	Manguraha	Satisfactory	95	O <sub>3</sub>	1
124	Meerut	Moderate	197	PM <sub>2.5</sub>	3
125	Milupara	Good	35	NO <sub>2</sub>	1
126	Moradabad	Moderate	140	PM <sub>2.5</sub>	6
127	Motihari	Moderate	112	NO <sub>2</sub>	1
128	Mumbai	Satisfactory	74	PM <sub>10</sub>	16
129	Munger	Moderate	194	PM <sub>10</sub>	1
130	Muzaffarnagar	Poor	212	PM <sub>2.5</sub>	1
131	Muzaffarpur	Poor	206	03	3
132	Mysuru	Good	50	O <sub>3</sub>	1

Notes:

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagaon	Moderate	126	O <sub>3</sub>	1
134	Nagpur	Satisfactory	95	PM <sub>2.5</sub>	1
135	Nalbari	Poor	224	PM <sub>2.5</sub>	1
136	Narnaul	Moderate	124	PM <sub>10</sub>	1
137	Nashik	Good	44	PM <sub>2.5</sub>	1
138	Navi Mumbai	Satisfactory	70	NO <sub>2</sub> , PM <sub>10</sub>	2
139	Nayagarh	Moderate	121	PM <sub>10</sub>	1
140	Noida	Poor	220	PM <sub>10</sub> , PM <sub>2.5</sub>	4
141	Ooty	Satisfactory	71	PM <sub>10</sub>	1
142	Palwal	Satisfactory	95	PM <sub>10</sub>	1
143	Panchkula	Moderate	128	со	1
144	Panipat	Moderate	130	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQL is not coloulated for today's bulletin for Aimer, Auronaphad (Riber)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patiala	Satisfactory	91	PM <sub>10</sub>	1
146	Patna	Moderate	148	PM <sub>2.5</sub> , NO <sub>2</sub>	6
147	Pithampur	Satisfactory	70	PM <sub>10</sub>	1
148	Pratapgarh	Satisfactory	79	03	1
149	Prayagraj	Satisfactory	60	PM <sub>10</sub>	3
150	Puducherry	Satisfactory	53	03	1
151	Pune	Moderate	127	NO <sub>2</sub> , PM <sub>10</sub>	3
152	Purnia	Moderate	120	PM <sub>10</sub>	1
153	Raichur	Good	40	PM <sub>10</sub>	1
154	Raipur	Satisfactory	60	PM <sub>10</sub> , NO <sub>2</sub>	4
155	Rairangpur	Satisfactory	69	PM <sub>10</sub>	1
156	Rajamahendravaram	Good	20	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AOL is not calculated for today's bulletin for Aimer, Aurangahad (Bibar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajgir	Satisfactory	88	PM <sub>10</sub>	1
158	Rajsamand	Satisfactory	80	PM <sub>10</sub>	1
159	Ramanagara	Satisfactory	51	03	1
160	Ramanathapuram	Satisfactory	52	PM <sub>10</sub>	1
161	Ratlam	Satisfactory	82	NO <sub>2</sub>	1
162	Rishikesh	Good	46	PM <sub>10</sub>	1
163	Rohtak	Moderate	114	PM <sub>2.5</sub>	1
164	Rourkela	Moderate	103	PM <sub>10</sub>	2
165	Rupnagar	Moderate	166	PM <sub>10</sub>	1
166	Sagar	Moderate	125	O <sub>3</sub>	1
167	Saharsa	Moderate	113	PM <sub>10</sub>	1
168	Samastipur	Moderate	107	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sasaram	Very Poor	315	03	1
170	Satna	Moderate	130	PM <sub>2.5</sub>	1
171	Sawai Madhopur	Satisfactory	84	03	1
172	Shillong	Good	44	PM <sub>10</sub>	1
173	Shivamogga	Good	47	PM <sub>10</sub>	1
174	Sikar	Moderate	129	O <sub>3</sub>	1
175	Silchar	Good	23	СО	1
176	Siliguri	Satisfactory	72	PM <sub>10</sub>	1
177	Singrauli	Moderate	109	PM <sub>10</sub>	1
178	Sirohi	Moderate	116	03	1
179	Sirsa	Satisfactory	68	PM <sub>10</sub>	1
180	Sivasagar	Good	25	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siwan	Moderate	109	O <sub>3</sub>	1
182	Solapur	Moderate	111	PM <sub>10</sub>	1
183	Sonipat	Moderate	130	PM <sub>10</sub>	1
184	Sri Ganganagar	Poor	224	PM <sub>10</sub>	1
185	Srinagar	Satisfactory	79	PM <sub>10</sub>	1
186	Suakati	Satisfactory	80	PM <sub>10</sub>	1
187	Surat	Satisfactory	77	со	1
188	Tensa	Satisfactory	75	PM <sub>10</sub>	1
189	Thane	Satisfactory	86	PM <sub>10</sub>	1
190	Thiruvananthapuram	Good	32	PM <sub>10</sub>	2
191	Thoothukudi	Satisfactory	58	03	1
192	Thrissur	Satisfactory	73	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar),

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tirupati	Satisfactory	66	PM <sub>2.5</sub> , NO <sub>2</sub>	2
194	Tirupur	Good	28	SO <sub>2</sub>	1
195	Tonk	Moderate	104	PM <sub>10</sub>	1
196	Tumidih	Good	50	03	1
197	Udaipur	Moderate	127	PM <sub>2.5</sub>	1
198	Vapi	Satisfactory	66	PM <sub>2.5</sub>	1
199	Varanasi	Satisfactory	55	PM <sub>2.5</sub> , PM <sub>10</sub>	4
200	Vatva	Satisfactory	95	PM <sub>10</sub>	1
201	Vijayapura	Good	46	PM <sub>10</sub>	1
202	Visakhapatnam	Satisfactory	95	PM <sub>10</sub>	1
203	Vrindavan	Moderate	131	PM <sub>10</sub>	1
204	Yadgir	Good	42	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AOL is not calculated for today's bulletin for Aimer, Aurangahad (Bibar)

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Yamunanagar	Moderate	119	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Ajmer, Aurangabad (Bihar)

Notes:

Notes:

Chittoor, Darbhanga, Dhanbad, Eloor, Ernakulam, Fatehabad, Gummidipoondi, Hisar, Hosur, Imphal, Jaisalmer, Kadapa, Kanchipuram, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Pali, Palkalaiperur, Pimpri Chinchwad, Salem, Talcher, Tumakuru, Udupi, Ujjain, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.