

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	235	PM _{2.5}	1
2	Agra	Very Poor	365	PM _{2.5}	1
3	Ahmedabad	Moderate	167	PM _{2.5}	1
4	Aizawl	Moderate	139	PM _{2.5}	1
5	Ajmer	Satisfactory	87	PM _{2.5}	1
6	Alwar	Moderate	115	PM _{2.5}	1
7	Amaravati	Satisfactory	82	PM _{2.5}	1
8	Ambala	Moderate	139	PM _{2.5}	1
9	Amritsar	Satisfactory	92	PM ₁₀	1
10	Ankleshwar	Poor	269	03	1
11	Asansol	Very Poor	322	PM _{2.5}	1
12	Aurangabad	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kalyan, Karnal, Kochi, Mysuru, Nandesari, Narnaul, Panchkula, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	326	PM _{2.5}	1
14	Bahadurgarh	Poor	242	PM _{2.5}	1
15	Ballabgarh	Very Poor	329	PM _{2.5}	1
16	Bengaluru	Satisfactory	87	PM _{2.5} , O ₃ , PM ₁₀	9
17	Bhiwadi	Very Poor	357	PM _{2.5}	1
18	Bhiwani	Moderate	118	PM ₁₀	1
19	Bhopal	Moderate	158	03	1
20	Bidar	Moderate	113	PM _{2.5}	1
21	Brajrajnagar	Moderate	109	PM _{2.5}	1
22	Bulandshahr	Severe	413	PM _{2.5}	1
23	Chandigarh	Moderate	142	PM _{2.5}	1
24	Chandrapur	Moderate	138	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kalyan, Karnal, Kochi, Mysuru, Nandesari, Narnaul, Panchkula, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Poor	213	PM ₁₀	1
26	Chennai	Satisfactory	85	PM _{2.5} , PM ₁₀ , CO	5
27	Chikkaballapur	Satisfactory	74	PM _{2.5}	1
28	Chikkamagaluru	Satisfactory	62	03	1
29	Damoh	Moderate	179	PM _{2.5}	1
30	Delhi	Severe	407	PM _{2.5}	35
31	Dewas	Satisfactory	75	PM ₁₀	1
32	Dharuhera	Poor	277	PM _{2.5}	1
33	Durgapur	Very Poor	344	PM _{2.5}	1
34	Eloor	Satisfactory	89	PM ₁₀	1
35	Ernakulam	Satisfactory	75	PM _{2.5}	1
36	Faridabad	Severe	416	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kalyan, Karnal, Kochi, Mysuru, Nandesari, Narnaul, Panchkula, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	164	PM _{2.5}	1
38	Gandhinagar	Satisfactory	77	PM ₁₀	1
39	Gaya	Moderate	154	PM _{2.5}	2
40	Ghaziabad	Severe	423	PM _{2.5}	4
41	Greater Noida	Severe	438	PM _{2.5}	2
42	Gurugram	Very Poor	316	PM _{2.5}	4
43	Guwahati	Very Poor	351	PM _{2.5}	1
44	Gwalior	Very Poor	312	PM _{2.5}	1
45	Hajipur	Satisfactory	92	PM _{2.5}	1
46	Haldia	Poor	250	PM _{2.5}	1
47	Hisar	Poor	238	PM _{2.5}	1
48	Howrah	Very Poor	314	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kalyan, Karnal, Kochi, Mysuru, Nandesari, Narnaul, Panchkula, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Satisfactory	94	PM ₁₀	1
50	Hyderabad	Moderate	156	PM _{2.5}	6
51	Indore	Moderate	108	PM ₁₀	1
52	Jabalpur	Moderate	192	PM _{2.5}	1
53	Jaipur	Moderate	140	PM ₁₀ , PM _{2.5}	2
54	Jalandhar	Moderate	102	PM ₁₀	1
55	Jind	Poor	249	PM _{2.5}	1
56	Jodhpur	Moderate	125	PM _{2.5}	1
57	Jorapokhar	Moderate	159	PM ₁₀	1
58	Kaithal	Moderate	187	PM _{2.5}	1
59	Kannur	Satisfactory	63	PM ₁₀	1
60	Kanpur	Very Poor	372	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kalyan, Karnal, Kochi, Mysuru, Nandesari, Narnaul, Panchkula, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Poor	276	PM _{2.5}	1
62	Khanna	Satisfactory	93	PM ₁₀	1
63	Kohima	Moderate	169	PM _{2.5}	1
64	Kolar	Satisfactory	74	NO ₂	1
65	Kolkata	Poor	300	PM _{2.5}	7
66	Kollam	Good	42	PM ₁₀	1
67	Koppal	Moderate	116	PM ₁₀	1
68	Kota	Moderate	149	PM _{2.5}	1
69	Kozhikode	Moderate	102	со	1
70	Kurukshetra	Poor	212	PM _{2.5}	1
71	Lucknow	Very Poor	348	PM _{2.5}	4
72	Ludhiana	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kalyan, Karnal, Kochi, Mysuru, Nandesari, Narnaul, Panchkula, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Maihar	Satisfactory	100	PM ₁₀	1
74	Mandi Gobindgarh	Poor	202	PM ₁₀	1
75	Mandideep	Moderate	145	PM ₁₀	1
76	Mandikhera	Moderate	137	PM _{2.5}	1
77	Manesar	Poor	226	PM ₁₀	1
78	Manglore	Satisfactory	65	PM _{2.5}	1
79	Medikeri	Satisfactory	52	со	1
80	Meerut	Very Poor	370	PM _{2.5} , PM ₁₀	2
81	Moradabad	Very Poor	379	PM _{2.5}	1
82	Mumbai	Moderate	140	PM _{2.5} , O ₃ , PM ₁₀	19
83	Muzaffarnagar	Very Poor	320	PM _{2.5}	1
84	Muzaffarpur	Very Poor	311	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kalyan, Karnal, Kochi, Mysuru, Nandesari, Narnaul, Panchkula, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nagpur	Satisfactory	69	PM ₁₀	1
86	Nashik	Satisfactory	92	PM _{2.5}	1
87	Navi Mumbai	Very Poor	302	PM _{2.5} , O ₃	2
88	Noida	Severe	434	PM _{2.5}	4
89	Pali	Moderate	127	PM ₁₀	1
90	Palwal	Moderate	137	со	1
91	Patiala	Moderate	159	PM _{2.5}	1
92	Patna	Poor	285	PM _{2.5}	5
93	Pithampur	Moderate	102	PM ₁₀	1
94	Puducherry	Satisfactory	55	O ₃	1
95	Pune	Satisfactory	99	PM _{2.5} , PM ₁₀ , CO	5
96	Raichur	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kalyan, Karnal, Kochi, Mysuru, Nandesari, Narnaul, Panchkula, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Moderate	103	PM _{2.5}	1
98	Ramanagara	Satisfactory	59	PM _{2.5}	1
99	Ratlam	Moderate	104	PM ₁₀	1
100	Rohtak	Very Poor	301	PM _{2.5}	1
101	Rupnagar	Satisfactory	86	PM _{2.5}	1
102	Sagar	Satisfactory	66	PM _{2.5}	1
103	Satna	Satisfactory	93	PM ₁₀	1
104	Shivamogga	Good	48	PM ₁₀	1
105	Siliguri	Poor	293	PM _{2.5}	1
106	Singrauli	Very Poor	326	PM _{2.5}	1
107	Sirsa	Satisfactory	77	PM ₁₀	1
108	Solapur	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kalyan, Karnal, Kochi, Mysuru, Nandesari, Narnaul, Panchkula, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Poor	257	PM ₁₀	1
110	Talcher	Moderate	130	PM ₁₀	1
111	Thane	Moderate	169	PM ₁₀	1
112	Thiruvananthapuram	Satisfactory	54	PM ₁₀ , CO	2
113	Thoothukudi	Good	45	03	1
114	Thrissur	Satisfactory	58	03	1
115	Tirupati	Moderate	106	PM _{2.5}	1
116	Udaipur	Moderate	156	PM _{2.5}	1
117	Ujjain	Moderate	170	03	1
118	Vapi	Moderate	163	PM ₁₀	1
119	Varanasi	Poor	230	PM _{2.5}	1
120	Vatva	Moderate	178	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kalyan, Karnal, Kochi, Mysuru, Nandesari, Narnaul, Panchkula, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Satisfactory	57	PM _{2.5}	1
122	Visakhapatnam	Moderate	138	PM _{2.5}	1
123	Yadgir	Satisfactory	88	PM _{2.5}	1
124	Yamunanagar	Poor	211	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Bathinda, Chamarajanagar, Coimbatore, Davanagere, Gadag, Gummidipoondi, Hapur, Kalaburgi, Kalyan, Karnal, Kochi, Mysuru, Nandesari, Narnaul, Panchkula, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.