



## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	83	PM <sub>10</sub>	2
2	Agra	Moderate	103	PM <sub>10</sub>	5
3	Ahmedabad	Moderate	141	PM <sub>2.5</sub> , PM <sub>10</sub>	5
4	Aizawl	Satisfactory	93	PM <sub>10</sub>	1
5	Ajmer	Moderate	136	PM <sub>10</sub>	1
6	Alwar	Satisfactory	76	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	63	O <sub>3</sub>	1
8	Ambala	Poor	284	PM <sub>10</sub>	1
9	Amritsar	Moderate	136	PM <sub>2.5</sub>	1
10	Ankleshwar	Satisfactory	84	CO	1
11	Arrah	Poor	224	PM <sub>10</sub>	1
12	Asansol	Moderate	117	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arraria, Baghpat,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Moderate	102	PM <sub>10</sub>	1
14	Baddi	Moderate	192	PM <sub>10</sub>	1
15	Bagalkot	Good	50	PM <sub>2.5</sub>	1
16	Bahadurgarh	Poor	221	PM <sub>2.5</sub>	1
17	Ballabgarh	Moderate	132	PM <sub>2.5</sub>	1
18	Bathinda	Moderate	165	PM <sub>10</sub>	1
19	Bengaluru	Satisfactory	82	PM <sub>10</sub> , CO	8
20	Bhagalpur	Poor	228	PM <sub>10</sub>	2
21	Bhiwadi	Moderate	188	PM <sub>2.5</sub>	1
22	Bhopal	Moderate	115	PM <sub>10</sub>	1
23	Bidar	Moderate	106	PM <sub>10</sub>	1
24	Bilaspur	Satisfactory	57	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Brajrajnagar	Moderate	131	O <sub>3</sub>	1
26	Bulandshahr	Poor	289	PM <sub>10</sub>	1
27	Buxar	Very Poor	308	PM <sub>10</sub>	1
28	Chamarajanagar	Good	43	PM <sub>10</sub>	1
29	Chandigarh	Moderate	194	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	3
30	Chandrapur	Moderate	118	PM <sub>10</sub>	2
31	Charkhi Dadri	Moderate	172	PM <sub>2.5</sub>	1
32	Chennai	Good	46	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	8
33	Chhapra	Moderate	178	PM <sub>10</sub>	1
34	Chikkaballapur	Moderate	108	PM <sub>10</sub>	1
35	Chikkamagaluru	Good	49	PM <sub>10</sub>	1
36	Damoh	Satisfactory	57	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Delhi	Poor	270	PM <sub>10</sub>	36
38	Dewas	Moderate	117	PM <sub>10</sub>	1
39	Durgapur	Moderate	190	PM <sub>10</sub>	1
40	Eloor	Satisfactory	73	PM <sub>10</sub>	1
41	Ernakulam	Satisfactory	53	CO	1
42	Faridabad	Poor	265	PM <sub>10</sub> , PM <sub>2.5</sub>	3
43	Fatehabad	Poor	248	PM <sub>2.5</sub>	1
44	Firozabad	Moderate	106	O <sub>3</sub>	1
45	Gadag	Good	35	PM <sub>2.5</sub>	1
46	Gandhinagar	Moderate	119	PM <sub>2.5</sub> , SO <sub>2</sub> , PM <sub>10</sub>	3
47	Gangtok	Satisfactory	57	O <sub>3</sub>	1
48	Gaya	Moderate	169	PM <sub>10</sub> , PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Very Poor	305	PM <sub>10</sub>	4
50	Gorakhpur	Good	49	O <sub>3</sub>	1
51	Greater Noida	Poor	276	PM <sub>10</sub>	2
52	Gummidipoondi	Good	37	PM <sub>10</sub>	1
53	Gurugram	Poor	250	PM <sub>2.5</sub> , PM <sub>10</sub>	3
54	Guwahati	Good	38	PM <sub>10</sub> , PM <sub>2.5</sub>	2
55	Gwalior	Moderate	103	PM <sub>10</sub>	1
56	Hajipur	Moderate	136	PM <sub>10</sub>	1
57	Haldia	Satisfactory	58	PM <sub>10</sub>	1
58	Hapur	Very Poor	376	PM <sub>10</sub>	1
59	Haveri	Good	47	PM <sub>2.5</sub>	1
60	Howrah	Satisfactory	97	PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arraria, Baghpat,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hubballi	Satisfactory	62	PM <sub>10</sub>	1
62	Hyderabad	Moderate	116	PM <sub>10</sub> , PM <sub>2.5</sub>	6
63	Imphal	Satisfactory	82	PM <sub>10</sub>	1
64	Indore	Moderate	111	PM <sub>10</sub>	1
65	Jabalpur	Moderate	131	PM <sub>10</sub>	1
66	Jaipur	Moderate	144	CO, PM <sub>10</sub>	3
67	Jalandhar	Moderate	148	PM <sub>10</sub>	1
68	Jhansi	Moderate	117	PM <sub>10</sub>	1
69	Jind	Poor	251	PM <sub>2.5</sub>	1
70	Jodhpur	Poor	222	PM <sub>2.5</sub>	1
71	Kaithal	Very Poor	316	PM <sub>10</sub>	1
72	Kannur	Satisfactory	56	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Moderate	147	PM <sub>2.5</sub> , PM <sub>10</sub>	3
74	Karnal	Poor	237	PM <sub>2.5</sub>	1
75	Katihar	Moderate	101	PM <sub>2.5</sub>	1
76	Khanna	Moderate	189	PM <sub>2.5</sub>	1
77	Kochi	Satisfactory	74	CO	1
78	Kohima	Satisfactory	60	PM <sub>10</sub>	1
79	Kolkata	Moderate	122	O <sub>3</sub> , PM <sub>10</sub> , NO <sub>2</sub>	7
80	Kollam	Satisfactory	89	PM <sub>10</sub>	1
81	Kota	Satisfactory	100	PM <sub>2.5</sub>	1
82	Kozhikode	Satisfactory	56	PM <sub>10</sub>	1
83	Lucknow	Poor	245	PM <sub>2.5</sub>	6
84	Ludhiana	Moderate	140	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Madikeri	Good	46	O <sub>3</sub>	1
86	Mandi Gobindgarh	Very Poor	363	PM <sub>2.5</sub>	1
87	Mandideep	Satisfactory	58	PM <sub>10</sub>	1
88	Mandikhera	Satisfactory	100	PM <sub>10</sub>	1
89	Manglore	Satisfactory	66	CO	1
90	Meerut	Very Poor	311	PM <sub>10</sub> , PM <sub>2.5</sub>	3
91	Moradabad	Moderate	170	PM <sub>10</sub> , O <sub>3</sub>	4
92	Mumbai	Satisfactory	86	PM <sub>10</sub> , CO	16
93	Munger	Poor	283	PM <sub>10</sub>	1
94	Muzaffarnagar	Very Poor	355	PM <sub>10</sub>	1
95	Muzaffarpur	Moderate	113	O <sub>3</sub> , PM <sub>2.5</sub>	3
96	Mysuru	Satisfactory	52	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nagpur	Moderate	112	O <sub>3</sub>	1
98	Naharlagun	Satisfactory	63	SO <sub>2</sub>	1
99	Narnaul	Moderate	121	PM <sub>10</sub>	1
100	Nashik	Satisfactory	64	PM <sub>2.5</sub>	1
101	Navi Mumbai	Moderate	112	PM <sub>10</sub> , CO	3
102	Noida	Poor	285	PM <sub>10</sub>	3
103	Pali	Moderate	139	PM <sub>2.5</sub>	1
104	Palwal	Moderate	131	PM <sub>10</sub>	1
105	Panchkula	Poor	235	PM <sub>2.5</sub>	1
106	Patiala	Moderate	162	PM <sub>10</sub>	1
107	Patna	Poor	248	PM <sub>10</sub> , PM <sub>2.5</sub>	6
108	Pithampur	Moderate	104	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Prayagraj	Moderate	122	PM <sub>10</sub>	2
110	Pune	Satisfactory	100	PM <sub>2.5</sub> , PM <sub>10</sub>	5
111	Purnia	Satisfactory	78	NO <sub>2</sub>	1
112	Raichur	Moderate	117	PM <sub>10</sub>	1
113	Rajamahendravaram	Good	35	PM <sub>10</sub>	1
114	Ramanagara	Satisfactory	86	PM <sub>10</sub>	1
115	Rohtak	Poor	232	PM <sub>2.5</sub>	1
116	Rupnagar	Moderate	102	PM <sub>10</sub>	1
117	Satna	Satisfactory	62	PM <sub>10</sub>	1
118	Shillong	Good	39	PM <sub>10</sub>	1
119	Shivamogga	Satisfactory	59	PM <sub>10</sub>	1
120	Siliguri	Satisfactory	56	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Arraria, Baghpur,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonapat, Udipi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Singrauli	Very Poor	354	PM <sub>10</sub>	1
122	Sirsa	Moderate	191	PM <sub>10</sub>	1
123	Siwan	Moderate	181	PM <sub>10</sub>	1
124	Srinagar	Good	40	NH <sub>3</sub>	1
125	Talcher	Satisfactory	86	CO	1
126	Thane	Moderate	140	PM <sub>10</sub>	1
127	Thiruvananthapuram	Good	44	PM <sub>10</sub> , CO	2
128	Thoothukudi	Good	50	PM <sub>10</sub>	1
129	Thrissur	Satisfactory	77	PM <sub>2.5</sub>	1
130	Tirupati	Moderate	102	PM <sub>10</sub>	1
131	Udaipur	Poor	229	PM <sub>10</sub>	1
132	Ujjain	Moderate	117	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Apr 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Varanasi	Moderate	146	PM <sub>10</sub> , O <sub>3</sub>	4
134	Vatva	Moderate	104	PM <sub>10</sub>	1
135	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
136	Visakhapatnam	Moderate	119	PM <sub>10</sub>	1
137	Vrindavan	Moderate	111	PM <sub>10</sub>	1
138	Yadgir	Satisfactory	74	PM <sub>10</sub>	1
139	Yamunanagar	Very Poor	305	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Araria, Baghpat,

Begusarai, Bettiah, Bhilai, Bhiwani, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Dehradun, Dharuhera, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Katni, Kishanganj, Kolar, Koppal, Kurukshetra, Maihar, Manesar, Manguraha, Motihari, Nandesari, Panipat, Puducherry, Rajgir, Ratlam, Sagar, Saharsa, Samastipur, Sasaram, Solapur, Sonipat, Udupi, Vapi as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.