

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	75	PM ₁₀	2
2	Agra	Moderate	178	PM ₁₀	5
3	Ahmedabad	Moderate	104	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	93	PM ₁₀	1
5	Ajmer	Poor	226	PM ₁₀	1
6	Alwar	Satisfactory	90	PM ₁₀	1
7	Amaravati	Satisfactory	54	03	1
8	Ambala	Moderate	182	PM ₁₀	1
9	Amritsar	Moderate	104	NO ₂	1
10	Ankleshwar	Satisfactory	98	PM _{2.5}	1
11	Arrah	Poor	273	PM ₁₀	1
12	Asansol	Moderate	162	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Baghpat, Notes: Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri,

Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi, Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur, Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Poor	267	PM ₁₀	1
14	Aurangabad	Moderate	105	PM ₁₀	1
15	Baddi	Moderate	181	PM ₁₀	1
16	Bagalkot	Good	50	PM _{2.5}	1
17	Bahadurgarh	Moderate	190	PM ₁₀	1
18	Bathinda	Moderate	139	PM ₁₀	1
19	Bengaluru	Satisfactory	86	PM ₁₀	7
20	Bettiah	Moderate	180	PM _{2.5}	1
21	Bhagalpur	Poor	223	PM _{2.5}	1
22	Bhiwadi	Poor	231	PM _{2.5}	1
23	Bhopal	Moderate	115	PM ₁₀	1
24	Bidar	Satisfactory	81	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi, Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur, Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Good	50	PM ₁₀	1
26	Brajrajnagar	Poor	270	03	1
27	Bulandshahr	Poor	215	PM ₁₀	1
28	Buxar	Very Poor	332	PM ₁₀	1
29	Chamarajanagar	Good	42	PM ₁₀	1
30	Chandigarh	Moderate	161	O ₃ , PM ₁₀	3
31	Chandrapur	Moderate	114	PM ₁₀ , O ₃	2
32	Chennai	Satisfactory	52	CO, PM _{2.5} , PM ₁₀	8
33	Chhapra	Moderate	198	PM _{2.5}	1
34	Chikkaballapur	Satisfactory	66	03	1
35	Chikkamagaluru	Good	44	PM ₁₀	1
36	Coimbatore	Good	45	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Baghpat, Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri,

Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi, Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur, Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Satisfactory	65	PM ₁₀	1
38	Darbhanga	Poor	286	PM ₁₀	1
39	Davanagere	Satisfactory	59	PM ₁₀	1
40	Dehradun	Moderate	184	PM ₁₀	1
41	Delhi	Poor	209	PM _{2.5} , PM ₁₀	37
42	Dewas	Moderate	107	PM ₁₀	1
43	Durgapur	Very Poor	337	PM ₁₀	1
44	Eloor	Satisfactory	73	PM ₁₀	1
45	Ernakulam	Satisfactory	54	PM ₁₀	1
46	Faridabad	Poor	240	PM _{2.5} , PM ₁₀	2
47	Fatehabad	Moderate	143	PM ₁₀	1
48	Firozabad	Poor	231	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Baghpat, Notes: Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri,

Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi, Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur, Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Moderate	101	PM _{2.5} , PM ₁₀	3
50	Gaya	Moderate	151	PM ₁₀ , PM _{2.5}	3
51	Ghaziabad	Moderate	189	PM ₁₀	3
52	Gorakhpur	Satisfactory	94	PM ₁₀	1
53	Greater Noida	Poor	212	PM ₁₀	2
54	Gummidipoondi	Good	35	PM ₁₀	1
55	Gurugram	Poor	270	PM _{2.5} , PM ₁₀	3
56	Guwahati	Satisfactory	72	O ₃ , PM ₁₀	2
57	Gwalior	Poor	220	PM ₁₀	1
58	Haldia	Satisfactory	68	PM ₁₀	1
59	Hapur	Poor	284	PM ₁₀	1
60	Hassan	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpat, Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi, Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur, Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haveri	Satisfactory	100	со	1
62	Hisar	Moderate	152	PM ₁₀	1
63	Howrah	Satisfactory	96	O ₃ , PM ₁₀	3
64	Hyderabad	Satisfactory	93	PM ₁₀ , O ₃ , PM _{2.5}	6
65	Imphal	Satisfactory	95	PM ₁₀ , SO ₂	2
66	Indore	Moderate	117	PM ₁₀	1
67	Jabalpur	Moderate	162	PM ₁₀	1
68	Jaipur	Moderate	174	PM _{2.5} , PM ₁₀	2
69	Jalandhar	Moderate	152	PM ₁₀	1
70	Jhansi	Moderate	182	PM ₁₀	1
71	Jodhpur	Moderate	176	PM _{2.5}	1
72	Kaithal	Moderate	149	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpat, Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi, Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur, Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Moderate	159	PM _{2.5}	1
74	Kannur	Satisfactory	62	PM ₁₀	1
75	Kanpur	Moderate	155	PM _{2.5} , PM ₁₀	3
76	Karnal	Moderate	145	PM ₁₀	1
77	Katihar	Poor	258	PM _{2.5}	1
78	Katni	Poor	220	PM ₁₀	1
79	Khanna	Moderate	165	PM ₁₀	1
80	Kishanganj	Moderate	171	PM ₁₀	1
81	Kochi	Moderate	146	PM _{2.5}	1
82	Kohima	Moderate	167	PM ₁₀	1
83	Kolar	Satisfactory	90	PM ₁₀	1
84	Kolkata	Satisfactory	81	PM _{2.5} , O ₃ , PM ₁₀	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Baghpat, Notes: Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri,

Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi, Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur, Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	98	PM ₁₀	1
86	Kota	Moderate	193	PM _{2.5}	1
87	Kozhikode	Satisfactory	66	PM ₁₀	1
88	Kurukshetra	Poor	208	PM _{2.5}	1
89	Lucknow	Poor	250	PM _{2.5} , PM ₁₀	6
90	Ludhiana	Moderate	131	PM ₁₀	1
91	Madikeri	Satisfactory	60	03	1
92	Mandi Gobindgarh	Poor	241	PM _{2.5}	1
93	Mandideep	Satisfactory	62	PM ₁₀	1
94	Mandikhera	Satisfactory	100	PM ₁₀	1
95	Manglore	Satisfactory	61	со	1
96	Manguraha	Poor	206	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Araria, Baghpat,
 Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri,
 Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi,
 Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur,
 Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	233	PM ₁₀	3
98	Moradabad	Moderate	173	PM ₁₀	3
99	Motihari	Poor	269	PM _{2.5}	1
100	Mumbai	Moderate	101	PM _{2.5} , PM ₁₀	16
101	Munger	Very Poor	306	PM ₁₀	1
102	Muzaffarpur	Poor	262	PM ₁₀ , PM _{2.5}	2
103	Mysuru	Satisfactory	56	PM ₁₀	1
104	Nagpur	Moderate	153	PM _{2.5}	1
105	Nandesari	Good	47	PM _{2.5}	1
106	Narnaul	Moderate	138	PM ₁₀	1
107	Nashik	Satisfactory	79	PM _{2.5}	1
108	Navi Mumbai	Satisfactory	98	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Araria, Baghpat, Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi, Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur, Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	209	PM ₁₀	3
110	Pali	Moderate	161	PM _{2.5}	1
111	Palwal	Moderate	161	PM ₁₀	1
112	Panchkula	Moderate	168	PM _{2.5}	1
113	Patiala	Moderate	132	PM ₁₀	1
114	Patna	Poor	281	PM _{2.5}	5
115	Pithampur	Moderate	111	PM ₁₀	1
116	Prayagraj	Moderate	130	PM ₁₀	3
117	Puducherry	Good	24	PM ₁₀	1
118	Pune	Moderate	111	PM _{2.5} , PM ₁₀ , O ₃	6
119	Purnia	Satisfactory	80	NO ₂	1
120	Rajamahendravaram	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Araria, Baghpat, Notes: Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi I

Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi, Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur, Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Moderate	177	PM ₁₀	1
122	Ramanagara	Satisfactory	90	PM ₁₀	1
123	Ratlam	Moderate	101	PM ₁₀	1
124	Rohtak	Moderate	186	PM _{2.5}	1
125	Rupnagar	Moderate	115	PM ₁₀	1
126	Sagar	Satisfactory	82	со	1
127	Samastipur	Poor	289	PM _{2.5}	1
128	Satna	Satisfactory	93	PM ₁₀	1
129	Shillong	Satisfactory	78	O ₃ , PM ₁₀	2
130	Shivamogga	Satisfactory	64	PM ₁₀	1
131	Siliguri	Moderate	118	PM ₁₀	1
132	Singrauli	Very Poor	341	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Ballabo

- * AQI is not calculated for today's bulletin for Araria, Baghpat,
 Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri,
 Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi,
 Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur,
 Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Moderate	157	PM ₁₀	1
134	Siwan	Poor	278	PM ₁₀	1
135	Solapur	Satisfactory	95	PM ₁₀	1
136	Srinagar	Good	46	PM ₁₀	1
137	Talcher	Moderate	104	со	1
138	Thiruvananthapuram	Good	44	CO, PM ₁₀	2
139	Thoothukudi	Satisfactory	52	PM ₁₀	1
140	Thrissur	Satisfactory	60	PM _{2.5}	1
141	Tirupati	Satisfactory	86	PM ₁₀	1
142	Udaipur	Satisfactory	99	PM ₁₀	1
143	Udupi	Satisfactory	56	O ₃	1
144	Ujjain	Moderate	143	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri, Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi, Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur, Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.

* AQI is not calculated for today's bulletin for Araria, Baghpat,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Moderate	110	PM ₁₀	3
146	Vatva	Satisfactory	67	PM _{2.5}	1
147	Visakhapatnam	Moderate	107	PM ₁₀	1
148	Vrindavan	Moderate	148	PM ₁₀	1
149	Yamunanagar	Poor	227	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Araria, Baghpat,
 Ballabgarh, Begusarai, Bhilai, Bhiwani, Bihar Sharif, Charkhi Dadri,
 Dharuhera, Gadag, Gangtok, Hajipur, Hubballi, Jind, Jorapokhar, Kalaburgi,
 Koppal, Maihar, Manesar, Muzaffarnagar, Naharlagun, Panipat, Raichur,
 Saharsa, Sasaram, Sonipat, Thane, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.