

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	139	PM _{2.5}	1
2	Ahmedabad	Poor	249	PM _{2.5}	1
3	Ajmer	Moderate	120	PM _{2.5}	1
4	Alwar	Satisfactory	78	PM ₁₀	1
5	Amaravati	Moderate	197	PM _{2.5}	1
6	Ambala	Poor	280	PM _{2.5}	1
7	Amritsar	Poor	273	PM _{2.5}	1
8	Ankleshwar	Satisfactory	100	PM _{2.5}	1
9	Asanol	Very Poor	304	PM _{2.5}	1
10	Aurangabad	Satisfactory	75	PM ₁₀	1
11	Baghpat	Very Poor	304	PM _{2.5}	1
12	Bahadurgarh	Moderate	145	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	287	PM _{2.5}	1
14	Bathinda	Moderate	143	PM _{2.5}	1
15	Bengaluru	Moderate	161	PM _{2.5} , PM ₁₀ , OZONE	8
16	Bhiwadi	Poor	237	PM _{2.5}	1
17	Bhiwani	Moderate	185	PM _{2.5}	1
18	Bhopal	Moderate	151	PM _{2.5}	1
19	Brajrajnagar	Moderate	198	PM _{2.5}	1
20	Bulandshahr	Poor	210	PM _{2.5}	1
21	Chandigarh	Moderate	118	PM ₁₀	1
22	Chandrapur	Moderate	155	PM _{2.5}	2
23	Chennai	Poor	224	PM _{2.5}	4
24	Chikkaballapur	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	214	PM _{2.5} , PM ₁₀	35
26	Dewas	Moderate	115	OZONE	1
27	Dharuhera	Moderate	155	PM _{2.5}	1
28	Eloor	Good	35	со	1
29	Faridabad	Poor	205	PM _{2.5}	1
30	Fatehabad	Moderate	157	PM ₁₀	1
31	GandhiNagar	Moderate	123	PM _{2.5}	1
32	Gaya	Poor	232	PM _{2.5}	1
33	Ghaziabad	Poor	294	PM _{2.5}	4
34	Greater_Noida	Poor	247	NO ₂ , PM _{2.5}	2
35	Gurugram	Moderate	168	PM _{2.5}	2
36	Guwahati	Satisfactory	86	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Moderate	196	PM ₁₀	1
38	Hapur	Poor	260	PM ₁₀	1
39	Hisar	Poor	232	PM _{2.5}	1
40	Howrah	Very Poor	362	PM _{2.5}	3
41	Hubballi	Moderate	132	PM ₁₀	1
42	Hyderabad	Moderate	172	PM _{2.5} , PM ₁₀	5
43	Indore	Moderate	130	PM ₁₀	1
44	Jabalpur	Poor	224	PM _{2.5}	1
45	Jaipur	Moderate	116	PM _{2.5} , PM ₁₀	3
46	Jalandhar	Moderate	168	PM _{2.5}	1
47	Jind	Poor	233	PM _{2.5}	1
48	Jodhpur	Moderate	151	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	140	PM _{2.5}	1
50	Kaithal	Very Poor	329	PM ₁₀	1
51	Kalaburagi	Moderate	127	PM _{2.5}	1
52	Kalyan	Moderate	109	PM ₁₀	1
53	Kanpur	Very Poor	367	PM _{2.5}	1
54	Karnal	Very Poor	393	PM ₁₀	1
55	Katni	Poor	294	PM _{2.5}	1
56	Khanna	Poor	215	PM _{2.5}	1
57	Kolkata	Very Poor	331	PM _{2.5}	3
58	Kota	Satisfactory	76	OZONE	1
59	Kurukshetra	Very Poor	387	PM _{2.5}	1
60	Lucknow	Very Poor	339	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Poor	264	PM _{2.5}	1
62	Maihar	Satisfactory	51	PM ₁₀	1
63	Mandi Gobindgarh	Moderate	170	PM ₁₀	1
64	Mandideep	Poor	209	PM ₁₀	1
65	Mandikhera	Moderate	110	PM ₁₀	1
66	Manesar	Poor	278	PM _{2.5}	1
67	Meerut	Very Poor	325	PM _{2.5}	3
68	Moradabad	Very Poor	336	PM _{2.5}	1
69	Mumbai	Moderate	109	PM ₁₀ , CO, PM _{2.5}	8
70	Muzaffarpur	Poor	284	PM _{2.5}	1
71	Mysuru	Moderate	106	PM ₁₀	1
72	Nagpur	Moderate	125	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Moderate	114	PM ₁₀	1
74	Nashik	Satisfactory	69	OZONE	1
75	Navi Mumbai	Moderate	132	PM ₁₀ , PM _{2.5}	2
76	Noida	Poor	237	PM _{2.5}	4
77	Pali	Satisfactory	99	PM ₁₀	1
78	Palwal	Moderate	200	PM _{2.5}	1
79	Panchkula	Satisfactory	73	PM _{2.5}	1
80	Panipat	Very Poor	356	PM _{2.5}	1
81	Patiala	Very Poor	380	PM _{2.5}	1
82	Patna	Very Poor	317	PM _{2.5}	1
83	Pithampur	Moderate	113	PM ₁₀	1
84	Pune	Satisfactory	84	SO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Moderate	171	PM _{2.5}	1
86	Ramanagara	Satisfactory	96	PM ₁₀	1
87	Ratlam	Moderate	115	PM _{2.5}	1
88	Rohtak	Moderate	111	PM _{2.5}	1
89	Rupnagar	Poor	236	PM ₁₀	1
90	Satna	Moderate	194	PM ₁₀	1
91	Siliguri	Satisfactory	98	PM ₁₀	1
92	Singrauli	Poor	277	PM _{2.5}	1
93	Sirsa	Poor	291	PM _{2.5}	1
94	Solapur	Satisfactory	91	PM ₁₀	1
95	Sonipat	Poor	280	PM _{2.5}	1
96	Talcher	Satisfactory	97	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Satisfactory	56	со	1
98	Thiruvananthapuram	Satisfactory	57	PM ₁₀	1
99	Tirupati	Moderate	109	PM ₁₀	1
100	Udaipur	Satisfactory	98	PM ₁₀	1
101	Ujjain	Moderate	108	OZONE	1
102	Vapi	Moderate	186	PM _{2.5}	1
103	Varanasi	Poor	257	PM _{2.5}	1
104	Vatva	Poor	212	PM ₁₀	1
105	Visakhapatnam	Poor	258	PM _{2.5}	1
106	Yadgir	Moderate	107	PM _{2.5}	1
107	Yamunanagar	Poor	274	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Coimbatore, Damoh, Muzaffarnagar, Shillong, Vijayawada as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.