

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	27	SO ₂	1
2	Agra	Moderate	169	PM _{2.5}	4
3	Ahmedabad	Moderate	134	PM _{2.5} , PM ₁₀	6
4	Ajmer	Satisfactory	79	PM _{2.5}	1
5	Alwar	Satisfactory	80	PM ₁₀	1
6	Amaravati	Good	47	03	1
7	Ambala	Moderate	138	PM _{2.5}	1
8	Amritsar	Satisfactory	100	PM ₁₀	1
9	Ankleshwar	Poor	243	PM _{2.5}	1
10	Asansol	Satisfactory	89	PM ₁₀	1
11	Aurangabad	Satisfactory	98	PM ₁₀	1
12	Bagalkot	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	195	PM _{2.5}	1
14	Bahadurgarh	Poor	202	PM _{2.5}	1
15	Ballabgarh	Moderate	192	PM _{2.5}	1
16	Bathinda	Poor	257	PM ₁₀	1
17	Bengaluru	Moderate	113	PM _{2.5} , PM ₁₀	9
18	Bettiah	Poor	209	PM ₁₀	1
19	Bhagalpur	Very Poor	312	PM _{2.5}	2
20	Bhiwadi	Moderate	193	PM _{2.5}	1
21	Bhiwani	Satisfactory	100	PM ₁₀	1
22	Bhopal	Poor	295	PM _{2.5}	1
23	Bidar	Satisfactory	84	PM ₁₀	1
24	Bihar Sharif	Poor	234	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bilaspur	Satisfactory	99	PM ₁₀	1
26	Brajrajnagar	Satisfactory	87	03	1
27	Bulandshahr	Poor	209	PM _{2.5}	1
28	Buxar	Poor	228	PM ₁₀	1
29	Chamarajanagar	Good	33	PM ₁₀	1
30	Chandigarh	Satisfactory	82	PM _{2.5} , PM ₁₀	2
31	Chandrapur	Moderate	126	PM _{2.5}	2
32	Charkhi Dadri	Moderate	192	PM _{2.5}	1
33	Chennai	Satisfactory	95	PM _{2.5} , PM ₁₀	7
34	Chhapra	Poor	279	PM _{2.5}	1
35	Chikkaballapur	Moderate	149	PM _{2.5}	1
36	Chikkamagaluru	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	74	PM _{2.5}	1
38	Damoh	Poor	259	PM _{2.5}	1
39	Darbhanga	Poor	298	PM _{2.5}	1
40	Davanagere	Satisfactory	80	PM ₁₀	1
41	Delhi	Poor	255	PM ₁₀ , PM _{2.5}	37
42	Dewas	Poor	204	PM _{2.5}	1
43	Dharuhera	Moderate	189	PM _{2.5}	1
44	Durgapur	Moderate	110	PM ₁₀	1
45	Eloor	Satisfactory	62	PM ₁₀	1
46	Ernakulam	Satisfactory	55	со	1
47	Faridabad	Poor	234	PM _{2.5} , PM ₁₀	4
48	Fatehabad	Moderate	148	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Poor	218	PM _{2.5}	1
50	Gadag	Satisfactory	59	PM _{2.5}	1
51	Gandhinagar	Satisfactory	85	PM _{2.5} , PM ₁₀	3
52	Gaya	Moderate	193	PM _{2.5} , PM ₁₀	3
53	Ghaziabad	Poor	235	PM _{2.5}	3
54	Gorakhpur	Satisfactory	80	PM ₁₀	1
55	Greater Noida	Moderate	174	PM _{2.5}	2
56	Gurugram	Poor	248	PM _{2.5}	4
57	Guwahati	Moderate	170	PM _{2.5}	2
58	Gwalior	Moderate	126	PM _{2.5}	2
59	Hajipur	Poor	262	PM _{2.5}	1
60	Haldia	Good	29	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	232	PM _{2.5}	1
62	Hisar	Poor	297	PM _{2.5}	1
63	Howrah	Satisfactory	61	CO, PM _{2.5}	3
64	Hubballi	Satisfactory	86	PM ₁₀	1
65	Hyderabad	Moderate	109	PM _{2.5} , PM ₁₀	5
66	Indore	Poor	272	PM _{2.5}	1
67	Jabalpur	Moderate	174	PM _{2.5}	1
68	Jaipur	Moderate	122	PM ₁₀ , PM _{2.5}	2
69	Jalandhar	Satisfactory	87	PM _{2.5}	1
70	Jind	Poor	218	PM _{2.5}	1
71	Jodhpur	Moderate	139	PM _{2.5}	1
72	Kaithal	Moderate	118	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	214	PM _{2.5}	1
74	Kannur	Satisfactory	52	PM _{2.5}	1
75	Kanpur	Moderate	134	NO ₂ , PM _{2.5}	3
76	Karnal	Moderate	117	PM ₁₀	1
77	Katihar	Very Poor	345	PM ₁₀	1
78	Katni	Poor	232	PM _{2.5}	1
79	Khanna	Satisfactory	91	PM ₁₀	1
80	Kishanganj	Poor	258	PM _{2.5}	1
81	Kochi	Satisfactory	78	PM _{2.5}	1
82	Kohima	Satisfactory	76	PM _{2.5}	1
83	Kolar	Moderate	140	PM _{2.5}	1
84	Kolkata	Good	41	NO ₂ , CO	7

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	81	03	1
86	Kota	Poor	246	PM _{2.5}	1
87	Kozhikode	Good	49	PM ₁₀	1
88	Kurukshetra	Moderate	157	PM _{2.5}	1
89	Lucknow	Moderate	121	PM ₁₀ , PM _{2.5}	6
90	Ludhiana	Moderate	117	PM _{2.5}	1
91	Maihar	Moderate	132	PM _{2.5}	1
92	Mandi Gobindgarh	Satisfactory	97	PM ₁₀	1
93	Mandideep	Moderate	107	PM ₁₀	1
94	Mandikhera	Satisfactory	53	PM _{2.5}	1
95	Manesar	Poor	264	PM _{2.5}	1
96	Manglore	Satisfactory	88	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Medikeri	Satisfactory	54	PM ₁₀	1
98	Meerut	Poor	216	PM _{2.5}	2
99	Moradabad	Moderate	138	PM _{2.5}	2
100	Motihari	Poor	247	PM _{2.5}	1
101	Mumbai	Poor	218	PM _{2.5}	20
102	Munger	Very Poor	343	PM _{2.5}	1
103	Muzaffarnagar	Poor	256	PM _{2.5}	1
104	Muzaffarpur	Poor	296	PM _{2.5}	3
105	Mysuru	Satisfactory	60	PM ₁₀	1
106	Nagpur	Moderate	114	PM _{2.5}	1
107	Narnaul	Moderate	194	PM _{2.5}	1
108	Nashik	Poor	240	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Poor	204	PM _{2.5}	2
110	Noida	Poor	212	PM _{2.5}	3
111	Pali	Satisfactory	88	PM _{2.5}	1
112	Palwal	Moderate	113	PM ₁₀	1
113	Panchkula	Satisfactory	66	PM _{2.5}	1
114	Panipat	Moderate	189	PM _{2.5}	1
115	Patiala	Moderate	144	PM _{2.5}	1
116	Patna	Poor	232	PM _{2.5} , PM ₁₀	5
117	Pithampur	Poor	243	PM _{2.5}	1
118	Prayagraj	Moderate	127	PM _{2.5}	3
119	Puducherry	Satisfactory	70	PM _{2.5}	1
120	Pune	Moderate	145	PM _{2.5}	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Poor	295	PM _{2.5}	1
122	Raichur	Moderate	145	PM ₁₀	1
123	Rajamahendravaram	Satisfactory	61	03	1
124	Rajgir	Poor	206	PM _{2.5}	1
125	Ramanagara	Moderate	165	PM _{2.5}	1
126	Ratlam	Moderate	115	PM ₁₀	1
127	Rohtak	Moderate	152	PM _{2.5}	1
128	Rupnagar	Moderate	117	PM ₁₀	1
129	Sagar	Satisfactory	81	PM _{2.5}	1
130	Saharsa	Very Poor	358	PM ₁₀	1
131	Sasaram	Very Poor	304	PM _{2.5}	1
132	Satna	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shillong	Good	24	SO ₂	1
134	Shivamogga	Good	36	PM ₁₀	1
135	Siliguri	Moderate	103	PM ₁₀	1
136	Singrauli	Poor	233	PM _{2.5}	1
137	Sirsa	Moderate	133	PM _{2.5}	1
138	Siwan	Very Poor	311	PM _{2.5}	1
139	Sonipat	Moderate	121	PM ₁₀	1
140	Talcher	Satisfactory	67	PM _{2.5}	1
141	Thane	Moderate	196	PM ₁₀	1
142	Thiruvananthapuram	Good	42	PM ₁₀ , CO	2
143	Thrissur	Satisfactory	64	PM ₁₀	1
144	Tirupati	Satisfactory	96	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	199	PM _{2.5}	1
146	Ujjain	Moderate	182	PM _{2.5}	1
147	Vapi	Poor	208	PM _{2.5}	1
148	Varanasi	Moderate	108	PM ₁₀ , PM _{2.5}	4
149	Vatva	Poor	205	PM _{2.5}	1
150	Vijayapura	Good	46	PM ₁₀	1
151	Visakhapatnam	Good	43	PM ₁₀	1
152	Vrindavan	Moderate	177	PM _{2.5}	1
153	Yadgir	Satisfactory	76	PM ₁₀	1
154	Yamunanagar	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bhilai, Gummidipoondi, Hassan, Jorapokhar, Kalaburgi, Kollam, Manguraha, Naharlagun, Nandesari, Solapur, Srinagar, Thoothukudi, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.