

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	235	PM _{2.5}	2
2	Agra	Satisfactory	90	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	137	NO ₂	1
4	Aizawl	Satisfactory	58	PM ₁₀	1
5	Ajmer	Moderate	152	PM _{2.5}	1
6	Alwar	Moderate	137	PM _{2.5}	1
7	Amaravati	Good	39	PM ₁₀	1
8	Ambala	Moderate	147	PM _{2.5}	1
9	Amritsar	Moderate	150	PM _{2.5}	1
10	Anantapur	Good	37	O ₃	1
11	Ankleshwar	Poor	219	PM _{2.5}	1
12	Araria	Very Poor	316	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	37	NO ₂	1
14	Asansol	Very Poor	311	PM _{2.5}	1
15	Aurangabad (Bihar)	Very Poor	333	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	120	PM ₁₀	1
17	Baddi	Very Poor	334	PM _{2.5}	1
18	Bagalkot	Good	43	PM ₁₀	1
19	Baghpat	Moderate	141	PM _{2.5}	1
20	Bahadurgarh	Moderate	168	PM _{2.5}	1
21	Ballabgarh	Poor	294	PM _{2.5}	1
22	Bareilly	Moderate	118	PM ₁₀	2
23	Baripada	Moderate	129	PM _{2.5}	1
24	Bathinda	Moderate	138	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	430	PM _{2.5}	1
26	Belgaum	Moderate	101	PM ₁₀	1
27	Bengaluru	Good	42	PM ₁₀	8
28	Bhagalpur	Very Poor	344	PM _{2.5}	2
29	Bhiwadi	Moderate	145	PM ₁₀	1
30	Bhiwani	Moderate	176	PM _{2.5}	1
31	Bhopal	Poor	224	PM _{2.5}	2
32	Bidar	Satisfactory	68	SO ₂	1
33	Bihar Sharif	Very Poor	353	PM _{2.5}	1
34	Bilaspur	Good	46	PM ₁₀	1
35	Bileipada	Moderate	167	PM ₁₀	1
36	Brajrajnagar	Satisfactory	85	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Poor	248	PM _{2.5}	1
38	Byrnihat	Very Poor	377	PM _{2.5}	1
39	Chamarajanagar	Good	41	PM ₁₀	1
40	Chandigarh	Poor	255	PM _{2.5}	2
41	Chandrapur	Satisfactory	85	03	2
42	Charkhi Dadri	Moderate	167	PM _{2.5}	1
43	Chengalpattu	Satisfactory	56	PM ₁₀	1
44	Chennai	Good	38	PM _{2.5} , PM ₁₀	8
45	Chhapra	Very Poor	369	PM ₁₀	1
46	Chikkaballapur	Good	42	PM ₁₀	1
47	Chikkamagaluru	Good	33	PM ₁₀	1
48	Coimbatore	Satisfactory	69	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Damoh	Satisfactory	68	PM _{2.5}	1
50	Darbhanga	Very Poor	370	PM _{2.5}	1
51	Davanagere	Good	34	PM ₁₀	1
52	Dehradun	Poor	202	PM _{2.5}	1
53	Delhi	Very Poor	339	PM _{2.5}	39
54	Dewas	Moderate	153	PM ₁₀	1
55	Dindigul	Poor	232	NO ₂	1
56	Durgapur	Poor	239	PM _{2.5}	1
57	Faridabad	Poor	285	PM _{2.5}	4
58	Fatehabad	Poor	241	PM _{2.5}	1
59	Firozabad	Satisfactory	95	PM ₁₀	2
60	Gadag	Good	27	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Satisfactory	95	PM _{2.5}	1
62	Gaya	Poor	295	PM _{2.5}	3
63	Ghaziabad	Poor	288	PM _{2.5}	4
64	Gorakhpur	Moderate	118	PM ₁₀	1
65	Greater Noida	Very Poor	364	PM _{2.5}	2
66	Gummidipoondi	Moderate	115	PM _{2.5}	1
67	Gurugram	Poor	252	PM _{2.5}	3
68	Guwahati	Very Poor	301	PM _{2.5}	4
69	Gwalior	Poor	288	PM _{2.5}	3
70	Hajipur	Poor	243	PM _{2.5}	1
71	Hapur	Moderate	106	PM ₁₀	1
72	Hassan	Good	20	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Poor	234	PM _{2.5}	1
74	Hosur	Satisfactory	98	со	1
75	Howrah	Moderate	119	PM _{2.5}	3
76	Hubballi	Satisfactory	64	со	2
77	Hyderabad	Satisfactory	64	PM ₁₀	13
78	Imphal	Moderate	188	PM _{2.5} , SO ₂	2
79	Indore	Moderate	143	PM ₁₀	1
80	Jabalpur	Very Poor	317	PM _{2.5}	1
81	Jaipur	Moderate	141	PM _{2.5} , PM ₁₀	3
82	Jalandhar	Moderate	176	PM _{2.5}	1
83	Jhansi	Moderate	170	PM _{2.5}	1
84	Jind	Moderate	198	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	116	PM ₁₀	1
86	Kaithal	Moderate	198	PM _{2.5}	1
87	Kalaburgi	Good	28	PM _{2.5}	1
88	Kalyan	Poor	235	PM ₁₀	1
89	Kannur	Satisfactory	73	PM _{2.5}	1
90	Kanpur	Moderate	199	PM _{2.5}	4
91	Karnal	Poor	219	PM _{2.5}	1
92	Katihar	Severe	406	PM _{2.5}	1
93	Katni	Very Poor	309	PM _{2.5}	1
94	Keonjhar	Satisfactory	79	PM _{2.5}	1
95	Khanna	Moderate	159	PM _{2.5}	1
96	Khurja	Poor	217	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kishanganj	Very Poor	306	PM _{2.5}	1
98	Kochi	Satisfactory	85	PM _{2.5}	1
99	Kohima	Satisfactory	84	PM ₁₀	1
100	Kolkata	Satisfactory	97	PM _{2.5} , PM ₁₀	7
101	Kollam	Satisfactory	61	PM ₁₀	1
102	Kota	Moderate	112	PM ₁₀	1
103	Kurukshetra	Moderate	189	PM _{2.5}	1
104	Lucknow	Moderate	198	PM _{2.5}	6
105	Ludhiana	Poor	233	PM _{2.5}	1
106	Madikeri	Good	21	03	1
107	Maihar	Satisfactory	85	PM ₁₀	1
108	Mandi Gobindgarh	Poor	246	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Moderate	117	SO ₂	1
110	Mandikhera	Satisfactory	99	PM ₁₀	1
111	Manesar	Poor	212	PM _{2.5}	1
112	Mangalore	Satisfactory	56	PM ₁₀	1
113	Manguraha	Moderate	125	PM _{2.5}	1
114	Meerut	Poor	282	PM _{2.5} , PM ₁₀	3
115	Moradabad	Moderate	121	PM _{2.5}	6
116	Motihari	Poor	218	PM ₁₀	1
117	Mumbai	Poor	241	PM _{2.5} , PM ₁₀	17
118	Munger	Very Poor	344	PM _{2.5}	1
119	Muzaffarnagar	Poor	276	PM _{2.5}	1
120	Muzaffarpur	Very Poor	353	PM _{2.5}	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Good	25	PM ₁₀	1
122	Nagpur	Poor	244	PM _{2.5}	1
123	Nalbari	Poor	256	PM _{2.5}	1
124	Narnaul	Poor	231	PM _{2.5}	1
125	Nashik	Moderate	149	PM _{2.5}	1
126	Navi Mumbai	Poor	290	PM _{2.5}	2
127	Nayagarh	Moderate	126	PM ₁₀	1
128	Noida	Very Poor	315	PM _{2.5}	4
129	Pali	Satisfactory	90	PM ₁₀	1
130	Palwal	Satisfactory	71	PM _{2.5}	1
131	Panchkula	Poor	267	PM _{2.5}	1
132	Panipat	Moderate	173	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Moderate	157	PM _{2.5}	1
134	Patna	Very Poor	343	PM ₁₀ , PM _{2.5}	5
135	Pithampur	Poor	279	PM _{2.5}	1
136	Prayagraj	Moderate	107	PM ₁₀	3
137	Puducherry	Good	32	со	1
138	Purnia	Very Poor	400	PM _{2.5}	1
139	Raichur	Good	43	PM _{2.5}	1
140	Rairangpur	Moderate	110	PM _{2.5}	1
141	Rajamahendravaram	Satisfactory	60	PM ₁₀	1
142	Rajgir	Very Poor	351	PM _{2.5}	1
143	Ramanagara	Good	30	PM ₁₀	1
144	Ramanathapuram	Good	41	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ratlam	Moderate	104	PM _{2.5}	1
146	Rohtak	Moderate	200	PM _{2.5}	1
147	Rourkela	Moderate	196	PM ₁₀	1
148	Rupnagar	Moderate	185	PM _{2.5}	1
149	Sagar	Moderate	167	PM _{2.5} , CO	2
150	Saharsa	Very Poor	343	PM _{2.5}	1
151	Salem	Satisfactory	72	SO ₂	1
152	Samastipur	Very Poor	359	PM _{2.5}	1
153	Sasaram	Poor	283	PM _{2.5}	1
154	Satna	Satisfactory	96	PM ₁₀	1
155	Shillong	Moderate	138	PM _{2.5}	1
156	Shivamogga	Satisfactory	57	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Siliguri	Poor	264	PM _{2.5}	1
158	Singrauli	Very Poor	319	PM _{2.5}	1
159	Sirsa	Moderate	191	PM _{2.5}	1
160	Sivasagar	Good	29	PM _{2.5}	1
161	Siwan	Very Poor	350	PM _{2.5}	1
162	Solapur	Satisfactory	91	PM ₁₀	1
163	Sonipat	Moderate	175	PM ₁₀	1
164	Srinagar	Moderate	110	PM ₁₀	1
165	Suakati	Satisfactory	75	PM ₁₀	1
166	Surat	Very Poor	313	PM _{2.5}	1
167	Talcher	Poor	219	PM _{2.5}	1
168	Thane	Poor	212	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thiruvananthapuram	Good	30	PM _{2.5} , CO	2
170	Thoothukudi	Good	28	O ₃	1
171	Thrissur	Satisfactory	62	O ₃	1
172	Tirupati	Good	46	NO ₂	1
173	Tirupur	Good	28	SO ₂	1
174	Udaipur	Moderate	179	PM _{2.5}	1
175	Udupi	Moderate	106	СО	1
176	Ujjain	Moderate	176	PM _{2.5}	1
177	Vapi	Very Poor	351	PM _{2.5}	1
178	Varanasi	Satisfactory	77	PM _{2.5} , PM ₁₀	4
179	Vatva	Moderate	116	PM ₁₀	1
180	Vijayapura	Satisfactory	58	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Visakhapatnam	Moderate	127	PM ₁₀	1
182	Vrindavan	Satisfactory	76	СО	1
183	Yadgir	Good	33	PM ₁₀	1
184	Yamunanagar	Moderate	143	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Arrah, Bettiah, Bhilai, Buxar, Chittoor, Dharuhera, Dharwad, Eloor, Ernakulam, Gandhinagar, Haldia, Haveri, Jorapokhar, Kanchipuram, Kolar, Koppal, Korba, Kozhikode, Naharlagun, Nandesari, Ooty, Pune, Raipur, Tensa, Tumakuru, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.