

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	206	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	95	PM <sub>2.5</sub> , O <sub>3</sub>	5
3	Ahmedabad	Moderate	112	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	14	PM <sub>10</sub>	1
5	Ajmer	Moderate	124	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	77	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	163	PM <sub>2.5</sub>	1
8	Ambala	Very Poor	311	PM <sub>2.5</sub>	1
9	Amritsar	Poor	224	PM <sub>2.5</sub>	1
10	Ankleshwar	Poor	228	PM <sub>2.5</sub>	1
11	Araria	Poor	208	PM <sub>2.5</sub>	1
12	Arrah	Very Poor	310	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	156	PM <sub>2.5</sub>	1
14	Aurangabad	Moderate	119	PM <sub>10</sub>	1
15	Bagalkot	Good	42	PM <sub>10</sub>	1
16	Baghpat	Moderate	136	PM <sub>2.5</sub>	1
17	Bahadurgarh	Moderate	166	PM <sub>2.5</sub>	1
18	Ballabgarh	Poor	272	PM <sub>2.5</sub>	1
19	Bathinda	Moderate	171	PM <sub>10</sub>	1
20	Bengaluru	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	8
21	Bettiah	Very Poor	345	PM <sub>2.5</sub>	1
22	Bhagalpur	Poor	264	PM <sub>2.5</sub>	2
23	Bhilai	Satisfactory	53	PM <sub>10</sub>	1
24	Bhiwadi	Moderate	147	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	177	PM <sub>2.5</sub>	1
26	Bhopal	Moderate	106	O <sub>3</sub>	1
27	Bihar Sharif	Poor	300	PM <sub>2.5</sub>	1
28	Bilaspur	Satisfactory	77	PM <sub>10</sub>	1
29	Bulandshahr	Poor	273	PM <sub>2.5</sub>	1
30	Chamarajanagar	Good	45	PM <sub>2.5</sub>	1
31	Chandigarh	Poor	206	PM <sub>2.5</sub> , PM <sub>10</sub>	2
32	Chandrapur	Moderate	150	PM <sub>2.5</sub>	2
33	Charkhi Dadri	Moderate	120	PM <sub>10</sub>	1
34	Chennai	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	7
35	Chhapra	Poor	298	PM <sub>2.5</sub>	1
36	Chikkaballapur	Moderate	132	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	60	PM <sub>2.5</sub>	1
38	Coimbatore	Moderate	123	PM <sub>2.5</sub>	1
39	Damoh	Satisfactory	97	PM <sub>2.5</sub>	1
40	Darbhanga	Very Poor	313	PM <sub>2.5</sub>	1
41	Delhi	Poor	271	PM <sub>2.5</sub>	35
42	Dewas	Satisfactory	93	PM <sub>10</sub>	1
43	Dharuhera	Moderate	128	PM <sub>2.5</sub>	1
44	Durgapur	Poor	228	PM <sub>10</sub>	1
45	Eloor	Satisfactory	70	PM <sub>10</sub>	1
46	Ernakulam	Moderate	150	PM <sub>2.5</sub>	1
47	Faridabad	Poor	226	PM <sub>2.5</sub> , PM <sub>10</sub>	4
48	Fatehabad	Moderate	167	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	196	PM <sub>2.5</sub>	1
50	Gandhinagar	Satisfactory	61	PM <sub>10</sub>	2
51	Gaya	Moderate	155	PM <sub>2.5</sub> , PM <sub>10</sub>	3
52	Ghaziabad	Poor	228	PM <sub>2.5</sub>	3
53	Gorakhpur	Moderate	133	PM <sub>2.5</sub>	1
54	Greater Noida	Moderate	160	PM <sub>2.5</sub>	1
55	Gurugram	Poor	207	PM <sub>2.5</sub>	2
56	Guwahati	Poor	218	PM <sub>2.5</sub>	2
57	Gwalior	Moderate	193	PM <sub>2.5</sub>	1
58	Hajipur	Moderate	118	PM <sub>10</sub>	1
59	Haldia	Moderate	162	PM <sub>2.5</sub>	1
60	Hapur	Poor	243	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Moderate	114	PM <sub>2.5</sub>	1
62	Hisar	Poor	261	PM <sub>2.5</sub>	1
63	Howrah	Poor	229	PM <sub>2.5</sub>	3
64	Hubballi	Moderate	122	PM <sub>2.5</sub>	1
65	Hyderabad	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	5
66	Indore	Satisfactory	84	PM <sub>10</sub>	1
67	Jabalpur	Moderate	131	PM <sub>2.5</sub>	1
68	Jaipur	Moderate	145	PM <sub>2.5</sub> , PM <sub>10</sub>	3
69	Jalandhar	Poor	244	PM <sub>2.5</sub>	1
70	Jind	Poor	254	PM <sub>2.5</sub>	1
71	Jodhpur	Moderate	174	PM <sub>2.5</sub>	1
72	Jorapokhar	Satisfactory	54	03	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	193	PM <sub>2.5</sub>	1
74	Kalaburgi	Moderate	183	PM <sub>2.5</sub>	1
75	Kalyan	Poor	245	PM <sub>2.5</sub>	1
76	Kannur	Moderate	138	PM <sub>2.5</sub>	1
77	Kanpur	Moderate	152	PM <sub>2.5</sub> , NO <sub>2</sub> , PM <sub>10</sub>	3
78	Karnal	Moderate	181	PM <sub>2.5</sub>	1
79	Katihar	Poor	283	PM <sub>2.5</sub>	1
80	Katni	Moderate	179	PM <sub>2.5</sub>	1
81	Khanna	Poor	202	PM <sub>2.5</sub>	1
82	Kishanganj	Very Poor	328	PM <sub>2.5</sub>	1
83	Kochi	Poor	226	PM <sub>2.5</sub>	1
84	Kohima	Satisfactory	74	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Poor	223	PM <sub>2.5</sub> , PM <sub>10</sub>	7
86	Kollam	Moderate	144	PM <sub>10</sub>	1
87	Koppal	Satisfactory	66	PM <sub>2.5</sub>	1
88	Kota	Moderate	146	PM <sub>2.5</sub>	1
89	Kozhikode	Good	45	PM <sub>10</sub>	1
90	Kurukshetra	Poor	241	PM <sub>2.5</sub>	1
91	Lucknow	Moderate	200	PM <sub>2.5</sub>	6
92	Ludhiana	Moderate	137	PM <sub>2.5</sub>	1
93	Madikeri	Satisfactory	89	PM <sub>10</sub>	1
94	Maihar	Satisfactory	70	со	1
95	Mandi Gobindgarh	Poor	235	PM <sub>2.5</sub>	1
96	Mandideep	Satisfactory	65	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Satisfactory	56	PM <sub>2.5</sub>	1
98	Manesar	Poor	207	PM <sub>2.5</sub>	1
99	Manglore	Satisfactory	58	O <sub>3</sub>	1
100	Meerut	Poor	251	PM <sub>2.5</sub>	3
101	Moradabad	Poor	270	PM <sub>2.5</sub>	3
102	Mumbai	Poor	214	PM <sub>2.5</sub>	21
103	Munger	Satisfactory	88	PM <sub>2.5</sub>	1
104	Muzaffarnagar	Very Poor	302	PM <sub>2.5</sub>	1
105	Muzaffarpur	Poor	291	PM <sub>2.5</sub>	3
106	Mysuru	Satisfactory	81	03	1
107	Nagpur	Satisfactory	77	PM <sub>10</sub>	1
108	Nandesari	Satisfactory	99	СО	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Narnaul	Moderate	112	PM <sub>2.5</sub>	1
110	Nashik	Moderate	145	PM <sub>2.5</sub>	1
111	Navi Mumbai	Poor	240	PM <sub>2.5</sub>	2
112	Noida	Poor	203	PM <sub>2.5</sub>	4
113	Pali	Satisfactory	82	PM <sub>10</sub>	1
114	Palwal	Good	44	PM <sub>10</sub>	1
115	Panchkula	Poor	252	PM <sub>2.5</sub>	1
116	Panipat	Moderate	195	PM <sub>10</sub>	1
117	Patiala	Moderate	178	PM <sub>2.5</sub>	1
118	Patna	Poor	246	PM <sub>2.5</sub> , PM <sub>10</sub>	6
119	Pithampur	Moderate	144	PM <sub>2.5</sub>	1
120	Prayagraj	Satisfactory	89	PM <sub>10</sub>	3

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	88	PM <sub>2.5</sub>	1
122	Pune	Poor	280	PM <sub>2.5</sub>	1
123	Raichur	Moderate	139	PM <sub>10</sub>	1
124	Rajamahendravaram	Moderate	153	O <sub>3</sub>	1
125	Ramanagara	Moderate	118	PM <sub>2.5</sub>	1
126	Ratlam	Satisfactory	74	PM <sub>10</sub>	1
127	Rohtak	Moderate	186	PM <sub>2.5</sub>	1
128	Rupnagar	Moderate	162	PM <sub>10</sub>	1
129	Sagar	Satisfactory	56	PM <sub>2.5</sub>	1
130	Sasaram	Moderate	183	PM <sub>2.5</sub>	1
131	Satna	Satisfactory	59	PM <sub>10</sub>	1
132	Shillong	Good	25	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Satisfactory	54	O <sub>3</sub>	1
134	Siliguri	Moderate	127	PM <sub>10</sub>	1
135	Singrauli	Moderate	182	PM <sub>10</sub>	1
136	Sirsa	Moderate	147	PM <sub>10</sub>	1
137	Siwan	Poor	267	PM <sub>2.5</sub>	1
138	Sonipat	Moderate	135	PM <sub>10</sub>	1
139	Srinagar	Satisfactory	85	PM <sub>10</sub>	1
140	Talcher	Moderate	146	PM <sub>2.5</sub>	1
141	Thane	Poor	223	PM <sub>10</sub>	1
142	Thiruvananthapuram	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	2
143	Thoothukudi	Satisfactory	75	PM <sub>10</sub>	1
144	Tirupati	Moderate	124	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Moderate	119	PM <sub>2.5</sub>	1
146	Udupi	Good	45	NO <sub>2</sub>	1
147	Ujjain	Satisfactory	92	O <sub>3</sub>	1
148	Vapi	Poor	253	PM <sub>2.5</sub>	1
149	Varanasi	Satisfactory	91	PM <sub>2.5</sub> , PM <sub>10</sub>	4
150	Vatva	Moderate	115	PM <sub>10</sub>	1
151	Vijayapura	Satisfactory	66	PM <sub>2.5</sub>	1
152	Visakhapatnam	Moderate	149	PM <sub>2.5</sub>	1
153	Vrindavan	Satisfactory	93	PM <sub>10</sub>	1
154	Yadgir	Moderate	109	PM <sub>2.5</sub>	1
155	Yamunanagar	Moderate	153	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Buxar, Davanagere, Gadag, Gummidipoondi, Kolar, Manguraha, Motihari, Naharlagun, Purnia, Rajgir, Saharsa, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.