

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	60	PM <sub>10</sub>	1
2	Agra	Satisfactory	66	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	60	03	8
4	Ajmer	Satisfactory	80	PM <sub>10</sub>	1
5	Akola	Satisfactory	62	PM <sub>10</sub>	1
6	Alwar	Satisfactory	57	PM <sub>10</sub>	1
7	Amaravati	Good	30	PM <sub>10</sub>	1
8	Ambala	Satisfactory	99	СО	1
9	Amravati	Satisfactory	68	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	88	PM <sub>10</sub>	1
11	Anantapur	Good	39	PM <sub>10</sub>	1
12	Ankleshwar	Satisfactory	56	PM <sub>10</sub>	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

#### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	actory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

## — Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Good	42	co	1
14	Ariyalur	Good	31	PM <sub>10</sub>	1
15	Arrah	Satisfactory	51	PM <sub>10</sub>	1
16	Asansol	Good	35	PM <sub>10</sub>	1
17	Aurangabad (Bihar)	Good	43	со	1
18	Aurangabad (Maharashtra)	Satisfactory	58	PM <sub>10</sub>	2
19	Baddi	Satisfactory	89	PM <sub>10</sub>	1
20	Badlapur	Good	42	PM <sub>10</sub>	1
21	Bagalkot	Good	46	PM <sub>10</sub>	1
22	Baghpat	Moderate	108	PM <sub>10</sub>	1
23	Bahadurgarh	Moderate	123	PM <sub>10</sub>	1
24	Ballabgarh	Satisfactory	56	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur

### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari, Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore as data was not available.

Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Banswara	Satisfactory	68	PM <sub>10</sub>	1
26	Baran	Satisfactory	64	PM <sub>10</sub>	1
27	Bareilly	Good	33	PM <sub>10</sub>	1
28	Baripada	Good	39	со	1
29	Barmer	Satisfactory	52	03	1
30	Bathinda	Satisfactory	54	PM <sub>10</sub>	1
31	Begusarai	Moderate	124	NO <sub>2</sub>	1
32	Belapur	Good	35	со	1
33	Belgaum	Good	48	со	1
34	Bengaluru	Satisfactory	52	PM <sub>10</sub> , O <sub>3</sub>	11
35	Bettiah	Satisfactory	75	PM <sub>10</sub>	1
36	Bhagalpur	Satisfactory	57	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bharatpur	Satisfactory	68	PM <sub>10</sub>	1
38	Bhilai	Good	26	со	3
39	Bhilwara	Satisfactory	74	PM <sub>10</sub>	1
40	Bhiwadi	Moderate	134	PM <sub>10</sub>	1
41	Bhiwani	Satisfactory	65	со	1
42	Bhopal	Good	50	PM <sub>10</sub>	2
43	Bihar Sharif	Good	31	со	1
44	Bikaner	Satisfactory	70	PM <sub>10</sub>	1
45	Bilaspur	Good	24	PM <sub>10</sub>	1
46	Bileipada	Satisfactory	71	PM <sub>10</sub>	1
47	Bulandshahr	Satisfactory	96	PM <sub>10</sub>	1
48	Bundi	Satisfactory	76	03	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

#### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# -Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Byrnihat	Satisfactory	72	PM <sub>10</sub>	1
50	Chamarajanagar	Good	40	PM <sub>10</sub>	1
51	Chandigarh	Satisfactory	75	O <sub>3</sub> , PM <sub>10</sub>	3
52	Chandrapur	Satisfactory	62	со	1
53	Charkhi Dadri	Satisfactory	55	PM <sub>10</sub>	1
54	Chennai	Satisfactory	64	NO <sub>2</sub> , PM <sub>10</sub>	7
55	Chikkaballapur	Good	34	PM <sub>10</sub>	1
56	Chikkamagaluru	Good	38	03	1
57	Chittoor	Good	42	PM <sub>2.5</sub>	1
58	Churu	Moderate	105	со	1
59	Cuddalore	Good	35	PM <sub>2.5</sub>	1
60	Damoh	Good	38	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur

#### Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram, Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari, Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dausa	Moderate	106	PM <sub>10</sub>	1
62	Davanagere	Good	25	PM <sub>10</sub>	1
63	Dehradun	Moderate	112	со	1
64	Delhi	Moderate	114	PM <sub>10</sub> , CO	35
65	Dewas	Satisfactory	58	PM <sub>10</sub>	1
66	Dhanbad	Satisfactory	79	PM <sub>2.5</sub>	1
67	Dharwad	Moderate	135	PM <sub>10</sub>	1
68	Dholpur	Good	40	PM <sub>10</sub>	1
69	Dhule	Good	37	PM <sub>2.5</sub>	1
70	Durgapur	Good	37	со	1
71	Eloor	Good	47	PM <sub>10</sub>	1
72	Faridabad	Moderate	103	PM <sub>10</sub> , PM <sub>2.5</sub>	3

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur

### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari, Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore as data was not available.

Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Fatehabad	Moderate	154	O <sub>3</sub>	1
74	Firozabad	Satisfactory	56	PM <sub>10</sub>	2
75	Gadag	Good	47	SO <sub>2</sub>	1
76	Gandhinagar	Satisfactory	54	O <sub>3</sub> , PM <sub>10</sub>	3
77	Gangtok	Satisfactory	58	SO <sub>2</sub>	1
78	Gaya	Good	36	O <sub>3</sub> , PM <sub>2.5</sub>	2
79	Ghaziabad	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	4
80	Gorakhpur	Good	50	PM <sub>2.5</sub>	1
81	Greater Noida	Moderate	175	PM <sub>10</sub> , O <sub>3</sub>	2
82	Gummidipoondi	Satisfactory	100	PM <sub>10</sub>	1
83	Gurugram	Moderate	161	PM <sub>2.5</sub>	3
84	Guwahati	Moderate	104	со	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur

#### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

# Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram, Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon,

Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari, Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Gwalior	Satisfactory	64	PM <sub>10</sub>	2
86	Hajipur	Satisfactory	66	O <sub>3</sub>	1
87	Haldia	Good	35	03	1
88	Hanumangarh	Moderate	103	PM <sub>10</sub>	1
89	Hapur	Satisfactory	75	PM <sub>10</sub>	1
90	Haveri	Good	40	со	1
91	Hisar	Moderate	116	PM <sub>10</sub>	1
92	Hosur	Good	45	PM <sub>10</sub>	1
93	Howrah	Good	38	PM <sub>10</sub>	3
94	Hubballi	Good	47	PM <sub>10</sub>	1
95	Hyderabad	Satisfactory	65	PM <sub>10</sub> , NO <sub>2</sub>	12
96	Indore	Satisfactory	66	со	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram,

Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari, Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore

Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur

#### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

# as data was not available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jabalpur	Satisfactory	70	PM <sub>10</sub>	3
98	Jaipur	Satisfactory	79	PM <sub>2.5</sub> , PM <sub>10</sub>	5
99	Jaisalmer	Good	43	03	1
100	Jalandhar	Good	48	PM <sub>10</sub>	1
101	Jalgaon	Satisfactory	95	PM <sub>10</sub>	1
102	Jalna	Good	42	03	1
103	Jhalawar	Satisfactory	65	PM <sub>10</sub>	1
104	Jhunjhunu	Satisfactory	75	03	1
105	Jind	Satisfactory	61	со	1
106	Jodhpur	Satisfactory	67	03	4
107	Kadapa	Good	47	PM <sub>2.5</sub>	1
108	Kaithal	Satisfactory	76	PM <sub>2.5</sub>	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

#### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

## Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kalaburgi	Satisfactory	60	PM <sub>10</sub>	1
110	Kalyan	Good	42	со	1
111	Kannur	Satisfactory	70	PM <sub>10</sub>	1
112	Kanpur	Satisfactory	62	PM <sub>10</sub>	3
113	Karauli	Good	50	03	1
114	Karnal	Satisfactory	68	PM <sub>10</sub>	1
115	Kashipur	Satisfactory	74	PM <sub>10</sub>	1
116	Katihar	Satisfactory	67	NO <sub>2</sub>	1
117	Katni	Good	38	PM <sub>10</sub>	1
118	Khanna	Good	43	PM <sub>10</sub>	1
119	Kolar	Good	44	PM <sub>10</sub>	1
120	Kolhapur	Good	36	PM <sub>10</sub>	2

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur

# Notes:

Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram, Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari, Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolkata	Good	30	PM <sub>10</sub> , CO	7
122	Kollam	Satisfactory	60	PM <sub>10</sub>	1
123	Koppal	Satisfactory	53	SO <sub>2</sub>	1
124	Korba	Good	20	NO <sub>2</sub>	1
125	Kota	Satisfactory	60	PM <sub>10</sub>	2
126	Kunjemura	Good	28	PM <sub>10</sub>	1
127	Kurukshetra	Satisfactory	59	PM <sub>10</sub>	1
128	Lucknow	Satisfactory	55	O <sub>3</sub> , PM <sub>10</sub>	6
129	Ludhiana	Satisfactory	51	PM <sub>10</sub>	1
130	Madikeri	Good	39	PM <sub>2.5</sub>	1
131	Mahad	Satisfactory	68	PM <sub>10</sub>	1
132	Maihar	Good	35	со	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

## Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur

Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram, Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari, Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandi Gobindgarh	Moderate	109	PM <sub>10</sub>	1
134	Mandideep	Satisfactory	78	PM <sub>10</sub>	1
135	Manesar	Satisfactory	61	PM <sub>2.5</sub>	1
136	Mangalore	Satisfactory	51	PM <sub>10</sub>	1
137	Manguraha	Satisfactory	52	со	1
138	Meerut	Moderate	109	PM <sub>10</sub>	3
139	Moradabad	Satisfactory	74	PM <sub>10</sub>	6
140	Motihari	Good	43	PM <sub>10</sub>	1
141	Muzaffarnagar	Poor	202	PM <sub>2.5</sub>	1
142	Muzaffarpur	Satisfactory	85	CO, NO <sub>2</sub>	3
143	Mysuru	Good	45	O <sub>3</sub>	1
144	Nagaon	Good	34	O <sub>3</sub>	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur

#### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram, Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon,

Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari, Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagaur	Satisfactory	51	PM <sub>10</sub>	1
146	Nagpur	Good	43	PM <sub>10</sub>	4
147	Naharlagun	Good	10	PM <sub>2.5</sub>	1
148	Nanded	Satisfactory	70	PM <sub>10</sub>	1
149	Narnaul	Moderate	138	со	1
150	Nashik	Good	37	PM <sub>10</sub>	4
151	Navi Mumbai	Good	38	CO, PM <sub>10</sub>	5
152	Nayagarh	Good	34	PM <sub>10</sub>	1
153	Noida	Moderate	123	PM <sub>2.5</sub>	3
154	Ooty	Good	48	PM <sub>10</sub>	1
155	Pali	Satisfactory	97	со	1
156	Palkalaiperur	Good	26	SO <sub>2</sub>	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

#### Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

# — Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Palwal	Satisfactory	53	PM <sub>2.5</sub>	1
158	Panchkula	Satisfactory	60	PM <sub>2.5</sub>	1
159	Panipat	Satisfactory	70	PM <sub>10</sub>	1
160	Parbhani	Good	36	PM <sub>10</sub>	1
161	Patiala	Satisfactory	65	PM <sub>10</sub>	1
162	Patna	Good	36	со	5
163	Pimpri Chinchwad	Good	37	PM <sub>2.5</sub>	3
164	Pithampur	Satisfactory	65	PM <sub>10</sub>	1
165	Pratapgarh	Satisfactory	65	O <sub>3</sub>	1
166	Prayagraj	Satisfactory	64	PM <sub>10</sub>	3
167	Puducherry	Satisfactory	52	PM <sub>10</sub>	1
168	Pune	Satisfactory	70	NO <sub>2</sub> , PM <sub>10</sub>	8

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur

Notes:

Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram, Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari, Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raichur	Satisfactory	94	SO <sub>2</sub>	1
170	Raipur	Good	41	PM <sub>10</sub> , NO <sub>2</sub>	4
171	Rairangpur	Good	36	PM <sub>10</sub>	1
172	Rajamahendravaram	Good	35	03	1
173	Rajgir	Good	34	03	1
174	Rajsamand	Satisfactory	54	со	1
175	Ramanagara	Good	32	PM <sub>10</sub>	1
176	Ramanathapuram	Good	27	PM <sub>10</sub>	1
177	Ratlam	Good	45	PM <sub>10</sub>	1
178	Rishikesh	Good	40	PM <sub>10</sub>	1
179	Rohtak	Satisfactory	98	PM <sub>2.5</sub>	1
180	Rourkela	Good	49	со	2

Notes:

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

## Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur

Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram, Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari, Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rupnagar	Satisfactory	61	PM <sub>10</sub>	1
182	Sagar	Good	46	СО	2
183	Saharsa	Good	41	SO <sub>2</sub>	1
184	Sangli	Good	28	PM <sub>10</sub>	1
185	Sasaram	Satisfactory	70	PM <sub>2.5</sub>	1
186	Shillong	Good	20	O <sub>3</sub> , SO <sub>2</sub>	2
187	Shivamogga	Satisfactory	60	PM <sub>10</sub>	1
188	Sikar	Satisfactory	72	O <sub>3</sub>	1
189	Silchar	Good	46	со	1
190	Siliguri	Good	36	O <sub>3</sub>	1
191	Sirsa	Satisfactory	93	O <sub>3</sub>	1
192	Sivasagar	Good	19	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur

# Notes: Keonjhar

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

# Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram, Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari, Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Siwan	Moderate	112	NO <sub>2</sub>	1
194	Solapur	Good	47	O <sub>3</sub>	3
195	Sri Ganganagar	Satisfactory	85	PM <sub>10</sub>	1
196	Srinagar	Good	33	PM <sub>10</sub>	1
197	Suakati	Good	39	03	1
198	Surat	Moderate	133	PM <sub>2.5</sub>	1
199	Talcher	Good	40	SO <sub>2</sub>	1
200	Tensa	Good	45	NO <sub>2</sub>	1
201	Thane	Good	38	PM <sub>10</sub>	1
202	Thiruvananthapuram	Good	44	PM <sub>10</sub> , CO	2
203	Thoothukudi	Satisfactory	64	PM <sub>10</sub>	1
204	Thrissur	Satisfactory	58	PM <sub>10</sub>	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Notes:

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tirupati	Good	40	NO <sub>2</sub>	2
206	Tonk	Satisfactory	70	PM <sub>10</sub>	1
207	Tumakuru	Satisfactory	66	PM <sub>10</sub>	1
208	Udaipur	Satisfactory	69	PM <sub>10</sub>	1
209	Udupi	Satisfactory	73	O <sub>3</sub>	1
210	Ujjain	Satisfactory	54	PM <sub>10</sub>	1
211	Ulhasnagar	Good	41	PM <sub>2.5</sub>	1
212	Varanasi	Good	26	O <sub>3</sub>	4
213	Vatva	Satisfactory	56	PM <sub>10</sub>	1
214	Vijayawada	Good	48	NO <sub>2</sub>	2
215	Vrindavan	Good	31	SO <sub>2</sub>	1
216	Yadgir	Good	32	PM <sub>10</sub>	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra,

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	oderate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

# Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur, Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yamunanagar	Satisfactory	83	PM <sub>10</sub>	1

#### \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Bhiwandi, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chhapra, Chittorgarh, Coimbatore, Darbhanga, Dharuhera, Dindigul, Dungarpur,

Purnia, Salem, Samastipur, Satna, Sawai Madhopur, Singrauli, Sirohi, Sonipat, Tirupur, Tumidih, Vapi, Vijayapura, Virar, Visakhapatnam, vellore

### Ernakulam, Hassan, Imphal, Jalore, Jhansi, Jorapokhar, Kanchipuram,

as data was not available.

# Some stations have data available at 3PM

Notes: Keonjhar, Khurja, Kishanganj, Kochi, Kohima, Kozhikode, Latur, Malegaon, Mandikhera, Milupara, Mira-Bhayandar, Mumbai, Munger, Nalbari, Nandesari,

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases

Possible Health Impacts

Poor

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Breathing discomfort to most people on prolonged exposure

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.