



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	85	SO ₂	1
2	Agra	Satisfactory	72	O ₃	6
3	Ahmedabad	Satisfactory	94	PM ₁₀	7
4	Aizawl	Good	34	PM ₁₀	1
5	Alwar	Satisfactory	61	PM ₁₀	1
6	Amaravati	Satisfactory	90	PM ₁₀	1
7	Ambala	Satisfactory	54	PM ₁₀	1
8	Anantapur	Good	49	O ₃	1
9	Ankleshwar	Satisfactory	65	CO	1
10	Ariyalur	Good	47	PM ₁₀	1
11	Arrah	Moderate	128	PM ₁₀	1
12	Asansol	Moderate	109	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	75	PM ₁₀	1
14	Baddi	Poor	212	O ₃	1
15	Bagalkot	Good	46	PM ₁₀	1
16	Baghpat	Satisfactory	93	PM _{2.5}	1
17	Bahadurgarh	Satisfactory	99	PM ₁₀	1
18	Ballabgarh	Satisfactory	80	PM ₁₀	1
19	Banswara	Satisfactory	97	PM ₁₀	1
20	Bareilly	Good	50	PM ₁₀	2
21	Baripada	Moderate	157	O ₃	1
22	Barmer	Moderate	116	PM ₁₀	1
23	Belgaum	Good	47	CO	1
24	Bengaluru	Satisfactory	61	CO, PM ₁₀	11

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Moderate	174	PM ₁₀	1
26	Bhagalpur	Moderate	112	PM ₁₀	2
27	Bharatpur	Satisfactory	67	O ₃	1
28	Bhilai	Satisfactory	52	PM ₁₀ , O ₃	3
29	Bhiwadi	Satisfactory	99	PM ₁₀	1
30	Bhiwani	Satisfactory	65	CO	1
31	Bhopal	Satisfactory	100	PM ₁₀	3
32	Bidar	Good	35	NH ₃	1
33	Bihar Sharif	Moderate	114	PM ₁₀	1
34	Bikaner	Moderate	144	PM ₁₀	1
35	Bilaspur	Satisfactory	55	PM ₁₀	1
36	Bileipada	Moderate	114	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Satisfactory	88	PM ₁₀	1
38	Bundi	Moderate	188	CO	1
39	Byrnihat	Moderate	155	PM ₁₀	1
40	Chamarajanagar	Good	38	PM ₁₀	1
41	Chandigarh	Moderate	132	O ₃ , PM ₁₀	3
42	Chandrapur	Satisfactory	61	PM ₁₀	1
43	Charkhi Dadri	Moderate	158	PM _{2.5}	1
44	Chennai	Satisfactory	86	NO ₂ , PM _{2.5}	8
45	Chhal	Good	38	O ₃	1
46	Chhapra	Poor	241	PM ₁₀	1
47	Chikkaballapur	Satisfactory	55	PM ₁₀	1
48	Chittoor	Satisfactory	68	O ₃	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittorgarh	Satisfactory	87	PM ₁₀	1
50	Damoh	Good	28	PM ₁₀	1
51	Dausa	Moderate	136	PM ₁₀	1
52	Davanagere	Good	29	PM _{2.5}	1
53	Dehradun	Satisfactory	90	O ₃	1
54	Delhi	Moderate	134	O ₃ , PM ₁₀	35
55	Dewas	Moderate	105	PM ₁₀	1
56	Dhanbad	Moderate	163	CO	1
57	Dharuhera	Moderate	135	PM _{2.5}	1
58	Dharwad	Satisfactory	58	PM ₁₀	1
59	Dholpur	Satisfactory	76	O ₃	1
60	Durgapur	Satisfactory	96	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Eloor	Satisfactory	89	PM ₁₀	1
62	Faridabad	Moderate	122	PM _{2.5}	2
63	Firozabad	Satisfactory	78	O ₃	2
64	Gadag	Good	47	PM ₁₀	1
65	Gandhinagar	Satisfactory	73	PM _{2.5} , PM ₁₀	3
66	Gangtok	Good	36	SO ₂	1
67	Gaya	Satisfactory	74	O ₃ , PM _{2.5}	3
68	Ghaziabad	Moderate	147	O ₃ , PM ₁₀	4
69	Gorakhpur	Moderate	105	PM ₁₀	1
70	Greater Noida	Moderate	183	O ₃	2
71	Gummidipoondi	Moderate	113	PM ₁₀	1
72	Gurugram	Moderate	148	O ₃	3

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Guwahati	Good	45	O ₃ , SO ₂	4
74	Gwalior	Satisfactory	83	PM ₁₀	2
75	Hajipur	Satisfactory	88	PM ₁₀	1
76	Haldia	Satisfactory	63	PM ₁₀	1
77	Hanumangarh	Moderate	122	PM ₁₀	1
78	Hapur	Satisfactory	89	O ₃	1
79	Haveri	Good	37	CO	1
80	Hisar	Satisfactory	90	PM _{2.5}	1
81	Hosur	Satisfactory	68	PM ₁₀	1
82	Howrah	Satisfactory	73	PM ₁₀ , CO	3
83	Hubballi	Satisfactory	68	PM ₁₀	2
84	Hyderabad	Satisfactory	85	PM ₁₀	11

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Satisfactory	60	PM ₁₀	2
86	Jabalpur	Satisfactory	82	O ₃	1
87	Jaipur	Satisfactory	77	PM ₁₀	5
88	Jaisalmer	Moderate	112	PM ₁₀	1
89	Jalandhar	Satisfactory	93	PM ₁₀	1
90	Jhalawar	Satisfactory	87	PM ₁₀	1
91	Jhansi	Satisfactory	60	PM _{2.5}	1
92	Jhunjhunu	Satisfactory	75	O ₃	1
93	Jind	Moderate	111	CO	1
94	Jodhpur	Moderate	119	PM ₁₀	3
95	Kadapa	Satisfactory	55	O ₃	1
96	Kaithal	Satisfactory	70	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Satisfactory	79	PM ₁₀	1
98	Kanchipuram	Good	49	PM ₁₀	1
99	Kanpur	Satisfactory	83	PM ₁₀	4
100	Karauli	Satisfactory	76	O ₃	1
101	Karnal	Satisfactory	73	PM ₁₀	1
102	Katihar	Moderate	153	O ₃	1
103	Katni	Satisfactory	82	O ₃	1
104	Khanna	Satisfactory	52	PM ₁₀	1
105	Khurja	Satisfactory	88	PM _{2.5}	1
106	Kishanganj	Good	48	PM ₁₀	1
107	Kochi	Satisfactory	91	PM ₁₀	1
108	Kohima	Satisfactory	57	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kolhapur	Good	24	PM _{2.5}	2
110	Kolkata	Satisfactory	67	PM ₁₀ , O ₃	7
111	Kollam	Satisfactory	85	PM ₁₀	1
112	Korba	Satisfactory	56	NO ₂ , PM ₁₀	2
113	Kota	Satisfactory	98	PM ₁₀	3
114	Kunjemura	Moderate	103	PM ₁₀	1
115	Kurukshetra	Moderate	166	O ₃	1
116	Lucknow	Satisfactory	83	PM ₁₀	6
117	Ludhiana	Satisfactory	87	PM ₁₀	1
118	Madikeri	Good	22	PM ₁₀	1
119	Mandi Gobindgarh	Moderate	167	PM ₁₀	1
120	Mandideep	Poor	240	O ₃	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Moderate	111	PM ₁₀	1
122	Manesar	Moderate	118	PM ₁₀	1
123	Manguraha	Satisfactory	83	O ₃	1
124	Meerut	Moderate	134	O ₃	3
125	Moradabad	Moderate	118	PM _{2.5}	6
126	Motihari	Satisfactory	90	PM ₁₀	1
127	Mumbai	Satisfactory	75	PM ₁₀	17
128	Munger	Moderate	159	CO	1
129	Muzaffarpur	Moderate	136	O ₃ , CO	3
130	Mysuru	Satisfactory	60	O ₃	1
131	Nagaon	Satisfactory	71	O ₃	1
132	Nagpur	Moderate	107	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nalbari	Satisfactory	56	O ₃	1
134	Nashik	Satisfactory	52	PM ₁₀ , O ₃	3
135	Navi Mumbai	Satisfactory	68	CO	2
136	Nayagarh	Satisfactory	79	PM ₁₀	1
137	Noida	Moderate	107	PM ₁₀	4
138	Ooty	Moderate	126	PM ₁₀	1
139	Pali	Moderate	104	PM ₁₀	1
140	Palkalaiperur	Satisfactory	62	SO ₂	1
141	Palwal	Satisfactory	51	PM ₁₀	1
142	Panchkula	Satisfactory	75	PM _{2.5}	1
143	Panipat	Satisfactory	85	PM ₁₀	1
144	Patiala	Satisfactory	79	O ₃	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patna	Moderate	121	PM _{2.5}	6
146	Pimpri Chinchwad	Satisfactory	79	PM ₁₀	1
147	Pithampur	Satisfactory	79	PM ₁₀	1
148	Pratapgarh	Satisfactory	87	PM ₁₀	1
149	Prayagraj	Satisfactory	51	PM ₁₀	3
150	Puducherry	Satisfactory	60	O ₃	1
151	Pune	Satisfactory	92	NO ₂ , CO	4
152	Purnia	Satisfactory	99	PM ₁₀	1
153	Raichur	Satisfactory	75	PM ₁₀	1
154	Raipur	Satisfactory	82	PM ₁₀ , NO ₂	4
155	Rajamahendravaram	Satisfactory	98	PM ₁₀	1
156	Rajsamand	Moderate	161	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanagara	Satisfactory	59	PM ₁₀	1
158	Ramanathapuram	Satisfactory	80	CO	1
159	Ratlam	Satisfactory	92	PM ₁₀	1
160	Rishikesh	Good	47	O ₃	1
161	Rohtak	Moderate	105	PM _{2.5}	1
162	Rourkela	Satisfactory	84	PM ₁₀	3
163	Rupnagar	Moderate	113	PM ₁₀	1
164	Sagar	Satisfactory	76	PM ₁₀	1
165	Saharsa	Moderate	104	PM ₁₀	1
166	Samastipur	Moderate	137	PM ₁₀	1
167	Satna	Satisfactory	78	PM ₁₀	1
168	Sawai Madhopur	Satisfactory	67	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Shillong	Good	46	PM _{2.5}	1
170	Shivamogga	Satisfactory	67	PM ₁₀	1
171	Sikar	Satisfactory	72	O ₃	1
172	Silchar	Good	39	CO	1
173	Siliguri	Satisfactory	54	PM ₁₀	1
174	Singrauli	Satisfactory	80	PM ₁₀	1
175	Sivasagar	Good	19	NO ₂	1
176	Siwan	Moderate	135	PM ₁₀	1
177	Solapur	Moderate	129	PM ₁₀	2
178	Sri Ganganagar	Poor	227	PM ₁₀	1
179	Srinagar	Satisfactory	86	PM ₁₀	1
180	Suakati	Satisfactory	69	O ₃	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Surat	Poor	230	PM ₁₀	1
182	Tensa	Satisfactory	57	PM ₁₀	1
183	Thane	Satisfactory	97	PM ₁₀	1
184	Thiruvananthapuram	Good	32	PM _{2.5} , PM ₁₀	2
185	Thoothukudi	Satisfactory	64	PM ₁₀	1
186	Thrissur	Satisfactory	67	PM ₁₀	1
187	Tirupati	Satisfactory	60	NO ₂	1
188	Tonk	Satisfactory	56	PM ₁₀	1
189	Tumakuru	Moderate	131	PM ₁₀	1
190	Udaipur	Moderate	157	PM ₁₀	1
191	Ujjain	Moderate	116	PM _{2.5}	1
192	Vapi	Good	50	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikmagalur, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 28, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Varanasi	Satisfactory	79	PM ₁₀	4
194	Vatva	Satisfactory	90	PM _{2.5}	1
195	Vijayapura	Good	49	PM ₁₀	1
196	Visakhapatnam	Moderate	113	PM ₁₀	1
197	Vrindavan	Moderate	149	PM ₁₀	1
198	Yadgir	Satisfactory	58	PM ₁₀	1
199	Yamunanagar	Satisfactory	92	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ajmer, Amritsar, Araria, Aurangabad (Bihar), Baran, Bathinda, Begusarai, Bhilwara, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Churu, Coimbatore, Cuddalore, Darbhanga, Dindigul, Ernakulam, Fatehabad, Hassan, Imphal, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Kolar, Koppal, Kozhikode, Latur, Maihar, Mangalore, Milupara, Muzaffarnagar, Nagaur, Naharlagun, Nandesari, Narnaul, Rairangpur, Rajgir, Salem, Sasaram, Sirohi, Sirsa, Sonapat, Talcher, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases