

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	34	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	75	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	67	NO ₂ , PM ₁₀	2
4	Aizawl	Good	22	PM ₁₀	1
5	Ajmer	Satisfactory	87	PM _{2.5}	1
6	Alwar	Satisfactory	100	PM ₁₀	1
7	Amaravati	Good	24	со	1
8	Ambala	Moderate	200	PM _{2.5}	1
9	Amritsar	Moderate	105	PM ₁₀	1
10	Anantapur	Good	46	со	1
11	Ankleshwar	Moderate	121	PM ₁₀	1
12	Araria	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	92	PM ₁₀	1
14	Aurangabad (Bihar)	Very Poor	360	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Satisfactory	88	PM ₁₀	1
16	Baddi	Moderate	187	O ₃	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Baghpat	Moderate	108	PM ₁₀	1
19	Bahadurgarh	Moderate	103	PM _{2.5}	1
20	Ballabgarh	Satisfactory	98	PM ₁₀	1
21	Bareilly	Moderate	110	PM ₁₀ , PM _{2.5}	2
22	Bathinda	Satisfactory	99	PM ₁₀	1
23	Begusarai	Satisfactory	65	PM _{2.5}	1
24	Bengaluru	Good	44	CO, PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Satisfactory	72	PM ₁₀	2
26	Bhiwadi	Moderate	191	PM _{2.5}	1
27	Bhiwani	Satisfactory	97	PM _{2.5}	1
28	Bhopal	Satisfactory	76	PM ₁₀	1
29	Bihar Sharif	Satisfactory	64	PM _{2.5}	1
30	Bilaspur	Satisfactory	56	PM ₁₀	1
31	Brajrajnagar	Good	49	СО	1
32	Bulandshahr	Moderate	134	PM ₁₀	1
33	Buxar	Poor	294	PM ₁₀	1
34	Chamarajanagar	Good	40	PM ₁₀	1
35	Chandigarh	Satisfactory	84	PM ₁₀	3
36	Chandrapur	Satisfactory	52	PM ₁₀ , NO ₂	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Moderate	110	PM _{2.5}	1
38	Chennai	Satisfactory	61	CO, PM _{2.5} , PM ₁₀	7
39	Chikkaballapur	Good	29	СО	1
40	Chikkamagaluru	Good	30	NO ₂	1
41	Coimbatore	Good	30	со	1
42	Damoh	Good	43	PM _{2.5}	1
43	Darbhanga	Satisfactory	74	PM ₁₀	1
44	Davanagere	Good	11	PM ₁₀	1
45	Delhi	Moderate	136	O ₃ , PM ₁₀ , PM _{2.5}	34
46	Dewas	Satisfactory	68	PM ₁₀	1
47	Dharuhera	Moderate	181	PM ₁₀	1
48	Durgapur	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	55	PM ₁₀	1
50	Ernakulam	Good	34	со	1
51	Faridabad	Moderate	168	PM ₁₀ , O ₃	4
52	Firozabad	Moderate	162	O ₃ , PM ₁₀	2
53	Gadag	Satisfactory	58	NO ₂	1
54	Gandhinagar	Satisfactory	82	PM ₁₀	1
55	Gangtok	Good	17	O ₃	1
56	Gaya	Moderate	163	PM _{2.5} , PM ₁₀	3
57	Ghaziabad	Moderate	130	PM ₁₀	4
58	Gorakhpur	Good	50	PM _{2.5}	1
59	Greater Noida	Moderate	172	PM ₁₀	2
60	Gummidipoondi	Good	16	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Moderate	168	O ₃ , PM ₁₀	3
62	Guwahati	Good	46	O ₃ , PM ₁₀	2
63	Gwalior	Satisfactory	79	PM ₁₀	1
64	Hajipur	Satisfactory	53	PM ₁₀	1
65	Hapur	Moderate	126	PM ₁₀	1
66	Hassan	Good	29	NO ₂	1
67	Haveri	Satisfactory	61	СО	1
68	Hisar	Moderate	136	PM _{2.5}	1
69	Hosur	Satisfactory	99	со	1
70	Howrah	Good	46	PM ₁₀ , O ₃ , CO	3
71	Hubballi	Satisfactory	59	со	1
72	Hyderabad	Satisfactory	53	PM _{2.5} , CO, NO ₂	10

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Satisfactory	84	O ₃ , PM ₁₀	2
74	Indore	Satisfactory	73	PM ₁₀	1
75	Jabalpur	Satisfactory	84	PM ₁₀	1
76	Jaipur	Satisfactory	71	PM ₁₀ , O ₃	2
77	Jalandhar	Satisfactory	81	PM ₁₀	1
78	Jhansi	Moderate	114	PM ₁₀	1
79	Jind	Satisfactory	100	PM _{2.5}	1
80	Jodhpur	Moderate	141	PM ₁₀	1
81	Kaithal	Moderate	101	PM ₁₀	1
82	Kalaburgi	Good	31	SO ₂	1
83	Kannur	Satisfactory	54	PM _{2.5}	1
84	Kanpur	Satisfactory	67	PM ₁₀ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Karnal	Moderate	109	PM ₁₀	1
86	Katihar	Moderate	104	со	1
87	Katni	Satisfactory	85	PM ₁₀	1
88	Khanna	Satisfactory	73	PM ₁₀	1
89	Khurja	Moderate	157	PM _{2.5}	1
90	Kishanganj	Satisfactory	78	PM ₁₀	1
91	Kochi	Moderate	114	PM _{2.5}	1
92	Kohima	Moderate	138	SO ₂	1
93	Kolkata	Good	47	O ₃ , PM ₁₀	7
94	Kollam	Satisfactory	60	PM ₁₀	1
95	Koppal	Good	49	03	1
96	Kota	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kozhikode	Satisfactory	80	PM ₁₀	1
98	Kurukshetra	Satisfactory	91	PM ₁₀	1
99	Lucknow	Satisfactory	82	NO ₂ , PM ₁₀ , PM _{2.5}	6
100	Ludhiana	Moderate	128	PM ₁₀	1
101	Madikeri	Good	18	SO ₂	1
102	Maihar	Good	40	со	1
103	Mandi Gobindgarh	Poor	253	PM _{2.5}	1
104	Mandideep	Satisfactory	64	PM ₁₀	1
105	Mandikhera	Satisfactory	97	PM ₁₀	1
106	Manesar	Moderate	150	PM _{2.5}	1
107	Meerut	Moderate	146	PM ₁₀	2
108	Moradabad	Moderate	110	PM _{2.5} , PM ₁₀ , CO	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Motihari	Satisfactory	76	PM _{2.5}	1
110	Mumbai	Satisfactory	62	CO, PM ₁₀	11
111	Muzaffarnagar	Moderate	125	PM _{2.5}	1
112	Muzaffarpur	Satisfactory	82	PM _{2.5} , PM ₁₀	3
113	Mysuru	Good	31	PM ₁₀	1
114	Nagpur	Satisfactory	76	PM _{2.5}	1
115	Narnaul	Satisfactory	60	PM _{2.5}	1
116	Navi Mumbai	Satisfactory	61	CO, NO ₂ , PM ₁₀	3
117	Noida	Moderate	133	PM ₁₀	4
118	Ooty	Good	47	SO ₂	1
119	Pali	Moderate	104	PM ₁₀	1
120	Palwal	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panchkula	Good	49	PM _{2.5}	1
122	Patiala	Satisfactory	82	PM ₁₀	1
123	Patna	Moderate	113	PM ₁₀ , PM _{2.5}	6
124	Pithampur	Moderate	112	PM ₁₀	1
125	Prayagraj	Satisfactory	99	PM _{2.5}	3
126	Puducherry	Good	30	со	1
127	Purnia	Satisfactory	97	PM ₁₀	1
128	Raichur	Satisfactory	86	СО	1
129	Rajamahendravaram	Good	20	СО	1
130	Rajgir	Satisfactory	63	PM ₁₀	1
131	Ramanagara	Good	37	03	1
132	Ramanathapuram	Good	30	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ratlam	Satisfactory	67	PM ₁₀	1
134	Rupnagar	Satisfactory	88	PM ₁₀	1
135	Sagar	Satisfactory	67	PM _{2.5}	1
136	Salem	Satisfactory	58	SO ₂	1
137	Samastipur	Satisfactory	98	PM _{2.5}	1
138	Sasaram	Satisfactory	96	PM ₁₀	1
139	Satna	Good	34	PM ₁₀	1
140	Shillong	Good	30	PM ₁₀ , SO ₂	2
141	Shivamogga	Good	46	PM ₁₀	1
142	Siliguri	Satisfactory	70	PM ₁₀	1
143	Singrauli	Satisfactory	88	NO ₂	1
144	Sirsa	Satisfactory	91	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Siwan	Satisfactory	83	PM _{2.5}	1
146	Solapur	Satisfactory	73	PM ₁₀	1
147	Sonipat	Moderate	130	PM ₁₀	1
148	Srinagar	Good	46	PM ₁₀	1
149	Talcher	Satisfactory	72	со	1
150	Thiruvananthapuram	Good	29	CO, NO ₂	2
151	Thoothukudi	Good	32	PM ₁₀	1
152	Thrissur	Good	49	PM ₁₀	1
153	Tirupati	Good	46	со	1
154	Tiruppur	Satisfactory	94	PM ₁₀	1
155	Udaipur	Satisfactory	74	PM ₁₀	1
156	Ujjain	Satisfactory	91	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Varanasi	Satisfactory	83	PM ₁₀ , PM _{2.5}	3
158	Vatva	Satisfactory	92	PM _{2.5}	1
159	Vijayapura	Good	40	PM ₁₀	1
160	Visakhapatnam	Good	36	PM ₁₀	1
161	Vrindavan	Moderate	106	PM ₁₀	1
162	Yadgir	Good	28	со	1
163	Yamunanagar	Poor	212	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Arrah, Belgaum, Bettiah, Bhilai, Bidar, Chengalpattu, Chhapra, Dehradun, Fatehabad, Haldia, Jorapokhar, Kalyan, Kolar, Manglore, Manguraha, Munger, Naharlagun, Nandesari, Nashik, Panipat, Pune, Rohtak, Saharsa, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.