

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	30	O ₃	1
2	Agra	Satisfactory	51	PM _{2.5}	1
3	Ahmedabad	Moderate	152	03	1
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Satisfactory	84	PM ₁₀	1
6	Alwar	Satisfactory	58	PM ₁₀	1
7	Amaravati	Good	25	O ₃	1
8	Ambala	Moderate	117	PM _{2.5}	1
9	Amritsar	Satisfactory	94	PM ₁₀	1
10	Ankleshwar	Satisfactory	56	PM ₁₀	1
11	Asansol	Satisfactory	71	PM ₁₀	1
12	Aurangabad	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bagalkot, Ballabgarh, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Davanagere, Ernakulam, Gadag, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kolar, Koppal, Maihar, Mysuru, Nagpur, Navi Mumbai, Raichur, Ramanagara, Rohtak, Rupnagar, Shivamogga, Solapur, Sonipat, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	171	PM _{2.5}	1
14	Bahadurgarh	Moderate	111	PM ₁₀	1
15	Bathinda	Moderate	118	PM _{2.5}	1
16	Bengaluru	Satisfactory	54	PM ₁₀ , CO, O ₃	7
17	Bhiwadi	Moderate	126	PM ₁₀	1
18	Bhopal	Satisfactory	85	O ₃	1
19	Bulandshahr	Moderate	137	O ₃	1
20	Chamarajanagar	Satisfactory	68	NO ₂	1
21	Chandigarh	Satisfactory	83	PM ₁₀	1
22	Chandrapur	Satisfactory	54	O ₃ , PM _{2.5}	2
23	Charkhi Dadri	Satisfactory	76	PM ₁₀	1
24	Chennai	Good	49	PM ₁₀ , O ₃ , CO	8

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Ballabgarh, Notes: Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Davanagere, Ernakulam, Gadag, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kolar, Koppal, Maihar, Mysuru, Nagpur, Navi Mumbai, Raichur, Ramanagara, Rohtak, Rupnagar, Shivamogga, Solapur, Sonipat, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	40	03	1
26	Damoh	Good	41	PM _{2.5}	1
27	Delhi	Moderate	151	03	28
28	Dewas	Satisfactory	80	PM ₁₀	1
29	Dharuhera	Moderate	123	PM ₁₀	1
30	Durgapur	Moderate	104	PM ₁₀	1
31	Eloor	Good	47	со	1
32	Faridabad	Moderate	155	PM _{2.5}	4
33	Fatehabad	Poor	250	PM ₁₀	1
34	Gandhinagar	Satisfactory	58	03	1
35	Gaya	Moderate	102	03	2
36	Ghaziabad	Poor	202	O ₃ , PM _{2.5}	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Ballabgarh, Notes: Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Davanagere, Ernakulam, Gadag, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kolar, Koppal, Maihar, Mysuru, Nagpur, Navi Mumbai, Raichur, Ramanagara, Rohtak, Rupnagar, Shivamogga, Solapur, Sonipat, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Moderate	197	PM _{2.5}	1
38	Gummidipoondi	Good	43	PM ₁₀	1
39	Gurugram	Moderate	141	PM _{2.5}	3
40	Guwahati	Good	42	PM ₁₀	2
41	Gwalior	Satisfactory	95	03	1
42	Hajipur	Moderate	105	PM ₁₀	1
43	Haldia	Good	22	со	1
44	Hapur	Satisfactory	66	03	1
45	Howrah	Good	41	PM ₁₀	3
46	Hubballi	Good	43	PM ₁₀	1
47	Hyderabad	Satisfactory	67	PM ₁₀ , NO ₂	5
48	Indore	Satisfactory	96	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Ballabgarh, Notes: Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Davanagere, Ernakulam, Gadag, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kolar, Koppal, Maihar, Mysuru, Nagpur, Navi Mumbai, Raichur, Ramanagara, Rohtak, Rupnagar, Shivamogga, Solapur, Sonipat, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Satisfactory	88	O ₃	1
50	Jaipur	Satisfactory	90	PM ₁₀	3
51	Jalandhar	Satisfactory	99	PM ₁₀	1
52	Jind	Moderate	151	PM _{2.5}	1
53	Jodhpur	Moderate	140	PM ₁₀	1
54	Kaithal	Moderate	114	PM ₁₀	1
55	Kannur	Satisfactory	98	PM ₁₀	1
56	Kanpur	Satisfactory	56	O ₃	2
57	Karnal	Satisfactory	88	PM ₁₀	1
58	Katni	Satisfactory	96	O ₃	1
59	Khanna	Moderate	108	PM ₁₀	1
60	Kochi	Good	41	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Ballabgarh, Notes: Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Davanagere, Ernakulam, Gadag, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kolar, Koppal, Maihar, Mysuru, Nagpur, Navi Mumbai, Raichur, Ramanagara, Rohtak, Rupnagar, Shivamogga, Solapur, Sonipat, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kohima	Satisfactory	72	PM ₁₀	1
62	Kolkata	Good	42	O ₃ , PM ₁₀	6
63	Kollam	Good	30	со	1
64	Kota	Satisfactory	94	PM _{2.5}	1
65	Kozhikode	Good	39	со	1
66	Kurukshetra	Moderate	104	PM ₁₀	1
67	Lucknow	Moderate	120	PM _{2.5} , PM ₁₀	3
68	Ludhiana	Moderate	104	PM ₁₀	1
69	Mandi Gobindgarh	Satisfactory	65	PM ₁₀	1
70	Mandideep	Satisfactory	64	SO ₂	1
71	Mandikhera	Satisfactory	90	PM ₁₀	1
72	Manesar	Moderate	130	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bagalkot, Ballabgarh, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Davanagere, Ernakulam, Gadag, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kolar, Koppal, Maihar, Mysuru, Nagpur, Navi Mumbai, Raichur, Ramanagara, Rohtak, Rupnagar, Shivamogga, Solapur, Sonipat, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manglore	Good	39	PM _{2.5}	1
74	Medikeri	Good	24	03	1
75	Meerut	Moderate	118	PM ₁₀	2
76	Moradabad	Moderate	168	PM _{2.5}	1
77	Mumbai	Satisfactory	67	PM ₁₀ , PM _{2.5} , SO ₂	11
78	Muzaffarnagar	Moderate	134	PM ₁₀	1
79	Muzaffarpur	Satisfactory	73	PM _{2.5}	1
80	Naharlagun	Good	26	SO ₂	1
81	Nandesari	Moderate	120	СО	1
82	Narnaul	Moderate	129	PM ₁₀	1
83	Nashik	Good	42	PM ₁₀	1
84	Noida	Moderate	147	PM _{2.5} , PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Ballabgarh, Notes: Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Davanagere, Ernakulam, Gadag, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kolar, Koppal, Maihar, Mysuru, Nagpur, Navi Mumbai, Raichur, Ramanagara, Rohtak, Rupnagar, Shivamogga, Solapur, Sonipat, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Moderate	126	PM ₁₀	1
86	Palwal	Moderate	118	PM ₁₀	1
87	Panchkula	Satisfactory	82	PM _{2.5}	1
88	Panipat	Moderate	147	PM ₁₀	1
89	Patiala	Satisfactory	74	PM ₁₀	1
90	Patna	Satisfactory	87	PM _{2.5} , O ₃ , PM ₁₀	4
91	Pithampur	Satisfactory	57	PM ₁₀	1
92	Puducherry	Good	44	03	1
93	Pune	Satisfactory	54	PM _{2.5} , PM ₁₀ , CO	6
94	Rajamahendravaram	Good	21	PM ₁₀	1
95	Ratlam	Satisfactory	78	PM ₁₀	1
96	Sagar	Good	36	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Ballabgarh, Notes: Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Davanagere, Ernakulam, Gadag, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kolar, Koppal, Maihar, Mysuru, Nagpur, Navi Mumbai, Raichur, Ramanagara, Rohtak, Rupnagar, Shivamogga, Solapur, Sonipat, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Satna	Satisfactory	73	PM ₁₀	1
98	Shillong	Good	12	PM _{2.5}	1
99	Siliguri	Satisfactory	78	PM ₁₀	1
100	Singrauli	Satisfactory	61	PM ₁₀	1
101	Sirsa	Moderate	142	PM ₁₀	1
102	Srinagar	Satisfactory	55	PM _{2.5}	1
103	Thane	Poor	258	NO ₂	1
104	Thiruvananthapuram	Good	43	PM ₁₀ , CO	2
105	Tirupati	Satisfactory	62	03	1
106	Udaipur	Satisfactory	72	PM ₁₀	1
107	Ujjain	Satisfactory	99	PM ₁₀	1
108	Vapi	Satisfactory	55	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Bagalkot, Ballabgarh, Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Davanagere, Ernakulam, Gadag, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kolar, Koppal, Maihar, Mysuru, Nagpur, Navi Mumbai, Raichur, Ramanagara, Rohtak, Rupnagar, Shivamogga, Solapur, Sonipat, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Varanasi	Satisfactory	98	PM ₁₀	1
110	Vatva	Moderate	116	PM ₁₀	1
111	Visakhapatnam	Good	42	PM ₁₀	1
112	Yadgir	Satisfactory	57	O ₃	1
113	Yamunanagar	Moderate	140	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bagalkot, Ballabgarh, Notes: Bhiwani, Bidar, Brajrajnagar, Chikkamagaluru, Coimbatore, Davanagere, Ernakulam, Gadag, Hassan, Hisar, Jorapokhar, Kalaburgi, Kalyan, Kolar, Koppal, Maihar, Mysuru, Nagpur, Navi Mumbai, Raichur, Ramanagara, Rohtak, Rupnagar, Shivamogga, Solapur, Sonipat, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.