

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	162	PM _{2.5}	1
2	Ahmedabad	Poor	258	OZONE	1
3	Ajmer	Moderate	124	PM ₁₀	1
4	Alwar	Moderate	133	PM _{2.5}	1
5	Amaravati	Satisfactory	65	PM ₁₀	1
6	Ambala	Moderate	169	OZONE	1
7	Amritsar	Satisfactory	95	PM ₁₀	1
8	Ankleshwar	Satisfactory	60	PM ₁₀	1
9	Asanol	Satisfactory	71	PM ₁₀	1
10	Aurangabad	Satisfactory	80	OZONE	1
11	Baghpat	Poor	292	PM ₁₀	1
12	Bahadurgarh	Moderate	150	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr, GandhiNagar, Hapur, Jorapokhar, Mandikhera, Manesar, Moradabad, Nagpur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	280	PM ₁₀	1
14	Bathinda	Moderate	125	PM _{2.5}	1
15	Bengaluru	Good	43	OZONE, CO	7
16	Bhiwadi	Poor	213	PM ₁₀	1
17	Bhiwani	Moderate	194	PM _{2.5}	1
18	Brajrajnagar	Moderate	125	PM _{2.5}	1
19	Chandrapur	Satisfactory	100	PM ₁₀	1
20	Chennai	Moderate	151	PM _{2.5}	1
21	Chikkaballapur	Good	42	со	1
22	Damoh	Moderate	101	PM ₁₀	1
23	Delhi	Poor	207	PM ₁₀ , PM _{2.5}	25
24	Dewas	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr, GandhiNagar, Hapur, Jorapokhar, Mandikhera, Manesar, Moradabad, Nagpur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Moderate	179	PM ₁₀	1
26	Durgapur	Moderate	118	PM ₁₀	1
27	Eloor	Good	49	PM _{2.5}	1
28	Faridabad	Poor	231	OZONE	1
29	Fatehabad	Poor	263	PM ₁₀	1
30	Gaya	Satisfactory	92	PM _{2.5}	1
31	Ghaziabad	Poor	254	PM ₁₀	2
32	Greater_Noida	Poor	279	OZONE	1
33	Gurugram	Poor	272	PM _{2.5}	1
34	Guwahati	Good	36	PM ₁₀	1
35	Haldia	Good	47	PM ₁₀	1
36	Hisar	Moderate	191	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr, GandhiNagar, Hapur, Jorapokhar, Mandikhera, Manesar, Moradabad, Nagpur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Satisfactory	81	OZONE, PM ₁₀	3
38	Hubballi	Good	36	PM ₁₀	1
39	Hyderabad	Satisfactory	67	OZONE, PM ₁₀ , PM _{2.5}	5
40	Jaipur	Moderate	138	PM _{2.5} , PM ₁₀	3
41	Jalandhar	Moderate	138	PM ₁₀	1
42	Jind	Moderate	151	PM ₁₀	1
43	Jodhpur	Moderate	180	PM _{2.5}	1
44	Kaithal	Moderate	126	PM ₁₀	1
45	Kalaburagi	Severe	452	PM _{2.5}	1
46	Kanpur	Moderate	157	OZONE	1
47	Karnal	Moderate	194	PM _{2.5}	1
48	Khanna	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr, GandhiNagar, Hapur, Jorapokhar, Mandikhera, Manesar, Moradabad, Nagpur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kolkata	Satisfactory	69	PM ₁₀ , OZONE, PM _{2.5}	3
50	Kota	Moderate	118	PM ₁₀	1
51	Kurukshetra	Moderate	131	PM ₁₀	1
52	Loni_Dehat	Poor	298	PM ₁₀	1
53	Lucknow	Moderate	179	PM _{2.5}	3
54	Ludhiana	Satisfactory	75	PM ₁₀	1
55	Maihar	Satisfactory	67	PM ₁₀	1
56	Mandi Gobindgarh	Very Poor	330	PM _{2.5}	1
57	Mandideep	Moderate	139	PM ₁₀	1
58	Mumbai	Satisfactory	92	СО	1
59	Muzaffarnagar	Moderate	193	OZONE	1
60	Muzaffarpur	Satisfactory	86	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr, GandhiNagar, Hapur, Jorapokhar, Mandikhera, Manesar, Moradabad, Nagpur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Narnaul	Moderate	166	PM _{2.5}	1
62	Nashik	Satisfactory	54	PM ₁₀	1
63	Navi Mumbai	Moderate	108	СО	1
64	Noida	Poor	223	PM ₁₀	2
65	Pali	Moderate	117	PM ₁₀	1
66	Palwal	Very Poor	303	PM _{2.5}	1
67	Panchkula	Satisfactory	83	PM _{2.5}	1
68	Panipat	Moderate	130	PM ₁₀	1
69	Patiala	Moderate	130	PM ₁₀	1
70	Patna	Moderate	104	OZONE	1
71	Pithampur	Moderate	173	PM ₁₀	1
72	Pune	Good	45	OZONE	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr, GandhiNagar, Hapur, Jorapokhar, Mandikhera, Manesar, Moradabad, Nagpur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rajamahendravaram	Moderate	120	PM _{2.5}	1
74	Ratlam	Moderate	134	PM ₁₀	1
75	Rohtak	Moderate	199	PM _{2.5}	1
76	Rupnagar	Moderate	106	PM _{2.5}	1
77	Satna	Satisfactory	82	PM ₁₀	1
78	Siliguri	Good	40	со	1
79	Singrauli	Very Poor	341	PM ₁₀	1
80	Sirsa	Moderate	156	PM ₁₀	1
81	Solapur	Satisfactory	56	OZONE	1
82	Sonipat	Poor	234	PM _{2.5}	1
83	Talcher	Moderate	101	PM ₁₀	1
84	Thane	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bulandshahr, GandhiNagar, Hapur, Jorapokhar, Mandikhera, Manesar, Moradabad, Nagpur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Thiruvananthapuram	Good	35	OZONE	1
86	Tirupati	Good	42	NO ₂	1
87	Udaipur	Moderate	103	PM _{2.5}	1
88	Ujjain	Moderate	120	PM ₁₀	1
89	Vapi	Satisfactory	55	SO ₂	1
90	Vijayawada	Satisfactory	62	PM ₁₀	1
91	Visakhapatnam	Moderate	119	PM ₁₀	1
92	Yamunanagar	Moderate	158	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bulandshahr, GandhiNagar, Hapur, Jorapokhar, Mandikhera, Manesar, Moradabad, Nagpur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.