

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	153	PM _{2.5}	1
2	Agra	Moderate	121	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Satisfactory	90	NO ₂	1
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Moderate	101	PM _{2.5}	1
6	Alwar	Satisfactory	91	PM ₁₀	1
7	Amaravati	Moderate	116	PM _{2.5}	1
8	Ambala	Moderate	130	PM _{2.5}	1
9	Amritsar	Moderate	112	PM ₁₀	1
10	Ankleshwar	Poor	205	PM _{2.5}	1
11	Araria	Poor	291	PM _{2.5}	1
12	Arrah	Poor	227	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	211	PM _{2.5}	1
14	Aurangabad (Bihar)	Poor	251	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Moderate	131	PM ₁₀	1
16	Baddi	Moderate	194	PM _{2.5}	1
17	Bagalkot	Good	33	PM ₁₀	1
18	Baghpat	Moderate	191	PM _{2.5}	1
19	Bahadurgarh	Poor	242	PM _{2.5}	1
20	Ballabgarh	Moderate	186	PM ₁₀	1
21	Bareilly	Moderate	132	PM ₁₀	2
22	Begusarai	Very Poor	377	PM _{2.5}	1
23	Belgaum	Good	50	PM ₁₀	1
24	Bengaluru	Moderate	154	PM _{2.5} , PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna, Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur, Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Severe	415	PM _{2.5}	1
26	Bhagalpur	Poor	279	PM _{2.5}	2
27	Bhiwadi	Moderate	188	PM ₁₀	1
28	Bhiwani	Poor	234	PM _{2.5}	1
29	Bhopal	Poor	270	PM _{2.5}	2
30	Bihar Sharif	Very Poor	328	PM _{2.5}	1
31	Bilaspur	Satisfactory	71	PM ₁₀	1
32	Bulandshahr	Poor	213	PM _{2.5}	1
33	Buxar	Very Poor	376	PM _{2.5}	1
34	Chamarajanagar	Good	44	PM ₁₀	1
35	Chandigarh	Moderate	125	PM _{2.5} , PM ₁₀	3
36	Chandrapur	Moderate	163	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Charkhi Dadri	Poor	237	PM _{2.5}	1
38	Chennai	Satisfactory	84	PM _{2.5} , PM ₁₀	7
39	Chhapra	Very Poor	319	PM _{2.5}	1
40	Chikkaballapur	Moderate	163	PM _{2.5}	1
41	Chikkamagaluru	Good	48	PM ₁₀	1
42	Coimbatore	Moderate	109	PM _{2.5}	1
43	Damoh	Moderate	120	PM _{2.5}	1
44	Darbhanga	Very Poor	376	PM ₁₀	1
45	Davanagere	Moderate	146	PM _{2.5}	1
46	Dehradun	Satisfactory	68	PM ₁₀	1
47	Delhi	Very Poor	310	PM _{2.5}	36
48	Dewas	Moderate	140	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Moderate	136	PM ₁₀	1
50	Eloor	Satisfactory	69	PM ₁₀	1
51	Faridabad	Poor	264	PM _{2.5}	4
52	Fatehabad	Poor	263	PM _{2.5}	1
53	Firozabad	Satisfactory	96	PM _{2.5}	2
54	Gadag	Satisfactory	86	03	1
55	Gandhinagar	Satisfactory	61	PM _{2.5}	1
56	Gangtok	Good	30	03	1
57	Gaya	Poor	226	PM _{2.5}	3
58	Ghaziabad	Poor	244	PM _{2.5}	4
59	Gorakhpur	Moderate	115	PM ₁₀	1
60	Greater Noida	Poor	275	PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Poor	276	PM _{2.5}	4
62	Guwahati	Moderate	102	PM _{2.5}	3
63	Gwalior	Poor	274	PM _{2.5}	2
64	Hajipur	Poor	235	PM _{2.5}	1
65	Haldia	Moderate	115	PM ₁₀	1
66	Hapur	Moderate	153	PM _{2.5}	1
67	Hassan	Moderate	103	PM _{2.5}	1
68	Haveri	Moderate	122	PM ₁₀	1
69	Hisar	Poor	250	PM _{2.5}	1
70	Howrah	Moderate	191	PM _{2.5} , O ₃	3
71	Hubballi	Moderate	104	PM _{2.5}	1
72	Hyderabad	Moderate	111	PM _{2.5} , PM ₁₀	14

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Imphal	Satisfactory	90	SO ₂	2
74	Indore	Moderate	131	PM ₁₀	1
75	Jabalpur	Very Poor	322	PM _{2.5}	1
76	Jaipur	Moderate	154	PM ₁₀	3
77	Jalandhar	Moderate	116	PM ₁₀	1
78	Jhansi	Poor	206	PM _{2.5}	1
79	Jind	Poor	268	PM _{2.5}	1
80	Jodhpur	Moderate	138	PM ₁₀	1
81	Kaithal	Moderate	133	PM _{2.5}	1
82	Kalyan	Moderate	141	PM ₁₀	1
83	Kannur	Satisfactory	88	PM ₁₀	1
84	Kanpur	Moderate	155	PM ₁₀ , PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Karnal	Moderate	108	PM ₁₀	1
86	Katihar	Very Poor	352	PM _{2.5}	1
87	Khurja	Moderate	172	PM _{2.5}	1
88	Kishanganj	Moderate	174	PM ₁₀	1
89	Kolar	Moderate	176	PM ₁₀	1
90	Kolkata	Moderate	150	PM _{2.5}	7
91	Kollam	Satisfactory	89	PM ₁₀	1
92	Koppal	Satisfactory	61	PM ₁₀	1
93	Kota	Moderate	132	PM ₁₀	1
94	Kurukshetra	Moderate	189	PM _{2.5}	1
95	Lucknow	Moderate	174	PM _{2.5}	6
96	Ludhiana	Moderate	152	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Satisfactory	53	O ₃	1
98	Maihar	Satisfactory	80	PM ₁₀	1
99	Mandi Gobindgarh	Poor	203	PM _{2.5}	1
100	Mandideep	Moderate	152	PM ₁₀	1
101	Mandikhera	Moderate	110	PM ₁₀	1
102	Manesar	Poor	212	PM _{2.5}	1
103	Mangalore	Satisfactory	98	PM _{2.5}	1
104	Manguraha	Moderate	108	PM _{2.5}	1
105	Meerut	Poor	223	PM _{2.5}	3
106	Moradabad	Moderate	146	PM _{2.5}	6
107	Motihari	Severe	421	PM _{2.5}	1
108	Mumbai	Moderate	138	NO ₂ , PM ₁₀	19

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Munger	Poor	258	PM _{2.5}	1
110	Muzaffarnagar	Moderate	187	PM _{2.5}	1
111	Muzaffarpur	Poor	297	PM _{2.5}	3
112	Mysuru	Satisfactory	70	PM ₁₀	1
113	Nagpur	Poor	208	PM _{2.5}	1
114	Nandesari	Satisfactory	60	SO ₂	1
115	Narnaul	Poor	214	PM _{2.5}	1
116	Nashik	Moderate	128	PM _{2.5}	1
117	Navi Mumbai	Moderate	178	PM _{2.5}	2
118	Noida	Poor	256	PM _{2.5}	4
119	Ooty	Satisfactory	85	PM ₁₀	1
120	Pali	Moderate	149	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Palwal	Satisfactory	77	PM ₁₀	1
122	Panchkula	Satisfactory	93	PM _{2.5}	1
123	Panipat	Moderate	155	PM ₁₀	1
124	Patiala	Satisfactory	100	PM ₁₀	1
125	Patna	Very Poor	327	PM _{2.5}	6
126	Pithampur	Moderate	142	PM _{2.5}	1
127	Prayagraj	Moderate	156	PM _{2.5} , PM ₁₀	3
128	Puducherry	Moderate	127	PM _{2.5}	1
129	Pune	Very Poor	325	PM ₁₀	1
130	Purnia	Very Poor	347	PM _{2.5}	1
131	Raichur	Moderate	144	PM ₁₀	1
132	Rajamahendravaram	Satisfactory	87	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rajgir	Poor	241	PM _{2.5}	1
134	Ramanagara	Moderate	123	PM _{2.5}	1
135	Ramanathapuram	Moderate	132	PM _{2.5}	1
136	Ratlam	Moderate	104	PM ₁₀	1
137	Rohtak	Poor	216	PM _{2.5}	1
138	Rupnagar	Moderate	130	PM ₁₀	1
139	Sagar	Moderate	118	PM _{2.5} , CO	2
140	Saharsa	Very Poor	327	PM _{2.5}	1
141	Salem	Moderate	112	PM _{2.5}	1
142	Samastipur	Very Poor	353	PM _{2.5}	1
143	Sasaram	Poor	235	PM _{2.5}	1
144	Satna	Satisfactory	56	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Shillong	Good	21	SO ₂	1
146	Shivamogga	Satisfactory	69	O ₃	1
147	Siliguri	Satisfactory	98	PM ₁₀	1
148	Singrauli	Very Poor	304	PM _{2.5}	1
149	Sirsa	Poor	233	PM _{2.5}	1
150	Sivasagar	Good	45	PM ₁₀	1
151	Sonipat	Moderate	188	PM ₁₀	1
152	Surat	Poor	209	PM _{2.5}	1
153	Talcher	Moderate	157	PM _{2.5}	1
154	Thane	Moderate	140	PM ₁₀	1
155	Thiruvananthapuram	Moderate	108	PM _{2.5}	2
156	Thoothukudi	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Thrissur	Satisfactory	76	PM _{2.5}	1
158	Tirupati	Satisfactory	99	PM _{2.5}	2
159	Udaipur	Moderate	168	PM _{2.5}	1
160	Ujjain	Moderate	147	PM _{2.5}	1
161	Vapi	Poor	261	PM _{2.5}	1
162	Varanasi	Moderate	134	PM _{2.5}	3
163	Vatva	Satisfactory	87	PM ₁₀	1
164	Vijayapura	Good	46	PM ₁₀	1
165	Visakhapatnam	Satisfactory	100	PM ₁₀	1
166	Vrindavan	Moderate	105	PM ₁₀	1
167	Yadgir	Moderate	109	PM _{2.5}	1
168	Yamunanagar	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Anantapur, Bathinda,
 Bhilai, Bidar, Brajrajnagar, Chengalpattu, Dharuhera, Dindigul, Ernakulam,
 Gummidipoondi, Hosur, Jorapokhar, Kalaburgi, Kanchipuram, Katni, Khanna,
 Kochi, Kohima, Korba, Kozhikode, Naharlagun, Raipur, Siwan, Solapur,
 Srinagar, Tirupur, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.