

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	175	PM _{2.5}	1
2	Ahmedabad	Moderate	162	PM _{2.5}	1
3	Ajmer	Satisfactory	98	PM ₁₀	1
4	Alwar	Satisfactory	92	PM ₁₀	1
5	Amaravati	Satisfactory	70	PM _{2.5}	1
6	Ambala	Moderate	108	PM ₁₀	1
7	Amritsar	Satisfactory	97	PM ₁₀	1
8	Ankleshwar	Moderate	160	PM _{2.5}	1
9	Asanol	Poor	285	PM _{2.5}	1
10	Aurangabad	Satisfactory	92	PM ₁₀	1
11	Bagalkot	Satisfactory	93	PM ₁₀	1
12	Bahadurgarh	Poor	215	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Hajipur, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Rohtak, Rupnagar, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	255	PM _{2.5}	1
14	Bathinda	Moderate	102	PM ₁₀	1
15	Bengaluru	Moderate	161	O ₃ , PM ₁₀ , PM _{2.5}	8
16	Bhiwadi	Poor	296	PM _{2.5}	1
17	Bhiwani	Moderate	104	03	1
18	Bhopal	Moderate	116	PM ₁₀	1
19	Brajrajnagar	Moderate	185	PM _{2.5}	1
20	Bulandshahr	Poor	259	O ₃	1
21	Chandigarh	Satisfactory	84	PM ₁₀	1
22	Chandrapur	Satisfactory	86	PM ₁₀	1
23	Chennai	Satisfactory	97	O ₃ , PM ₁₀ , PM _{2.5}	4
24	Chikkaballapur	Moderate	140	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people			
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Hajipur, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Rohtak, Rupnagar, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Satisfactory	69	PM _{2.5}	1
26	Coimbatore	Satisfactory	92	O ₃	1
27	Damoh	Satisfactory	79	PM ₁₀	1
28	Delhi	Poor	205	PM ₁₀ , PM _{2.5}	32
29	Dewas	Moderate	133	PM ₁₀	1
30	Dharuhera	Poor	254	PM _{2.5}	1
31	Eloor	Satisfactory	82	PM ₁₀	1
32	Ernakulam	Satisfactory	86	СО	1
33	Faridabad	Poor	244	PM _{2.5}	1
34	Fatehabad	Satisfactory	90	PM _{2.5}	1
35	Gandhinagar	Satisfactory	92	PM ₁₀	1
36	Gaya	Moderate	167	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Hajipur, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Rohtak, Rupnagar, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Poor	240	PM _{2.5}	4
38	Greater Noida	Poor	254	PM ₁₀ , PM _{2.5}	2
39	Gurugram	Moderate	178	PM _{2.5}	2
40	Guwahati	Moderate	158	PM _{2.5}	1
41	Gwalior	Moderate	131	PM _{2.5} , O ₃	2
42	Hapur	Satisfactory	92	PM _{2.5}	1
43	Hisar	Moderate	103	PM _{2.5}	1
44	Howrah	Moderate	199	PM _{2.5} , PM ₁₀	3
45	Hubballi	Satisfactory	95	PM ₁₀	1
46	Hyderabad	Satisfactory	97	PM _{2.5} , PM ₁₀	6
47	Indore	Moderate	153	PM ₁₀	1
48	Jabalpur	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Hajipur, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Rohtak, Rupnagar, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Moderate	111	PM ₁₀ , O ₃	3
50	Jalandhar	Satisfactory	95	PM ₁₀	1
51	Jind	Moderate	112	PM _{2.5}	1
52	Jodhpur	Moderate	120	PM ₁₀	1
53	Jorapokhar	Poor	242	PM _{2.5}	1
54	Kaithal	Moderate	103	PM ₁₀	1
55	Kalyan	Moderate	186	PM ₁₀	1
56	Kannur	Satisfactory	71	PM _{2.5}	1
57	Kanpur	Moderate	107	PM _{2.5}	1
58	Karnal	Moderate	133	PM ₁₀	1
59	Katni	Moderate	123	PM ₁₀	1
60	Khanna	Satisfactory	57	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Hajipur, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Rohtak, Rupnagar, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kochi	Satisfactory	86	PM ₁₀	1
62	Kolkata	Moderate	190	PM _{2.5}	7
63	Kollam	Satisfactory	80	PM ₁₀	1
64	Kota	Satisfactory	92	PM ₁₀	1
65	Kozhikode	Satisfactory	80	со	1
66	Kurukshetra	Moderate	109	PM ₁₀	1
67	Lucknow	Moderate	151	PM _{2.5}	4
68	Ludhiana	Satisfactory	68	PM ₁₀	1
69	Maihar	Satisfactory	59	PM ₁₀	1
70	Mandi Gobindgarh	Moderate	114	PM ₁₀	1
71	Mandideep	Satisfactory	93	PM ₁₀	1
72	Mandikhera	Moderate	157	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Hajipur, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Rohtak, Rupnagar, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Poor	213	PM _{2.5}	1
74	Meerut	Moderate	175	PM _{2.5}	3
75	Mumbai	Moderate	125	PM ₁₀	8
76	Muzaffarnagar	Poor	234	PM _{2.5}	1
77	Muzaffarpur	Poor	232	PM _{2.5}	1
78	Nandesari	Poor	234	PM ₁₀	1
79	Nashik	Moderate	124	PM ₁₀	1
80	Navi Mumbai	Moderate	134	PM ₁₀ , CO	3
81	Noida	Poor	242	PM _{2.5}	4
82	Pali	Moderate	109	PM ₁₀	1
83	Palwal	Poor	224	PM _{2.5}	1
84	Panchkula	Good	47	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Hajipur, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Rohtak, Rupnagar, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panipat	Moderate	160	PM ₁₀	1
86	Patiala	Satisfactory	93	PM ₁₀	1
87	Patna	Moderate	161	PM _{2.5} , PM ₁₀	3
88	Pithampur	Moderate	135	PM ₁₀	1
89	Pune	Moderate	133	PM _{2.5}	1
90	Rajamahendravaram	Moderate	123	O ₃	1
91	Ramanagara	Satisfactory	78	PM ₁₀	1
92	Ratlam	Moderate	128	PM ₁₀	1
93	Sagar	Satisfactory	55	PM ₁₀	1
94	Shillong	Satisfactory	59	PM _{2.5}	1
95	Siliguri	Satisfactory	94	PM ₁₀	1
96	Singrauli	Moderate	126	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Hajipur, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Rohtak, Rupnagar, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sirsa	Satisfactory	87	PM ₁₀	1
98	Solapur	Moderate	150	PM ₁₀	1
99	Sonipat	Moderate	116	PM ₁₀	1
100	Talcher	Moderate	138	PM _{2.5}	1
101	Thane	Satisfactory	71	PM ₁₀	1
102	Thiruvananthapuram	Satisfactory	84	CO, PM _{2.5}	2
103	Tirupati	Satisfactory	82	PM _{2.5}	1
104	Udaipur	Satisfactory	92	PM ₁₀	1
105	Ujjain	Moderate	107	PM ₁₀	1
106	Vapi	Moderate	130	PM _{2.5}	1
107	Varanasi	Poor	209	PM _{2.5}	1
108	Vatva	Moderate	193	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Hajipur, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Rohtak, Rupnagar, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vijayapura	Satisfactory	81	PM _{2.5}	1
110	Visakhapatnam	Moderate	122	PM ₁₀	1
111	Yadgir	Satisfactory	73	PM ₁₀	1
112	Yamunanagar	Moderate	153	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Hajipur, Kalaburgi, Moradabad, Mysuru, Nagpur, Narnaul, Rohtak, Rupnagar, Satna as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.