

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	124	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	167	OZONE	1
3	Ajmer	Moderate	117	PM <sub>2.5</sub>	1
4	Alwar	Satisfactory	77	PM <sub>10</sub>	1
5	Amaravati	Good	37	со	1
6	Ambala	Moderate	186	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	113	PM <sub>10</sub>	1
8	Ankleshwar	Satisfactory	95	PM <sub>10</sub>	1
9	Asanol	Satisfactory	81	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	57	PM <sub>10</sub>	1
11	Baghpat	Poor	234	PM <sub>2.5</sub>	1
12	Bahadurgarh	Moderate	159	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Hubballi, Kanpur, Nashik, Panipat, Satna, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	223	PM <sub>10</sub>	1
14	Bathinda	Moderate	104	со	1
15	Bengaluru	Satisfactory	52	CO, PM <sub>2.5</sub> , NO <sub>2</sub>	8
16	Bhiwadi	Moderate	174	PM <sub>2.5</sub>	1
17	Bhiwani	Moderate	117	PM <sub>10</sub>	1
18	Bhopal	Poor	240	PM <sub>2.5</sub>	1
19	Brajrajnagar	Satisfactory	100	СО	1
20	Bulandshahr	Poor	217	PM <sub>2.5</sub>	1
21	Chandigarh	Moderate	113	PM <sub>10</sub>	1
22	Chandrapur	Good	30	PM <sub>10</sub>	1
23	Chennai	Satisfactory	67	PM <sub>2.5</sub> , OZONE	3
24	Damoh	Moderate	188	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Hubballi, Kanpur, Nashik, Panipat, Satna, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	249	PM <sub>10</sub> , PM <sub>2.5</sub>	33
26	Dewas	Poor	216	PM <sub>2.5</sub>	1
27	Dharuhera	Poor	228	PM <sub>10</sub>	1
28	Eloor	Good	23	со	1
29	Faridabad	Poor	213	PM <sub>2.5</sub>	1
30	Fatehabad	Moderate	142	PM <sub>10</sub>	1
31	GandhiNagar	Satisfactory	92	PM <sub>10</sub>	1
32	Gaya	Satisfactory	69	со	1
33	Ghaziabad	Poor	284	PM <sub>2.5</sub>	4
34	Greater_Noida	Poor	243	PM <sub>2.5</sub>	2
35	Gurugram	Poor	201	PM <sub>2.5</sub>	1
36	Guwahati	Satisfactory	92	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Hubballi, Kanpur, Nashik, Panipat, Satna, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Haldia	Satisfactory	74	PM <sub>10</sub>	1
38	Hapur	Moderate	181	PM <sub>10</sub>	1
39	Hisar	Poor	216	PM <sub>2.5</sub>	1
40	Howrah	Poor	254	PM <sub>2.5</sub>	2
41	Hyderabad	Good	44	PM <sub>2.5</sub> , OZONE, PM <sub>10</sub>	6
42	Indore	Moderate	166	PM <sub>2.5</sub>	1
43	Jabalpur	Satisfactory	75	PM <sub>2.5</sub>	1
44	Jaipur	Moderate	129	PM <sub>10</sub> , PM <sub>2.5</sub> , OZONE	3
45	Jalandhar	Poor	223	PM <sub>2.5</sub>	1
46	Jind	Poor	220	PM <sub>2.5</sub>	1
47	Jodhpur	Moderate	138	PM <sub>10</sub>	1
48	Jorapokhar	Satisfactory	97	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Hubballi, Kanpur, Nashik, Panipat, Satna, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Moderate	119	PM <sub>10</sub>	1
50	Kalaburagi	Good	46	со	1
51	Kalyan	Good	45	со	1
52	Karnal	Poor	269	PM <sub>2.5</sub>	1
53	Katni	Moderate	156	PM <sub>2.5</sub>	1
54	Khanna	Moderate	140	PM <sub>10</sub>	1
55	Kolkata	Moderate	196	PM <sub>2.5</sub> , OZONE	5
56	Kota	Poor	209	PM <sub>2.5</sub>	1
57	Kurukshetra	Poor	219	PM <sub>2.5</sub>	1
58	Lucknow	Poor	294	PM <sub>2.5</sub>	4
59	Ludhiana	Moderate	186	PM <sub>2.5</sub>	1
60	Maihar	Satisfactory	77	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Hubballi, Kanpur, Nashik, Panipat, Satna, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandi Gobindgarh	Moderate	149	PM <sub>2.5</sub>	1
62	Mandideep	Moderate	125	PM <sub>10</sub>	1
63	Mandikhera	Moderate	168	OZONE	1
64	Manesar	Moderate	188	PM <sub>2.5</sub>	1
65	Meerut	Poor	255	PM <sub>2.5</sub> , PM <sub>10</sub>	3
66	Moradabad	Poor	272	PM <sub>2.5</sub>	1
67	Mumbai	Good	50	CO, NO <sub>2</sub> , OZONE	9
68	Muzaffarnagar	Poor	266	PM <sub>2.5</sub>	1
69	Muzaffarpur	Poor	220	PM <sub>2.5</sub>	1
70	Mysuru	Good	46	со	1
71	Nagpur	Good	38	NO <sub>2</sub>	1
72	Narnaul	Moderate	162	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Hubballi, Kanpur, Nashik, Panipat, Satna, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Good	50	CO, PM <sub>10</sub>	3
74	Noida	Poor	260	PM <sub>2.5</sub>	4
75	Pali	Moderate	120	PM <sub>2.5</sub>	1
76	Palwal	Moderate	145	PM <sub>2.5</sub>	1
77	Panchkula	Moderate	150	OZONE	1
78	Patiala	Moderate	114	PM <sub>10</sub>	1
79	Patna	Poor	246	PM <sub>2.5</sub>	1
80	Pithampur	Moderate	199	PM <sub>2.5</sub>	1
81	Pune	Satisfactory	86	SO <sub>2</sub>	1
82	Rajamahendravaram	Satisfactory	55	со	1
83	Ramanagara	Good	39	OZONE	1
84	Ratlam	Poor	208	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Hubballi, Kanpur, Nashik, Panipat, Satna, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Moderate	174	PM <sub>2.5</sub>	1
86	Rupnagar	Satisfactory	91	PM <sub>2.5</sub>	1
87	Shillong	Satisfactory	82	OZONE	1
88	Siliguri	Moderate	150	PM <sub>2.5</sub>	1
89	Singrauli	Moderate	131	PM <sub>2.5</sub>	1
90	Sirsa	Poor	259	PM <sub>2.5</sub>	1
91	Solapur	Good	43	со	1
92	Sonipat	Poor	228	PM <sub>2.5</sub>	1
93	Thane	Good	45	со	1
94	Thiruvananthapuram	Good	45	со	1
95	Tirupati	Good	41	NO <sub>2</sub>	1
96	Udaipur	Moderate	156	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Hubballi, Kanpur, Nashik, Panipat, Satna, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Moderate	173	PM <sub>2.5</sub>	1
98	Vapi	Satisfactory	74	PM <sub>10</sub>	1
99	Varanasi	Poor	213	PM <sub>2.5</sub>	1
100	Vatva	Moderate	105	PM <sub>10</sub>	1
101	Vijayawada	Moderate	161	со	1
102	Visakhapatnam	Good	31	OZONE	1
103	Yadgir	Good	41	OZONE	1
104	Yamunanagar	Poor	277	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Coimbatore, Hubballi, Kanpur, Nashik, Panipat, Satna, Talcher as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.