

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	74	PM <sub>10</sub>	1
2	Agra	Moderate	141	O <sub>3</sub>	1
3	Ahmedabad	Moderate	159	O <sub>3</sub>	1
4	Aizawl	Satisfactory	63	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	79	03	1
6	Alwar	Satisfactory	59	PM <sub>10</sub>	1
7	Amaravati	Good	48	PM <sub>10</sub>	1
8	Ambala	Satisfactory	57	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	63	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	101	O <sub>3</sub>	1
11	Asansol	Satisfactory	99	PM <sub>10</sub>	1
12	Aurangabad	Satisfactory	88	PM <sub>10</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Kalaburgi, Maihar, Moradabad, Naharlagun, Narnaul, Ramanagara, Satna, Shillong, Sirsa, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	59	PM <sub>2.5</sub>	1
14	Baghpat	Moderate	171	PM <sub>10</sub>	1
15	Bahadurgarh	Moderate	109	PM <sub>2.5</sub>	1
16	Ballabgarh	Satisfactory	99	со	1
17	Bathinda	Satisfactory	77	PM <sub>10</sub>	1
18	Bengaluru	Satisfactory	80	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	8
19	Bhiwadi	Poor	275	PM <sub>2.5</sub>	1
20	Bhiwani	Moderate	132	03	1
21	Bhopal	Moderate	126	PM <sub>10</sub>	1
22	Bulandshahr	Moderate	135	PM <sub>10</sub>	1
23	Chamarajanagar	Satisfactory	73	PM <sub>2.5</sub>	1
24	Chandigarh	Satisfactory	51	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Kalaburgi, Maihar, Moradabad, Naharlagun, Narnaul, Ramanagara, Satna, Shillong, Sirsa, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	68	PM <sub>10</sub>	2
26	Charkhi Dadri	Satisfactory	85	PM <sub>10</sub>	1
27	Chennai	Good	49	O <sub>3</sub> , CO, PM <sub>10</sub>	6
28	Chikkamagaluru	Good	48	PM <sub>10</sub>	1
29	Damoh	Satisfactory	63	PM <sub>10</sub>	1
30	Davanagere	Satisfactory	71	PM <sub>10</sub>	1
31	Delhi	Moderate	140	O <sub>3</sub> , PM <sub>2.5</sub>	30
32	Dewas	Moderate	129	PM <sub>10</sub>	1
33	Dharuhera	Moderate	144	PM <sub>10</sub>	1
34	Durgapur	Moderate	137	PM <sub>10</sub>	1
35	Eloor	Good	46	со	1
36	Ernakulam	Good	41	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Kalaburgi, Maihar, Moradabad, Naharlagun, Narnaul, Ramanagara, Satna, Shillong, Sirsa, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	140	O <sub>3</sub> , PM <sub>10</sub>	4
38	Fatehabad	Satisfactory	85	PM <sub>10</sub>	1
39	Gandhinagar	Satisfactory	75	PM <sub>10</sub>	1
40	Gaya	Moderate	108	O <sub>3</sub> , PM <sub>10</sub>	2
41	Ghaziabad	Moderate	157	O <sub>3</sub> , PM <sub>10</sub>	4
42	Greater Noida	Moderate	124	PM <sub>10</sub>	2
43	Gummidipoondi	Satisfactory	81	PM <sub>2.5</sub>	1
44	Gurugram	Moderate	106	PM <sub>10</sub> , PM <sub>2.5</sub>	3
45	Guwahati	Satisfactory	97	PM <sub>10</sub>	2
46	Gwalior	Moderate	102	O <sub>3</sub>	1
47	Hajipur	Poor	205	PM <sub>10</sub>	1
48	Haldia	Satisfactory	61	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Kalaburgi, Maihar, Moradabad, Naharlagun, Narnaul, Ramanagara, Satna, Shillong, Sirsa, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	114	PM <sub>10</sub>	1
50	Hassan	Satisfactory	77	PM <sub>10</sub>	1
51	Hisar	Moderate	110	PM <sub>2.5</sub>	1
52	Howrah	Satisfactory	91	PM <sub>10</sub>	3
53	Hubballi	Satisfactory	89	PM <sub>10</sub>	1
54	Hyderabad	Satisfactory	92	PM <sub>10</sub> , PM <sub>2.5</sub>	5
55	Indore	Moderate	122	PM <sub>10</sub>	1
56	Jabalpur	Moderate	118	PM <sub>10</sub>	1
57	Jaipur	Satisfactory	82	O <sub>3</sub>	2
58	Jalandhar	Satisfactory	54	PM <sub>10</sub>	1
59	Jind	Moderate	118	PM <sub>2.5</sub>	1
60	Jodhpur	Moderate	106	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Kalaburgi, Maihar, Moradabad, Naharlagun, Narnaul, Ramanagara, Satna, Shillong, Sirsa, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jorapokhar	Satisfactory	98	PM <sub>10</sub>	1
62	Kaithal	Satisfactory	77	PM <sub>10</sub>	1
63	Kalyan	Moderate	104	PM <sub>10</sub>	1
64	Kannur	Moderate	105	PM <sub>10</sub>	1
65	Kanpur	Satisfactory	73	O <sub>3</sub> , PM <sub>2.5</sub>	2
66	Karnal	Satisfactory	55	PM <sub>2.5</sub>	1
67	Katni	Moderate	128	PM <sub>10</sub>	1
68	Khanna	Satisfactory	51	PM <sub>10</sub>	1
69	Kochi	Satisfactory	59	PM <sub>10</sub>	1
70	Kohima	Moderate	121	PM <sub>10</sub>	1
71	Kolar	Satisfactory	65	со	1
72	Kolkata	Satisfactory	76	CO, PM <sub>10</sub> , O <sub>3</sub>	7

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Kalaburgi, Maihar, Moradabad, Naharlagun, Narnaul, Ramanagara, Satna, Shillong, Sirsa, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kollam	Satisfactory	86	PM <sub>10</sub>	1
74	Koppal	Satisfactory	53	СО	1
75	Kota	Moderate	102	PM <sub>10</sub>	1
76	Kozhikode	Satisfactory	72	PM <sub>10</sub>	1
77	Kurukshetra	Satisfactory	95	PM <sub>10</sub>	1
78	Lucknow	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
79	Ludhiana	Satisfactory	61	PM <sub>10</sub>	1
80	Mandi Gobindgarh	Moderate	103	PM <sub>2.5</sub>	1
81	Mandideep	Satisfactory	69	PM <sub>10</sub>	1
82	Mandikhera	Satisfactory	57	со	1
83	Manesar	Satisfactory	91	PM <sub>10</sub>	1
84	Manglore	Satisfactory	65	PM <sub>10</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Kalaburgi, Maihar, Moradabad, Naharlagun, Narnaul, Ramanagara, Satna, Shillong, Sirsa, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Good	41	PM <sub>10</sub>	1
86	Meerut	Moderate	120	PM <sub>10</sub>	2
87	Mumbai	Satisfactory	70	PM <sub>10</sub>	20
88	Muzaffarnagar	Moderate	108	PM <sub>10</sub>	1
89	Muzaffarpur	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub>	2
90	Mysuru	Satisfactory	86	03	1
91	Nagpur	Satisfactory	79	PM <sub>10</sub>	1
92	Nandesari	Moderate	104	PM <sub>2.5</sub>	1
93	Nashik	Satisfactory	76	PM <sub>10</sub>	1
94	Navi Mumbai	Moderate	116	PM <sub>10</sub>	2
95	Noida	Moderate	116	PM <sub>10</sub>	3
96	Pali	Moderate	122	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Kalaburgi, Maihar, Moradabad, Naharlagun, Narnaul, Ramanagara, Satna, Shillong, Sirsa, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Palwal	Satisfactory	77	PM <sub>10</sub>	1
98	Panchkula	Satisfactory	57	PM <sub>2.5</sub>	1
99	Panipat	Moderate	146	PM <sub>10</sub>	1
100	Patiala	Satisfactory	56	PM <sub>10</sub>	1
101	Patna	Moderate	146	PM <sub>2.5</sub> , PM <sub>10</sub>	4
102	Pithampur	Satisfactory	94	PM <sub>10</sub>	1
103	Puducherry	Good	47	03	1
104	Pune	Satisfactory	99	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	5
105	Raichur	Satisfactory	71	PM <sub>10</sub>	1
106	Rajamahendravaram	Good	50	PM <sub>10</sub>	1
107	Ratlam	Moderate	113	PM <sub>10</sub>	1
108	Rohtak	Satisfactory	90	NO <sub>2</sub>	1

### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Kalaburgi, Maihar, Moradabad, Naharlagun, Narnaul, Ramanagara, Satna, Shillong, Sirsa, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Moderate	108	PM <sub>10</sub>	1
110	Sagar	Satisfactory	85	PM <sub>2.5</sub>	1
111	Shivamogga	Satisfactory	51	PM <sub>10</sub>	1
112	Siliguri	Satisfactory	100	PM <sub>2.5</sub>	1
113	Singrauli	Poor	224	PM <sub>2.5</sub>	1
114	Solapur	Poor	204	PM <sub>2.5</sub>	1
115	Sonipat	Moderate	186	PM <sub>10</sub>	1
116	Srinagar	Satisfactory	70	PM <sub>10</sub>	1
117	Talcher	Satisfactory	66	со	1
118	Thane	Satisfactory	70	NH <sub>3</sub>	1
119	Thiruvananthapuram	Good	46	O <sub>3</sub> , PM <sub>10</sub>	2
120	Thoothukudi	Moderate	110	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Kalaburgi, Maihar, Moradabad, Naharlagun, Narnaul, Ramanagara, Satna, Shillong, Sirsa, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	57	O <sub>3</sub>	1
122	Udaipur	Moderate	108	PM <sub>10</sub>	1
123	Ujjain	Moderate	155	O <sub>3</sub>	1
124	Vapi	Satisfactory	65	PM <sub>10</sub>	1
125	Varanasi	Moderate	173	O <sub>3</sub>	1
126	Vatva	Moderate	147	PM <sub>10</sub>	1
127	Visakhapatnam	Satisfactory	77	PM <sub>10</sub>	1
128	Yadgir	Moderate	114	O <sub>3</sub>	1
129	Yamunanagar	Moderate	111	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Chikkaballapur, Coimbatore, Gadag, Kalaburgi, Maihar, Moradabad, Naharlagun, Narnaul, Ramanagara, Satna, Shillong, Sirsa, Tirupati, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.