

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	115	PM _{2.5}	1
2	Agra	Very Poor	356	PM _{2.5}	1
3	Ahmedabad	Poor	203	PM _{2.5}	1
4	Aizawl	Good	15	PM ₁₀	1
5	Ajmer	Moderate	148	PM _{2.5}	1
6	Alwar	Moderate	184	PM _{2.5}	1
7	Amaravati	Poor	253	PM _{2.5}	1
8	Ambala	Poor	216	PM _{2.5}	1
9	Amritsar	Moderate	114	PM _{2.5}	1
10	Ankleshwar	Poor	272	PM _{2.5}	1
11	Asansol	Poor	225	PM _{2.5}	1
12	Baghpat	Severe	457	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Chamarajanagar, Charkhi Dadri, Chikkamagaluru, Ernakulam, Jorapokhar, Kalyan, Maihar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Severe	432	PM _{2.5}	1
14	Ballabgarh	Poor	238	PM _{2.5}	1
15	Bathinda	Poor	236	PM _{2.5}	1
16	Bengaluru	Moderate	107	CO, PM _{2.5} , PM ₁₀	8
17	Bhiwadi	Very Poor	374	PM _{2.5}	1
18	Bhiwani	Moderate	171	PM ₁₀	1
19	Bhopal	Poor	277	PM _{2.5}	1
20	Brajrajnagar	Poor	226	PM _{2.5}	1
21	Bulandshahr	Severe	447	PM _{2.5}	1
22	Chandigarh	Poor	224	PM _{2.5}	1
23	Chandrapur	Moderate	169	PM _{2.5} , PM ₁₀	2
24	Chennai	Satisfactory	74	CO, PM ₁₀ , PM _{2.5}	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Chamarajanagar, Charkhi Dadri, Chikkamagaluru, Ernakulam, Jorapokhar, Kalyan, Maihar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	100	PM _{2.5}	1
26	Coimbatore	Moderate	121	PM _{2.5}	1
27	Damoh	Poor	279	PM _{2.5}	1
28	Delhi	Severe	443	PM _{2.5}	33
29	Dewas	Poor	214	PM _{2.5}	1
30	Dharuhera	Very Poor	356	PM _{2.5}	1
31	Durgapur	Poor	271	PM _{2.5}	1
32	Eloor	Good	44	PM ₁₀	1
33	Faridabad	Severe	415	PM _{2.5} , PM ₁₀	3
34	Fatehabad	Poor	235	PM _{2.5}	1
35	Gandhinagar	Moderate	108	PM ₁₀	1
36	Gaya	Poor	207	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Chamarajanagar, Charkhi Dadri, Chikkamagaluru, Ernakulam, Jorapokhar, Kalyan, Maihar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Severe	462	PM _{2.5}	4
38	Greater Noida	Severe	450	PM _{2.5}	2
39	Gurugram	Very Poor	336	PM _{2.5}	4
40	Guwahati	Poor	262	PM _{2.5}	2
41	Gwalior	Very Poor	330	PM _{2.5}	1
42	Hajipur	Satisfactory	69	PM _{2.5}	1
43	Haldia	Poor	208	PM _{2.5}	1
44	Hapur	Poor	203	PM _{2.5}	1
45	Hisar	Very Poor	363	PM _{2.5}	1
46	Howrah	Poor	265	PM _{2.5} , PM ₁₀	3
47	Hubballi	Moderate	120	PM _{2.5}	1
48	Hyderabad	Moderate	184	PM _{2.5}	5

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Chamarajanagar, Charkhi Dadri, Chikkamagaluru, Ernakulam, Jorapokhar, Kalyan, Maihar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Poor	220	PM _{2.5}	1
50	Jabalpur	Very Poor	315	PM _{2.5}	1
51	Jaipur	Moderate	176	PM _{2.5}	3
52	Jalandhar	Moderate	179	PM _{2.5}	1
53	Jind	Very Poor	346	PM _{2.5}	1
54	Jodhpur	Poor	261	PM _{2.5}	1
55	Kaithal	Moderate	139	PM ₁₀	1
56	Kalaburgi	Moderate	177	PM ₁₀	1
57	Kannur	Satisfactory	97	PM ₁₀	1
58	Kanpur	Very Poor	363	PM _{2.5}	2
59	Karnal	Moderate	197	PM _{2.5}	1
60	Katni	Very Poor	310	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Chamarajanagar, Charkhi Dadri, Chikkamagaluru, Ernakulam, Jorapokhar, Kalyan, Maihar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	159	PM _{2.5}	1
62	Kochi	Satisfactory	82	PM _{2.5}	1
63	Kohima	Good	35	PM ₁₀	1
64	Kolkata	Poor	297	PM _{2.5}	7
65	Kollam	Moderate	107	PM _{2.5}	1
66	Koppal	Satisfactory	89	PM ₁₀	1
67	Kota	Poor	255	PM _{2.5}	1
68	Kozhikode	Satisfactory	83	PM _{2.5}	1
69	Kurukshetra	Very Poor	309	PM _{2.5}	1
70	Lucknow	Very Poor	391	PM _{2.5}	4
71	Ludhiana	Moderate	147	PM _{2.5}	1
72	Mandi Gobindgarh	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Chamarajanagar, Charkhi Dadri, Chikkamagaluru, Ernakulam, Jorapokhar, Kalyan, Maihar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Poor	247	PM _{2.5}	1
74	Mandikhera	Poor	222	PM _{2.5}	1
75	Manesar	Very Poor	308	PM _{2.5}	1
76	Medikeri	Moderate	124	03	1
77	Meerut	Severe	411	PM _{2.5}	3
78	Moradabad	Very Poor	378	PM _{2.5}	1
79	Mumbai	Poor	255	PM _{2.5}	18
80	Muzaffarnagar	Very Poor	356	PM _{2.5}	1
81	Muzaffarpur	Poor	294	PM _{2.5} , PM ₁₀	2
82	Mysuru	Satisfactory	84	PM ₁₀	1
83	Nandesari	Moderate	106	PM _{2.5}	1
84	Narnaul	Very Poor	305	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Chamarajanagar, Charkhi Dadri, Chikkamagaluru, Ernakulam, Jorapokhar, Kalyan, Maihar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Moderate	163	PM _{2.5}	1
86	Navi Mumbai	Very Poor	302	PM _{2.5}	3
87	Noida	Severe	448	PM _{2.5}	3
88	Pali	Moderate	161	PM ₁₀	1
89	Panchkula	Poor	211	PM _{2.5}	1
90	Patiala	Moderate	145	PM _{2.5}	1
91	Patna	Very Poor	303	PM _{2.5} , PM ₁₀	6
92	Pithampur	Poor	209	PM _{2.5}	1
93	Pune	Moderate	156	PM _{2.5}	3
94	Raichur	Moderate	151	PM _{2.5}	1
95	Rajamahendravaram	Poor	268	PM _{2.5}	1
96	Ratlam	Poor	219	PM _{2.5}	1

Possible Health Impacts

Poor

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Chamarajanagar, Charkhi Dadri, Chikkamagaluru, Ernakulam, Jorapokhar, Kalyan, Maihar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rohtak	Severe	442	PM _{2.5}	1
98	Sagar	Satisfactory	86	PM _{2.5}	1
99	Satna	Moderate	102	PM ₁₀	1
100	Shillong	Good	23	O ₃	1
101	Shivamogga	Satisfactory	66	O ₃	1
102	Siliguri	Moderate	171	PM _{2.5}	1
103	Singrauli	Very Poor	396	PM _{2.5}	1
104	Sirsa	Moderate	133	PM _{2.5}	1
105	Solapur	Moderate	149	PM _{2.5}	1
106	Sonipat	Very Poor	335	PM _{2.5}	1
107	Talcher	Moderate	165	PM _{2.5}	1
108	Thane	Moderate	187	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Chamarajanagar, Charkhi Dadri, Chikkamagaluru, Ernakulam, Jorapokhar, Kalyan, Maihar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thiruvananthapuram	Satisfactory	74	PM _{2.5} , PM ₁₀	2
110	Thoothukudi	Satisfactory	75	03	1
111	Thrissur	Satisfactory	91	03	1
112	Tirupati	Satisfactory	98	PM _{2.5}	1
113	Udaipur	Very Poor	311	PM _{2.5}	1
114	Ujjain	Poor	245	PM _{2.5}	1
115	Vapi	Very Poor	327	PM _{2.5}	1
116	Varanasi	Poor	238	PM ₁₀	1
117	Vatva	Poor	264	PM _{2.5}	1
118	Vijayapura	Satisfactory	69	PM ₁₀	1
119	Visakhapatnam	Poor	275	PM _{2.5}	1
120	Yadgir	Moderate	126	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Chamarajanagar, Charkhi Dadri, Chikkamagaluru, Ernakulam, Jorapokhar, Kalyan, Maihar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Very Poor	388	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Chamarajanagar, Charkhi Dadri, Chikkamagaluru, Ernakulam, Jorapokhar, Kalyan, Maihar, Nagpur, Palwal, Panipat, Ramanagara, Rupnagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.