



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	236	PM _{2.5}	2
2	Agra	Good	30	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Moderate	107	PM _{2.5} , PM ₁₀	7
4	Aizawl	Good	36	PM ₁₀	1
5	Ajmer	Satisfactory	90	PM ₁₀	1
6	Alwar	Satisfactory	63	PM ₁₀	1
7	Amaravati	Moderate	106	PM ₁₀	1
8	Ambala	Satisfactory	72	PM _{2.5}	1
9	Amritsar	Satisfactory	77	PM _{2.5}	1
10	Anantapur	Satisfactory	73	O ₃	1
11	Araria	Poor	291	PM _{2.5}	1
12	Ariyalur	Satisfactory	72	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	186	PM _{2.5}	1
14	Asansol	Moderate	184	PM _{2.5}	1
15	Aurangabad (Bihar)	Poor	236	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	104	PM ₁₀	1
17	Baddi	Moderate	138	PM _{2.5}	1
18	Bagalkot	Good	50	PM ₁₀	1
19	Bahadurgarh	Moderate	101	PM _{2.5}	1
20	Ballabgarh	Moderate	102	CO	1
21	Bareilly	Satisfactory	53	PM ₁₀	2
22	Baripada	Moderate	116	PM ₁₀	1
23	Begusarai	Very Poor	391	PM _{2.5}	1
24	Bengaluru	Satisfactory	73	PM ₁₀ , CO	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Very Poor	308	PM _{2.5}	1
26	Bhagalpur	Very Poor	332	PM _{2.5}	2
27	Bhilai	Moderate	134	O ₃	3
28	Bhiwadi	Moderate	106	PM ₁₀	1
29	Bhiwani	Satisfactory	98	PM ₁₀	1
30	Bhopal	Moderate	197	PM _{2.5}	2
31	Bidar	Satisfactory	81	CO	1
32	Bihar Sharif	Moderate	120	PM ₁₀	1
33	Bileipada	Poor	268	PM _{2.5}	1
34	Brajrajnagar	Moderate	104	PM ₁₀	1
35	Bulandshahr	Moderate	116	PM _{2.5}	1
36	Chamarajanagar	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Moderate	115	PM _{2.5} , PM ₁₀	3
38	Chandrapur	Moderate	164	PM _{2.5}	2
39	Charkhi Dadri	Moderate	123	PM _{2.5}	1
40	Chennai	Satisfactory	96	PM _{2.5} , PM ₁₀	8
41	Chhapra	Poor	284	PM _{2.5}	1
42	Chikkaballapur	Satisfactory	85	PM ₁₀	1
43	Chikkamagaluru	Satisfactory	78	PM ₁₀	1
44	Chittoor	Good	49	PM ₁₀	1
45	Coimbatore	Moderate	121	PM _{2.5}	1
46	Damoh	Satisfactory	51	PM _{2.5}	1
47	Delhi	Moderate	192	PM _{2.5}	38
48	Dewas	Moderate	131	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dharuhera	Moderate	123	PM _{2.5}	1
50	Durgapur	Moderate	152	PM _{2.5}	1
51	Eloor	Satisfactory	80	PM ₁₀	1
52	Faridabad	Moderate	190	PM _{2.5}	4
53	Fatehabad	Moderate	154	PM ₁₀	1
54	Firozabad	Good	50	PM ₁₀	1
55	Gadag	Good	46	O ₃	1
56	Gandhinagar	Moderate	104	PM _{2.5} , PM ₁₀	3
57	Gangtok	Good	45	PM _{2.5}	1
58	Gaya	Poor	230	PM _{2.5}	3
59	Ghaziabad	Moderate	139	PM _{2.5} , PM ₁₀	3
60	Gorakhpur	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Moderate	146	PM _{2.5}	2
62	Gummidipoondi	Moderate	140	PM _{2.5}	1
63	Gurugram	Moderate	143	PM _{2.5}	4
64	Guwahati	Poor	244	PM _{2.5}	4
65	Gwalior	Satisfactory	92	PM _{2.5}	3
66	Hajipur	Poor	292	PM _{2.5}	1
67	Haldia	Moderate	153	PM ₁₀	1
68	Hapur	Satisfactory	53	CO	1
69	Hassan	Satisfactory	76	PM ₁₀	1
70	Haveri	Satisfactory	72	PM _{2.5}	1
71	Hosur	Satisfactory	81	PM ₁₀	1
72	Howrah	Poor	278	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Satisfactory	90	PM ₁₀	2
74	Hyderabad	Satisfactory	92	PM _{2.5} , PM ₁₀	14
75	Imphal	Moderate	113	PM _{2.5} , SO ₂	2
76	Indore	Moderate	126	PM ₁₀	1
77	Jabalpur	Poor	246	PM _{2.5}	1
78	Jaipur	Satisfactory	96	NO ₂ , PM ₁₀	3
79	Jalandhar	Satisfactory	60	PM ₁₀	1
80	Jhansi	Satisfactory	52	PM ₁₀	1
81	Jind	Moderate	111	PM _{2.5}	1
82	Jodhpur	Moderate	147	PM ₁₀	1
83	Jorapokhar	Moderate	162	PM ₁₀	1
84	Kadapa	Moderate	132	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Satisfactory	86	PM _{2.5}	1
86	Kalaburgi	Satisfactory	84	PM _{2.5}	1
87	Kalyan	Moderate	157	PM ₁₀	1
88	Kannur	Satisfactory	94	PM _{2.5}	1
89	Kanpur	Satisfactory	62	PM ₁₀	3
90	Karnal	Satisfactory	75	PM _{2.5}	1
91	Katihar	Very Poor	334	PM ₁₀	1
92	Keonjhar	Poor	220	PM _{2.5}	1
93	Khanna	Good	47	PM ₁₀	1
94	Khurja	Satisfactory	85	PM _{2.5}	1
95	Kishanganj	Very Poor	313	PM _{2.5}	1
96	Kohima	Satisfactory	68	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kolar	Moderate	166	SO ₂	1
98	Kolkata	Poor	226	PM _{2.5}	7
99	Kollam	Moderate	107	PM ₁₀	1
100	Koppal	Satisfactory	69	O ₃	1
101	Korba	Moderate	114	PM ₁₀	2
102	Kota	Moderate	129	PM _{2.5}	1
103	Kozhikode	Satisfactory	75	PM _{2.5}	1
104	Kurukshetra	Satisfactory	63	PM _{2.5}	1
105	Lucknow	Satisfactory	91	PM _{2.5}	6
106	Ludhiana	Satisfactory	69	PM _{2.5}	1
107	Madikeri	Good	46	PM _{2.5}	1
108	Maihar	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Moderate	129	PM _{2.5}	1
110	Mandideep	Moderate	115	PM _{2.5}	1
111	Manesar	Moderate	131	PM _{2.5}	1
112	Mangalore	Moderate	116	PM ₁₀	1
113	Manguraha	Moderate	165	PM _{2.5}	1
114	Meerut	Moderate	123	PM _{2.5}	3
115	Moradabad	Satisfactory	51	PM _{2.5}	6
116	Motihari	Moderate	174	PM ₁₀	1
117	Mumbai	Poor	225	PM _{2.5} , PM ₁₀	19
118	Munger	Very Poor	313	PM _{2.5}	1
119	Muzaffarnagar	Moderate	148	PM ₁₀	1
120	Muzaffarpur	Poor	298	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mysuru	Good	45	PM ₁₀	1
122	Nagpur	Poor	290	PM _{2.5}	1
123	Naharlagun	Satisfactory	51	PM _{2.5}	1
124	Nalbari	Poor	273	PM ₁₀	1
125	Nandesari	Good	27	PM _{2.5}	1
126	Narnaul	Satisfactory	61	PM _{2.5}	1
127	Nashik	Satisfactory	81	PM _{2.5}	1
128	Navi Mumbai	Poor	225	PM _{2.5}	2
129	Nayagarh	Moderate	157	PM _{2.5}	1
130	Noida	Moderate	164	PM _{2.5}	4
131	Ooty	Satisfactory	58	PM _{2.5}	1
132	Pali	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Palwal	Good	44	PM _{2.5}	1
134	Panchkula	Satisfactory	59	PM _{2.5}	1
135	Panipat	Satisfactory	55	PM ₁₀	1
136	Patiala	Satisfactory	70	PM ₁₀	1
137	Patna	Poor	261	PM ₁₀ , PM _{2.5}	6
138	Pithampur	Poor	237	PM _{2.5}	1
139	Prayagraj	Satisfactory	89	PM ₁₀	3
140	Puducherry	Satisfactory	73	PM ₁₀	1
141	Pune	Moderate	153	PM _{2.5} , PM ₁₀	3
142	Purnia	Very Poor	347	PM _{2.5}	1
143	Raichur	Satisfactory	83	PM ₁₀	1
144	Raipur	Moderate	105	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rairangpur	Moderate	159	PM _{2.5}	1
146	Rajamahendravaram	Moderate	134	PM _{2.5}	1
147	Rajgir	Poor	296	PM _{2.5}	1
148	Ramanagara	Satisfactory	69	PM ₁₀	1
149	Ramanathapuram	Satisfactory	59	PM ₁₀	1
150	Ratlam	Moderate	116	PM _{2.5}	1
151	Rohtak	Satisfactory	80	PM _{2.5}	1
152	Rourkela	Moderate	134	PM _{2.5}	3
153	Rupnagar	Moderate	115	PM ₁₀	1
154	Saharsa	Very Poor	324	PM _{2.5}	1
155	Salem	Moderate	101	PM _{2.5}	1
156	Samastipur	Poor	290	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sasaram	Poor	238	PM _{2.5}	1
158	Satna	Satisfactory	68	PM ₁₀	1
159	Shillong	Moderate	107	PM _{2.5}	1
160	Shivamogga	Satisfactory	51	O ₃	1
161	Siliguri	Moderate	145	PM ₁₀	1
162	Singrauli	Poor	218	PM ₁₀	1
163	Sivasagar	Satisfactory	73	PM ₁₀	1
164	Siwan	Very Poor	308	PM _{2.5}	1
165	Solapur	Moderate	117	PM ₁₀	1
166	Sonipat	Moderate	121	PM ₁₀	1
167	Srinagar	Good	42	PM ₁₀	1
168	Suakati	Moderate	174	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Talcher	Moderate	160	PM ₁₀	1
170	Tensa	Moderate	115	PM ₁₀	1
171	Thiruvananthapuram	Satisfactory	84	PM _{2.5}	2
172	Thoothukudi	Satisfactory	60	PM ₁₀	1
173	Thrissur	Moderate	122	PM ₁₀	1
174	Tirupati	Satisfactory	88	NO ₂ , PM _{2.5}	2
175	Tirupur	Satisfactory	77	PM ₁₀	1
176	Udaipur	Moderate	112	PM ₁₀	1
177	Ujjain	Moderate	188	PM _{2.5}	1
178	Vapi	Poor	294	PM _{2.5}	1
179	Varanasi	Satisfactory	54	PM ₁₀ , PM _{2.5}	4
180	Vatva	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 31, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vijayapura	Good	45	PM ₁₀	1
182	Vijayawada	Moderate	163	PM _{2.5}	1
183	Visakhapatnam	Moderate	190	PM _{2.5}	1
184	Vrindavan	Moderate	149	PM ₁₀	1
185	Yamunanagar	Moderate	113	PM ₁₀	1
186	vellore	Satisfactory	90	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Baghpat, Bathinda, Belgaum, Bilaspur, Buxar, Byrnihat, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dharwad, Dindigul, Ernakulam, Hisar, Kanchipuram, Katni, Kochi, Kunjemura, Mandikhera, Milupara, Sagar, Silchar, Sirsa, Surat, Thane, Tumakuru, Tumidih, Udupi, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.