

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	216	PM _{2.5}	1
2	Agra	Moderate	177	PM _{2.5}	1
3	Ahmedabad	Moderate	190	PM _{2.5}	1
4	Aizawl	Moderate	193	PM _{2.5}	1
5	Ajmer	Satisfactory	87	PM ₁₀	1
6	Alwar	Satisfactory	89	PM ₁₀	1
7	Amaravati	Moderate	101	PM _{2.5}	1
8	Ambala	Moderate	168	PM _{2.5}	1
9	Amritsar	Moderate	163	PM _{2.5}	1
10	Ankleshwar	Poor	297	PM _{2.5}	1
11	Asansol	Poor	240	PM _{2.5}	1
12	Aurangabad	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Ernakulam, Gummidipoondi, Hapur, Kaithal, Kochi, Panipat, Shivamogga, Solapur, Thrissur as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	62	PM ₁₀	1
14	Baghpat	Poor	285	PM _{2.5}	1
15	Bahadurgarh	Poor	218	PM _{2.5}	1
16	Ballabgarh	Moderate	139	PM ₁₀	1
17	Bengaluru	Satisfactory	98	O ₃ , PM ₁₀ , PM _{2.5}	9
18	Bhiwadi	Poor	247	PM _{2.5}	1
19	Bhiwani	Moderate	109	PM ₁₀	1
20	Bhopal	Poor	212	PM _{2.5}	1
21	Bidar	Moderate	102	PM _{2.5}	1
22	Brajrajnagar	Satisfactory	99	PM _{2.5}	1
23	Bulandshahr	Very Poor	308	PM _{2.5}	1
24	Chandigarh	Moderate	144	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	derate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Ernakulam, Gummidipoondi, Hapur, Kaithal, Kochi, Panipat, Shivamogga, Solapur, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	129	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Moderate	150	PM ₁₀	1
27	Chennai	Moderate	104	PM _{2.5} , PM ₁₀	7
28	Chikkaballapur	Satisfactory	68	PM ₁₀	1
29	Chikkamagaluru	Satisfactory	69	PM _{2.5}	1
30	Damoh	Moderate	144	PM _{2.5}	1
31	Delhi	Poor	296	PM _{2.5} , PM ₁₀	35
32	Dewas	Moderate	142	PM _{2.5}	1
33	Dharuhera	Moderate	157	PM ₁₀	1
34	Durgapur	Very Poor	308	PM _{2.5}	1
35	Eloor	Moderate	180	PM ₁₀	1
36	Faridabad	Poor	208	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Ernakulam, Gummidipoondi, Hapur, Kaithal, Kochi, Panipat, Shivamogga, Solapur, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	206	PM _{2.5}	1
38	Gadag	Satisfactory	82	O ₃	1
39	Gandhinagar	Moderate	119	PM _{2.5}	1
40	Gaya	Poor	275	PM _{2.5}	2
41	Ghaziabad	Very Poor	326	PM _{2.5}	4
42	Greater Noida	Poor	298	PM _{2.5}	2
43	Gurugram	Poor	234	PM _{2.5}	4
44	Guwahati	Satisfactory	76	PM _{2.5}	2
45	Gwalior	Poor	229	PM _{2.5}	1
46	Hajipur	Poor	212	PM ₁₀	1
47	Haldia	Moderate	168	PM _{2.5}	1
48	Hisar	Poor	236	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Ernakulam, Gummidipoondi, Hapur, Kaithal, Kochi, Panipat, Shivamogga, Solapur, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Very Poor	303	PM _{2.5}	3
50	Hubballi	Satisfactory	100	PM ₁₀	1
51	Hyderabad	Moderate	114	PM ₁₀ , PM _{2.5}	3
52	Indore	Moderate	136	PM _{2.5}	1
53	Jabalpur	Poor	205	PM ₁₀	1
54	Jaipur	Moderate	122	PM _{2.5} , PM ₁₀	3
55	Jalandhar	Moderate	153	PM _{2.5}	1
56	Jind	Poor	258	PM _{2.5}	1
57	Jodhpur	Moderate	192	PM _{2.5}	1
58	Jorapokhar	Moderate	153	PM ₁₀	1
59	Kalaburgi	Moderate	143	PM _{2.5}	1
60	Kalyan	Poor	238	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	sfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Ernakulam, Gummidipoondi, Hapur, Kaithal, Kochi, Panipat, Shivamogga, Solapur, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	98	PM ₁₀	1
62	Kanpur	Poor	288	PM _{2.5}	2
63	Karnal	Moderate	169	PM _{2.5}	1
64	Katni	Poor	252	PM ₁₀	1
65	Khanna	Satisfactory	96	PM ₁₀	1
66	Kohima	Poor	225	PM _{2.5}	1
67	Kolar	Good	47	SO ₂	1
68	Kolkata	Poor	295	PM _{2.5}	7
69	Kollam	Moderate	185	PM _{2.5}	1
70	Koppal	Satisfactory	78	PM _{2.5}	1
71	Kota	Moderate	112	PM ₁₀	1
72	Kozhikode	Satisfactory	80	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Ernakulam, Gummidipoondi, Hapur, Kaithal, Kochi, Panipat, Shivamogga, Solapur, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	209	PM _{2.5}	1
74	Lucknow	Poor	257	PM _{2.5}	4
75	Ludhiana	Satisfactory	100	PM ₁₀	1
76	Maihar	Satisfactory	59	PM ₁₀	1
77	Mandi Gobindgarh	Moderate	166	PM _{2.5}	1
78	Mandideep	Moderate	154	PM _{2.5}	1
79	Mandikhera	Satisfactory	75	PM _{2.5}	1
80	Manesar	Moderate	165	PM _{2.5}	1
81	Manglore	Satisfactory	93	PM _{2.5}	1
82	Medikeri	Satisfactory	70	со	1
83	Meerut	Poor	298	PM _{2.5}	2
84	Moradabad	Poor	286	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Ernakulam, Gummidipoondi, Hapur, Kaithal, Kochi, Panipat, Shivamogga, Solapur, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Moderate	189	PM _{2.5} , O ₃	18
86	Muzaffarnagar	Poor	220	PM _{2.5}	1
87	Muzaffarpur	Very Poor	366	PM _{2.5}	1
88	Mysuru	Satisfactory	84	PM ₁₀	1
89	Nagpur	Satisfactory	74	PM ₁₀	1
90	Nandesari	Satisfactory	100	со	1
91	Narnaul	Moderate	151	PM ₁₀	1
92	Nashik	Satisfactory	70	PM _{2.5}	1
93	Navi Mumbai	Poor	254	PM _{2.5}	3
94	Noida	Very Poor	306	PM _{2.5}	4
95	Pali	Moderate	122	PM ₁₀	1
96	Palwal	Satisfactory	93	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Ernakulam, Gummidipoondi, Hapur, Kaithal, Kochi, Panipat, Shivamogga, Solapur, Thrissur as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Poor	217	PM _{2.5}	1
98	Patiala	Moderate	108	PM ₁₀	1
99	Patna	Poor	279	PM _{2.5}	6
100	Pithampur	Moderate	102	PM ₁₀	1
101	Puducherry	Satisfactory	81	PM ₁₀	1
102	Pune	Satisfactory	87	NO ₂ , PM _{2.5} , PM ₁₀	5
103	Raichur	Poor	212	PM ₁₀	1
104	Rajamahendravaram	Moderate	149	PM _{2.5}	1
105	Ramanagara	Satisfactory	73	PM _{2.5}	1
106	Ratlam	Moderate	131	PM _{2.5}	1
107	Rohtak	Very Poor	323	PM _{2.5}	1
108	Rupnagar	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Ernakulam, Gummidipoondi, Hapur, Kaithal, Kochi, Panipat, Shivamogga, Solapur, Thrissur as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Satisfactory	59	PM _{2.5}	1
110	Satna	Satisfactory	98	PM ₁₀	1
111	Shillong	Satisfactory	66	PM _{2.5}	1
112	Siliguri	Poor	272	PM _{2.5}	1
113	Singrauli	Moderate	196	PM _{2.5}	1
114	Sirsa	Moderate	103	PM ₁₀	1
115	Sonipat	Moderate	134	PM ₁₀	1
116	Talcher	Poor	241	NO ₂	1
117	Thane	Poor	267	PM ₁₀	1
118	Thiruvananthapuram	Moderate	104	PM ₁₀ , PM _{2.5}	2
119	Thoothukudi	Satisfactory	55	PM ₁₀	1
120	Tirupati	Satisfactory	59	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Ernakulam, Gummidipoondi, Hapur, Kaithal, Kochi, Panipat, Shivamogga, Solapur, Thrissur as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Moderate	192	PM _{2.5}	1
122	Ujjain	Poor	202	PM _{2.5}	1
123	Vapi	Poor	202	PM _{2.5}	1
124	Varanasi	Very Poor	317	PM _{2.5}	1
125	Vatva	Poor	284	PM ₁₀	1
126	Vijayapura	Satisfactory	88	PM ₁₀	1
127	Visakhapatnam	Poor	203	PM _{2.5}	1
128	Yadgir	Satisfactory	83	PM ₁₀	1
129	Yamunanagar	Poor	273	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Chamarajanagar, Coimbatore, Davanagere, Ernakulam, Gummidipoondi, Hapur, Kaithal, Kochi, Panipat, Shivamogga, Solapur, Thrissur as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.