

## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	299	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	171	NO <sub>2</sub>	1
3	Ajmer	Satisfactory	98	PM <sub>2.5</sub>	1
4	Alwar	Moderate	124	PM <sub>2.5</sub>	1
5	Amaravati	Moderate	109	PM <sub>2.5</sub>	1
6	Ambala	Poor	274	PM <sub>2.5</sub>	1
7	Ankleshwar	Moderate	188	PM <sub>2.5</sub>	1
8	Asanol	Poor	243	PM <sub>2.5</sub>	1
9	Aurangabad	Satisfactory	75	PM <sub>2.5</sub>	1
10	Baghpat	Severe	442	PM <sub>2.5</sub>	1
11	Bahadurgarh	Very Poor	390	PM <sub>2.5</sub>	1
12	Ballabgarh	Very Poor	369	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bhiwani, Coimbatore, Muzaffarnagar, Rupnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Poor	296	PM <sub>2.5</sub>	1
14	Bengaluru	Satisfactory	65	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	10
15	Bhiwadi	Very Poor	371	PM <sub>10</sub>	1
16	Bhopal	Poor	228	PM <sub>2.5</sub>	1
17	Brajrajnagar	Moderate	124	PM <sub>10</sub>	1
18	Bulandshahr	Very Poor	348	PM <sub>10</sub>	1
19	Chandigarh	Poor	248	PM <sub>2.5</sub>	1
20	Chandrapur	Satisfactory	91	PM <sub>10</sub>	1
21	Chennai	Satisfactory	76	OZONE, PM <sub>2.5</sub> , NO <sub>2</sub>	3
22	Chikkaballapur	Good	45	PM <sub>10</sub>	1
23	Damoh	Poor	203	PM <sub>2.5</sub>	1
24	Delhi	Severe	458	PM <sub>2.5</sub>	28

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bhiwani, Coimbatore, Muzaffarnagar, Rupnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	160	OZONE	1
26	Dharuhera	Very Poor	385	PM <sub>2.5</sub>	1
27	Eloor	Good	34	PM <sub>10</sub>	1
28	Faridabad	Severe	450	PM <sub>2.5</sub>	1
29	Fatehabad	Poor	273	PM <sub>10</sub>	1
30	GandhiNagar	Satisfactory	89	PM <sub>10</sub>	1
31	Gaya	Poor	224	PM <sub>2.5</sub>	1
32	Ghaziabad	Severe	471	PM <sub>2.5</sub>	4
33	Greater_Noida	Severe	442	PM <sub>2.5</sub>	1
34	Gurugram	Severe	460	PM <sub>2.5</sub>	2
35	Guwahati	Moderate	147	PM <sub>10</sub>	1
36	Haldia	Satisfactory	95	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bhiwani, Coimbatore, Muzaffarnagar, Rupnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Very Poor	341	PM <sub>10</sub>	1
38	Hisar	Very Poor	366	PM <sub>2.5</sub>	1
39	Howrah	Poor	216	PM <sub>2.5</sub>	3
40	Hubballi	Moderate	144	PM <sub>10</sub>	1
41	Hyderabad	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	5
42	Indore	Moderate	188	PM <sub>10</sub>	1
43	Jabalpur	Moderate	138	PM <sub>10</sub>	1
44	Jaipur	Moderate	188	PM <sub>2.5</sub> , PM <sub>10</sub>	3
45	Jalandhar	Poor	300	PM <sub>2.5</sub>	1
46	Jind	Severe	404	PM <sub>2.5</sub>	1
47	Jodhpur	Satisfactory	87	СО	1
48	Jorapokhar	Moderate	156	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Bhiwani, Coimbatore, Muzaffarnagar, Rupnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Poor	288	PM <sub>2.5</sub>	1
50	Kalaburagi	Moderate	107	PM <sub>2.5</sub>	1
51	Kalyan	Moderate	156	PM <sub>2.5</sub>	1
52	Kanpur	Very Poor	378	PM <sub>2.5</sub>	1
53	Karnal	Very Poor	326	PM <sub>2.5</sub>	1
54	Katni	Poor	227	PM <sub>2.5</sub>	1
55	Khanna	Poor	240	PM <sub>2.5</sub>	1
56	Kolkata	Moderate	184	PM <sub>2.5</sub> , PM <sub>10</sub>	6
57	Kota	Poor	211	OZONE	1
58	Kurukshetra	Very Poor	337	PM <sub>2.5</sub>	1
59	Lucknow	Very Poor	333	PM <sub>2.5</sub>	4
60	Ludhiana	Poor	271	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Bhiwani, Coimbatore, Muzaffarnagar, Rupnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	58	PM <sub>10</sub>	1
62	Mandi Gobindgarh	Poor	259	PM <sub>2.5</sub>	1
63	Mandideep	Poor	260	PM <sub>10</sub>	1
64	Mandikhera	Very Poor	368	PM <sub>2.5</sub>	1
65	Manesar	Severe	405	PM <sub>2.5</sub>	1
66	Meerut	Very Poor	304	PM <sub>2.5</sub>	3
67	Moradabad	Poor	217	PM <sub>2.5</sub>	1
68	Mumbai	Moderate	139	PM <sub>2.5</sub>	10
69	Muzaffarpur	Very Poor	336	PM <sub>2.5</sub>	1
70	Mysuru	Satisfactory	66	PM <sub>10</sub>	1
71	Nagpur	Moderate	114	PM <sub>10</sub>	1
72	Narnaul	Poor	298	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Bhiwani, Coimbatore, Muzaffarnagar, Rupnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Moderate	140	PM <sub>2.5</sub>	1
74	Navi Mumbai	Moderate	176	PM <sub>2.5</sub>	2
75	Noida	Severe	469	PM <sub>2.5</sub> , PM <sub>10</sub>	4
76	Pali	Satisfactory	76	OZONE	1
77	Palwal	Severe	448	PM <sub>2.5</sub>	1
78	Panchkula	Satisfactory	94	PM <sub>2.5</sub>	1
79	Panipat	Very Poor	399	PM <sub>10</sub>	1
80	Patiala	Poor	289	PM <sub>2.5</sub>	1
81	Patna	Very Poor	342	PM <sub>2.5</sub>	1
82	Pithampur	Moderate	135	PM <sub>2.5</sub>	1
83	Pune	Moderate	168	PM <sub>2.5</sub>	1
84	Rajamahendravaram	Moderate	108	OZONE	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Amritsar, Bhiwani, Coimbatore, Muzaffarnagar, Rupnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Good	41	PM <sub>10</sub>	1
86	Ratlam	Moderate	155	PM <sub>10</sub>	1
87	Rohtak	Severe	424	PM <sub>2.5</sub>	1
88	Satna	Moderate	135	PM <sub>10</sub>	1
89	Siliguri	Moderate	121	PM <sub>10</sub>	1
90	Singrauli	Very Poor	306	PM <sub>2.5</sub>	1
91	Sirsa	Poor	222	PM <sub>2.5</sub>	1
92	Solapur	Moderate	120	PM <sub>10</sub>	1
93	Sonipat	Poor	263	PM <sub>2.5</sub>	1
94	Talcher	Poor	211	PM <sub>10</sub>	1
95	Thane	Satisfactory	81	OZONE	1
96	Thiruvananthapuram	Satisfactory	82	со	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bhiwani, Coimbatore, Muzaffarnagar, Rupnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Tirupati	Good	38	со	1
98	Udaipur	Satisfactory	99	PM <sub>2.5</sub>	1
99	Ujjain	Moderate	187	OZONE	1
100	Vapi	Poor	225	PM <sub>2.5</sub>	1
101	Varanasi	Poor	271	PM <sub>2.5</sub>	1
102	Vatva	Moderate	152	PM <sub>10</sub>	1
103	Visakhapatnam	Moderate	105	PM <sub>10</sub>	1
104	Yadgir	Satisfactory	98	PM <sub>2.5</sub>	1
105	Yamunanagar	Very Poor	336	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Amritsar, Bhiwani, Coimbatore, Muzaffarnagar, Rupnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.