

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	200	PM _{2.5}	2
2	Agra	Moderate	125	PM _{2.5}	6
3	Ahmedabad	Satisfactory	82	PM ₁₀	1
4	Aizawl	Good	31	PM ₁₀	1
5	Ajmer	Moderate	176	PM _{2.5}	1
6	Alwar	Moderate	122	PM _{2.5}	1
7	Amaravati	Poor	202	PM _{2.5}	1
8	Ambala	Poor	222	PM _{2.5}	1
9	Amritsar	Moderate	182	PM _{2.5}	1
10	Anantapur	Satisfactory	91	O ₃	1
11	Ankleshwar	Moderate	187	PM _{2.5}	1
12	Arrah	Very Poor	366	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	227	PM _{2.5}	1
14	Aurangabad (Bihar)	Very Poor	325	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Moderate	124	PM ₁₀	1
16	Baddi	Moderate	188	PM _{2.5}	1
17	Bagalkot	Good	50	PM ₁₀	1
18	Baghpat	Very Poor	350	PM _{2.5}	1
19	Bahadurgarh	Poor	277	PM _{2.5}	1
20	Ballabgarh	Very Poor	356	PM _{2.5}	1
21	Bareilly	Moderate	152	PM _{2.5}	2
22	Baripada	Moderate	175	PM _{2.5}	1
23	Bathinda	Moderate	110	PM ₁₀	1
24	Begusarai	Severe	431	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	120	PM _{2.5}	1
26	Bengaluru	Moderate	150	PM _{2.5} , CO	7
27	Bettiah	Very Poor	348	PM _{2.5}	1
28	Bhagalpur	Poor	292	PM _{2.5}	2
29	Bhiwadi	Poor	264	PM ₁₀	1
30	Bhiwani	Poor	273	PM _{2.5}	1
31	Bhopal	Poor	252	PM _{2.5}	2
32	Bihar Sharif	Very Poor	355	PM _{2.5}	1
33	Bilaspur	Satisfactory	84	PM ₁₀	1
34	Bileipada	Moderate	165	PM _{2.5}	1
35	Bulandshahr	Poor	282	PM _{2.5}	1
36	Buxar	Severe	443	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	41	PM ₁₀	1
38	Chandigarh	Moderate	161	PM _{2.5} , O ₃	3
39	Chandrapur	Poor	280	PM _{2.5}	1
40	Charkhi Dadri	Poor	286	PM _{2.5}	1
41	Chennai	Moderate	153	PM _{2.5}	7
42	Chhapra	Severe	422	PM _{2.5}	1
43	Chikkaballapur	Moderate	138	PM ₁₀	1
44	Chikkamagaluru	Satisfactory	64	PM ₁₀	1
45	Chittoor	Satisfactory	92	PM _{2.5}	1
46	Damoh	Moderate	154	PM _{2.5}	1
47	Darbhanga	Very Poor	342	PM ₁₀	1
48	Davanagere	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Very Poor	365	PM ₁₀ , PM _{2.5}	36
50	Dewas	Moderate	139	PM ₁₀	1
51	Dharuhera	Very Poor	315	PM _{2.5}	1
52	Dharwad	Poor	218	PM _{2.5}	1
53	Durgapur	Moderate	125	PM ₁₀	1
54	Eloor	Satisfactory	58	PM ₁₀	1
55	Faridabad	Very Poor	333	PM _{2.5}	4
56	Fatehabad	Poor	209	PM _{2.5}	1
57	Firozabad	Moderate	112	PM _{2.5}	2
58	Gadag	Satisfactory	80	PM ₁₀	1
59	Gandhinagar	Satisfactory	71	PM ₁₀	1
60	Gangtok	Good	31	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Very Poor	360	PM _{2.5}	3
62	Ghaziabad	Very Poor	352	PM ₁₀	4
63	Gorakhpur	Moderate	122	PM ₁₀	1
64	Greater Noida	Severe	404	PM ₁₀ , PM _{2.5}	2
65	Gurugram	Very Poor	333	PM _{2.5}	4
66	Guwahati	Moderate	108	PM _{2.5}	3
67	Gwalior	Very Poor	336	PM _{2.5}	2
68	Hajipur	Poor	295	PM _{2.5}	1
69	Haldia	Moderate	157	O ₃	1
70	Hapur	Moderate	174	PM ₁₀	1
71	Hassan	Moderate	130	PM _{2.5}	1
72	Haveri	Poor	227	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hisar	Poor	255	PM _{2.5}	1
74	Howrah	Moderate	149	PM _{2.5}	3
75	Hubballi	Poor	222	PM _{2.5}	1
76	Hyderabad	Moderate	117	PM _{2.5} , O ₃	13
77	Imphal	Satisfactory	100	PM _{2.5} , SO ₂	2
78	Indore	Moderate	117	PM ₁₀	1
79	Jabalpur	Poor	287	PM _{2.5}	1
80	Jaipur	Moderate	150	PM ₁₀	1
81	Jalandhar	Moderate	125	PM ₁₀	1
82	Jhansi	Poor	209	PM _{2.5}	1
83	Jind	Very Poor	306	PM _{2.5}	1
84	Jodhpur	Moderate	179	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kaithal	Poor	259	PM _{2.5}	1
86	Kalaburgi	Moderate	143	PM _{2.5}	1
87	Kanchipuram	Satisfactory	72	PM ₁₀	1
88	Kannur	Satisfactory	66	PM ₁₀	1
89	Kanpur	Poor	208	PM _{2.5}	3
90	Karnal	Poor	233	PM _{2.5}	1
91	Katihar	Very Poor	324	PM ₁₀	1
92	Katni	Poor	283	PM _{2.5}	1
93	Keonjhar	Poor	236	PM _{2.5}	1
94	Khanna	Moderate	191	PM _{2.5}	1
95	Khurja	Poor	281	PM _{2.5}	1
96	Kishanganj	Moderate	165	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Moderate	153	PM _{2.5}	1
98	Kohima	Satisfactory	54	PM ₁₀	1
99	Kolar	Moderate	136	PM ₁₀	1
100	Kolkata	Moderate	182	PM _{2.5}	7
101	Kollam	Satisfactory	96	PM ₁₀	1
102	Koppal	Moderate	143	03	1
103	Kota	Moderate	184	PM ₁₀	1
104	Kozhikode	Good	43	PM ₁₀	1
105	Kurukshetra	Poor	226	PM _{2.5}	1
106	Lucknow	Poor	246	PM _{2.5}	6
107	Ludhiana	Moderate	183	PM _{2.5}	1
108	Madikeri	Good	43	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Maihar	Satisfactory	96	PM ₁₀	1
110	Mandi Gobindgarh	Moderate	166	PM _{2.5}	1
111	Mandideep	Moderate	110	PM ₁₀	1
112	Mandikhera	Moderate	138	PM ₁₀	1
113	Manesar	Poor	278	PM _{2.5}	1
114	Mangalore	Satisfactory	92	PM _{2.5}	1
115	Manguraha	Satisfactory	89	PM ₁₀	1
116	Meerut	Poor	247	PM _{2.5}	3
117	Moradabad	Moderate	134	PM _{2.5}	6
118	Motihari	Very Poor	364	PM _{2.5}	1
119	Mumbai	Moderate	198	PM _{2.5} , PM ₁₀	19
120	Munger	Very Poor	302	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarnagar	Poor	275	PM _{2.5}	1
122	Muzaffarpur	Very Poor	314	PM _{2.5}	2
123	Mysuru	Satisfactory	67	PM ₁₀	1
124	Nagpur	Poor	277	PM _{2.5}	1
125	Nalbari	Moderate	115	PM ₁₀	1
126	Narnaul	Poor	217	PM _{2.5}	1
127	Nashik	Moderate	116	PM _{2.5}	1
128	Navi Mumbai	Poor	214	PM _{2.5}	3
129	Nayagarh	Moderate	193	PM _{2.5}	1
130	Noida	Very Poor	326	PM _{2.5}	4
131	Ooty	Satisfactory	91	PM _{2.5}	1
132	Pali	Moderate	110	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Palwal	Satisfactory	93	PM ₁₀	1
134	Panchkula	Moderate	110	PM _{2.5}	1
135	Patiala	Moderate	141	PM _{2.5}	1
136	Patna	Very Poor	395	PM ₁₀ , PM _{2.5}	5
137	Pithampur	Moderate	168	PM _{2.5}	1
138	Prayagraj	Poor	223	PM _{2.5} , PM ₁₀	3
139	Puducherry	Moderate	110	PM _{2.5}	1
140	Purnia	Poor	282	PM _{2.5}	1
141	Raichur	Moderate	146	PM ₁₀	1
142	Rairangpur	Moderate	178	PM _{2.5}	1
143	Rajamahendravaram	Moderate	170	PM _{2.5}	1
144	Rajgir	Very Poor	342	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanagara	Moderate	150	PM _{2.5}	1
146	Ramanathapuram	Satisfactory	97	PM _{2.5}	1
147	Ratlam	Moderate	106	PM ₁₀	1
148	Rohtak	Very Poor	309	PM _{2.5}	1
149	Rourkela	Poor	248	PM ₁₀	1
150	Sagar	Moderate	142	PM _{2.5} , CO	2
151	Saharsa	Very Poor	327	PM _{2.5}	1
152	Salem	Moderate	138	PM _{2.5}	1
153	Samastipur	Very Poor	330	PM _{2.5}	1
154	Sasaram	Very Poor	329	PM _{2.5}	1
155	Satna	Satisfactory	65	PM ₁₀	1
156	Shillong	Good	23	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Shivamogga	Satisfactory	80	O ₃	1
158	Siliguri	Moderate	102	PM ₁₀	1
159	Singrauli	Very Poor	326	PM _{2.5}	1
160	Sirsa	Moderate	199	PM _{2.5}	1
161	Sivasagar	Satisfactory	53	PM ₁₀	1
162	Siwan	Severe	460	PM _{2.5}	1
163	Sonipat	Poor	244	PM _{2.5}	1
164	Srinagar	Moderate	116	PM _{2.5}	1
165	Suakati	Poor	231	PM _{2.5}	1
166	Surat	Moderate	179	PM _{2.5}	1
167	Talcher	Poor	240	PM _{2.5}	1
168	Tensa	Moderate	190	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thane	Moderate	149	PM ₁₀	1
170	Thiruvananthapuram	Satisfactory	58	PM _{2.5}	2
171	Thoothukudi	Satisfactory	79	PM ₁₀	1
172	Thrissur	Satisfactory	67	PM _{2.5}	1
173	Tirupati	Moderate	118	PM _{2.5}	2
174	Tirupur	Moderate	110	PM ₁₀	1
175	Udaipur	Moderate	185	PM _{2.5}	1
176	Ujjain	Moderate	169	PM _{2.5}	1
177	Varanasi	Moderate	149	PM _{2.5}	4
178	Vatva	Satisfactory	89	PM ₁₀	1
179	Vijayapura	Satisfactory	74	PM ₁₀	1
180	Visakhapatnam	Poor	237	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vrindavan	Moderate	153	PM ₁₀	1
182	Yadgir	Satisfactory	82	PM _{2.5}	1
183	Yamunanagar	Moderate	188	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Bhilai, Bidar, Brajrajnagar, Chengalpattu, Coimbatore, Dehradun, Dindigul, Ernakulam, Gummidipoondi, Hosur, Jorapokhar, Kalyan, Korba, Naharlagun, Nandesari, Panipat, Pune, Raipur, Rupnagar, Solapur, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.