

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	85	PM ₁₀	1
2	Ahmedabad	Moderate	134	PM ₁₀	1
3	Aizawl	Satisfactory	93	PM ₁₀	1
4	Ajmer	Moderate	119	PM _{2.5}	1
5	Alwar	Satisfactory	86	PM ₁₀	1
6	Amaravati	Satisfactory	78	PM ₁₀	1
7	Ambala	Satisfactory	68	PM ₁₀	1
8	Ankleshwar	Moderate	121	PM ₁₀	1
9	Asansol	Moderate	104	PM ₁₀	1
10	Aurangabad	Satisfactory	94	PM ₁₀	1
11	Bagalkot	Good	45	со	1
12	Bahadurgarh	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Baghpat, Coimbatore, Ernakulam, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Naharlagun, Patiala, Satna, Solapur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	113	PM ₁₀	1
14	Bathinda	Good	32	PM ₁₀	1
15	Bengaluru	Moderate	105	PM _{2.5} , PM ₁₀	10
16	Bhiwadi	Poor	276	PM _{2.5}	1
17	Bhiwani	Satisfactory	100	PM ₁₀	1
18	Bhopal	Poor	226	PM ₁₀	1
19	Bidar	Moderate	116	PM ₁₀	1
20	Brajrajnagar	Satisfactory	95	PM ₁₀	1
21	Bulandshahr	Poor	237	03	1
22	Chamarajanagar	Satisfactory	74	PM _{2.5}	1
23	Chandigarh	Satisfactory	77	PM _{2.5}	1
24	Chandrapur	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Baghpat, Coimbatore, Ernakulam, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Naharlagun, Patiala, Satna, Solapur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	120	PM ₁₀	1
26	Chennai	Satisfactory	82	PM ₁₀ , O ₃ , CO	6
27	Chikkaballapur	Moderate	166	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	79	PM _{2.5}	1
29	Damoh	Moderate	112	PM ₁₀	1
30	Davanagere	Satisfactory	100	PM ₁₀	1
31	Delhi	Moderate	153	O ₃ , PM _{2.5} , PM ₁₀	30
32	Dewas	Poor	211	PM ₁₀	1
33	Dharuhera	Poor	215	PM ₁₀	1
34	Durgapur	Moderate	152	PM ₁₀	1
35	Eloor	Good	50	03	1
36	Faridabad	Moderate	138	PM ₁₀ , O ₃	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Baghpat, Coimbatore, Ernakulam, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Naharlagun, Patiala, Satna, Solapur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Satisfactory	82	PM ₁₀	1
38	Gadag	Good	50	PM _{2.5}	1
39	Gandhinagar	Satisfactory	89	PM ₁₀	1
40	Gaya	Moderate	142	PM _{2.5} , PM ₁₀	2
41	Ghaziabad	Moderate	175	PM ₁₀	3
42	Greater Noida	Poor	210	O ₃ , PM ₁₀	2
43	Gummidipoondi	Satisfactory	92	PM _{2.5}	1
44	Gurugram	Moderate	143	PM _{2.5} , PM ₁₀	3
45	Guwahati	Moderate	167	PM _{2.5}	2
46	Gwalior	Moderate	163	PM ₁₀	1
47	Hajipur	Moderate	191	PM ₁₀	1
48	Haldia	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Baghpat, Coimbatore, Ernakulam, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Naharlagun, Patiala, Satna, Solapur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Moderate	141	PM ₁₀	1
50	Hassan	Moderate	130	PM ₁₀	1
51	Hisar	Satisfactory	100	PM ₁₀	1
52	Howrah	Satisfactory	96	PM ₁₀	2
53	Hubballi	Satisfactory	98	PM ₁₀	1
54	Hyderabad	Moderate	121	PM ₁₀ , PM _{2.5}	6
55	Indore	Poor	217	PM ₁₀	1
56	Jabalpur	Poor	273	PM ₁₀	1
57	Jaipur	Moderate	152	PM _{2.5} , PM ₁₀	3
58	Jalandhar	Satisfactory	65	PM ₁₀	1
59	Jind	Satisfactory	92	PM ₁₀	1
60	Jodhpur	Poor	230	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Baghpat, Coimbatore, Ernakulam, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Naharlagun, Patiala, Satna, Solapur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Satisfactory	95	PM ₁₀	1
62	Kalyan	Moderate	124	PM _{2.5}	1
63	Kannur	Satisfactory	80	PM ₁₀	1
64	Kanpur	Moderate	154	PM _{2.5}	2
65	Karnal	Satisfactory	66	PM ₁₀	1
66	Katni	Poor	270	PM ₁₀	1
67	Khanna	Moderate	120	PM ₁₀	1
68	Kochi	Satisfactory	60	PM _{2.5}	1
69	Kolar	Satisfactory	60	со	1
70	Kolkata	Satisfactory	90	PM ₁₀	7
71	Kollam	Moderate	116	PM ₁₀	1
72	Kota	Poor	261	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Baghpat, Coimbatore, Ernakulam, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Naharlagun, Patiala, Satna, Solapur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	80	PM ₁₀	1
74	Kurukshetra	Satisfactory	100	PM ₁₀	1
75	Lucknow	Poor	299	PM _{2.5}	4
76	Ludhiana	Satisfactory	60	PM ₁₀	1
77	Mandi Gobindgarh	Moderate	114	PM _{2.5}	1
78	Mandideep	Satisfactory	89	PM ₁₀	1
79	Mandikhera	Moderate	106	PM _{2.5}	1
80	Manesar	Moderate	136	PM _{2.5}	1
81	Manglore	Satisfactory	74	PM ₁₀	1
82	Medikeri	Satisfactory	78	PM ₁₀	1
83	Meerut	Moderate	189	NO ₂ , PM ₁₀	3
84	Moradabad	Poor	202	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Baghpat, Coimbatore, Ernakulam, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Naharlagun, Patiala, Satna, Solapur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Satisfactory	99	PM ₁₀ , PM _{2.5}	17
86	Muzaffarnagar	Moderate	144	PM ₁₀	1
87	Muzaffarpur	Moderate	173	PM _{2.5} , PM ₁₀	2
88	Mysuru	Satisfactory	80	PM ₁₀	1
89	Nagpur	Satisfactory	87	PM _{2.5}	1
90	Nandesari	Satisfactory	54	со	1
91	Narnaul	Moderate	162	PM ₁₀	1
92	Nashik	Satisfactory	84	PM ₁₀	1
93	Navi Mumbai	Moderate	145	PM ₁₀	3
94	Noida	Moderate	143	PM ₁₀	3
95	Pali	Poor	229	PM _{2.5}	1
96	Palwal	Moderate	108	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Baghpat, Coimbatore, Ernakulam, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Naharlagun, Patiala, Satna, Solapur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Satisfactory	68	PM _{2.5}	1
98	Panipat	Moderate	137	PM ₁₀	1
99	Patna	Poor	212	PM _{2.5} , PM ₁₀	5
100	Pithampur	Moderate	132	PM ₁₀	1
101	Puducherry	Satisfactory	80	PM ₁₀	1
102	Pune	Moderate	103	PM _{2.5} , PM ₁₀	5
103	Raichur	Moderate	102	PM ₁₀	1
104	Rajamahendravaram	Satisfactory	91	PM ₁₀	1
105	Ramanagara	Moderate	104	PM ₁₀	1
106	Ratlam	Moderate	163	PM ₁₀	1
107	Rohtak	Satisfactory	91	PM _{2.5}	1
108	Rupnagar	Moderate	168	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Baghpat, Coimbatore, Ernakulam, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Naharlagun, Patiala, Satna, Solapur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Poor	287	PM _{2.5}	1
110	Shillong	Satisfactory	51	PM _{2.5}	1
111	Shivamogga	Satisfactory	62	PM ₁₀	1
112	Siliguri	Poor	231	PM _{2.5}	1
113	Singrauli	Very Poor	375	PM ₁₀	1
114	Sirsa	Satisfactory	57	PM ₁₀	1
115	Sonipat	Moderate	134	PM ₁₀	1
116	Srinagar	Good	48	PM ₁₀	1
117	Talcher	Moderate	108	PM _{2.5}	1
118	Thane	Moderate	108	PM ₁₀	1
119	Thiruvananthapuram	Satisfactory	77	PM ₁₀	2
120	Thoothukudi	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Baghpat, Coimbatore, Ernakulam, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Naharlagun, Patiala, Satna, Solapur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Satisfactory	79	03	1
122	Tirupati	Moderate	105	PM ₁₀	1
123	Udaipur	Moderate	117	PM ₁₀	1
124	Udupi	Poor	228	03	1
125	Ujjain	Poor	228	PM _{2.5}	1
126	Vapi	Satisfactory	91	PM ₁₀	1
127	Vijayapura	Satisfactory	62	PM ₁₀	1
128	Visakhapatnam	Moderate	122	PM ₁₀	1
129	Yadgir	Satisfactory	84	PM _{2.5}	1
130	Yamunanagar	Moderate	144	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Agra, Amritsar, Baghpat, Coimbatore, Ernakulam, Jorapokhar, Kaithal, Kohima, Koppal, Maihar, Naharlagun, Patiala, Satna, Solapur, Varanasi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.