

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	52	PM ₁₀	2
2	Agra	Satisfactory	100	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Satisfactory	63	O ₃ , PM ₁₀	2
4	Aizawl	Good	20	SO ₂	1
5	Alwar	Satisfactory	68	PM ₁₀	1
6	Amaravati	Satisfactory	62	03	1
7	Ambala	Moderate	168	PM _{2.5}	1
8	Anantapur	Satisfactory	60	PM _{2.5}	1
9	Araria	Moderate	134	PM _{2.5}	1
10	Asansol	Moderate	110	PM ₁₀	1
11	Aurangabad (Bihar)	Moderate	186	PM _{2.5}	1
12	Aurangabad (Maharashtra)	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	176	O ₃	1
14	Bagalkot	Good	37	со	1
15	Baghpat	Moderate	146	PM _{2.5}	1
16	Bahadurgarh	Moderate	179	PM _{2.5}	1
17	Ballabgarh	Moderate	123	PM _{2.5}	1
18	Bareilly	Moderate	194	PM _{2.5}	2
19	Bathinda	Moderate	141	PM ₁₀	1
20	Belgaum	Good	49	PM _{2.5}	1
21	Bengaluru	Satisfactory	54	PM ₁₀ , CO, PM _{2.5}	6
22	Bettiah	Satisfactory	67	PM ₁₀	1
23	Bhagalpur	Satisfactory	90	PM _{2.5}	2
24	Bhiwadi	Poor	201	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	111	PM _{2.5}	1
26	Bhopal	Satisfactory	90	PM ₁₀	2
27	Bihar Sharif	Moderate	112	PM ₁₀	1
28	Bilaspur	Good	49	PM ₁₀	1
29	Bulandshahr	Moderate	185	PM _{2.5}	1
30	Chamarajanagar	Good	41	PM ₁₀	1
31	Chandigarh	Moderate	101	PM _{2.5} , PM ₁₀	3
32	Chandrapur	Satisfactory	94	PM ₁₀	1
33	Charkhi Dadri	Moderate	137	PM _{2.5}	1
34	Chennai	Satisfactory	73	CO, PM ₁₀	7
35	Chhapra	Poor	229	PM _{2.5}	1
36	Chikkaballapur	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	38	SO ₂	1
38	Coimbatore	Good	36	CO, SO ₂	2
39	Damoh	Moderate	131	PM _{2.5}	1
40	Darbhanga	Moderate	117	PM ₁₀	1
41	Delhi	Moderate	181	PM ₁₀ , PM _{2.5} , O ₃	32
42	Dewas	Satisfactory	75	PM ₁₀	1
43	Dharuhera	Poor	215	PM ₁₀	1
44	Durgapur	Moderate	109	PM ₁₀	1
45	Eloor	Satisfactory	55	PM ₁₀	1
46	Ernakulam	Satisfactory	59	со	1
47	Faridabad	Moderate	182	PM ₁₀ , PM _{2.5}	3
48	Fatehabad	Moderate	103	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	120	PM ₁₀	2
50	Gandhinagar	Satisfactory	51	PM ₁₀	1
51	Gangtok	Good	24	O ₃	1
52	Gaya	Moderate	107	PM ₁₀ , PM _{2.5}	3
53	Ghaziabad	Poor	207	PM _{2.5} , PM ₁₀	4
54	Gorakhpur	Satisfactory	99	PM _{2.5}	1
55	Greater Noida	Poor	220	PM _{2.5} , PM ₁₀	2
56	Gurugram	Moderate	153	PM ₁₀ , PM _{2.5}	3
57	Guwahati	Satisfactory	94	PM ₁₀	2
58	Gwalior	Moderate	118	PM ₁₀	1
59	Hajipur	Moderate	135	PM ₁₀	1
60	Haldia	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	202	PM _{2.5}	1
62	Hassan	Good	33	NO ₂	1
63	Hisar	Moderate	123	PM ₁₀	1
64	Howrah	Satisfactory	53	PM _{2.5} , PM ₁₀	3
65	Hubballi	Satisfactory	58	СО	1
66	Hyderabad	Satisfactory	60	CO, PM ₁₀ , PM _{2.5}	13
67	Imphal	Satisfactory	94	O ₃ , SO ₂	2
68	Indore	Satisfactory	60	PM ₁₀	1
69	Jabalpur	Moderate	118	PM ₁₀	1
70	Jaipur	Satisfactory	88	PM ₁₀ , O ₃	3
71	Jalandhar	Moderate	105	PM ₁₀	1
72	Jhansi	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jind	Moderate	122	PM _{2.5}	1
74	Jodhpur	Satisfactory	98	PM ₁₀	1
75	Kaithal	Moderate	120	PM ₁₀	1
76	Kalaburgi	Good	43	PM _{2.5}	1
77	Kalyan	Moderate	110	PM ₁₀	1
78	Kannur	Satisfactory	66	PM ₁₀	1
79	Kanpur	Moderate	132	PM _{2.5}	3
80	Karnal	Satisfactory	67	PM ₁₀	1
81	Katihar	Moderate	172	PM ₁₀	1
82	Katni	Moderate	136	PM ₁₀	1
83	Khanna	Satisfactory	92	PM ₁₀	1
84	Khurja	Poor	239	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kishanganj	Satisfactory	86	PM ₁₀	1
86	Kochi	Satisfactory	98	PM _{2.5}	1
87	Kohima	Good	39	PM ₁₀	1
88	Kolkata	Satisfactory	55	O ₃ , PM ₁₀	7
89	Kollam	Moderate	108	PM ₁₀	1
90	Kota	Satisfactory	64	PM ₁₀	1
91	Kozhikode	Satisfactory	74	PM ₁₀	1
92	Kurukshetra	Moderate	137	PM _{2.5}	1
93	Lucknow	Moderate	116	PM _{2.5} , PM ₁₀	6
94	Ludhiana	Moderate	125	PM ₁₀	1
95	Madikeri	Good	33	O ₃	1
96	Maihar	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Moderate	121	PM ₁₀	1
98	Mandideep	Satisfactory	66	PM ₁₀	1
99	Mandikhera	Satisfactory	58	PM ₁₀	1
100	Manesar	Moderate	161	PM _{2.5}	1
101	Manglore	Satisfactory	64	PM ₁₀	1
102	Manguraha	Good	46	PM ₁₀	1
103	Meerut	Moderate	168	PM _{2.5}	2
104	Moradabad	Moderate	126	PM _{2.5} , PM ₁₀	6
105	Motihari	Satisfactory	91	PM ₁₀	1
106	Mumbai	Satisfactory	57	NO ₂ , PM ₁₀ , CO	17
107	Muzaffarnagar	Poor	205	PM _{2.5}	1
108	Muzaffarpur	Moderate	140	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Good	45	PM ₁₀	1
110	Nagpur	Satisfactory	98	O ₃	1
111	Narnaul	Moderate	108	PM _{2.5}	1
112	Nashik	Good	50	PM _{2.5}	1
113	Navi Mumbai	Moderate	130	PM _{2.5} , PM ₁₀	3
114	Noida	Moderate	169	PM ₁₀	4
115	Ooty	Good	47	SO ₂	1
116	Pali	Good	50	PM ₁₀	1
117	Palwal	Moderate	122	PM ₁₀	1
118	Panchkula	Satisfactory	72	PM _{2.5}	1
119	Panipat	Moderate	127	PM ₁₀	1
120	Patiala	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patna	Moderate	127	PM _{2.5} , PM ₁₀	6
122	Prayagraj	Satisfactory	81	PM _{2.5} , PM ₁₀	3
123	Puducherry	Good	46	PM ₁₀	1
124	Purnia	Moderate	188	PM _{2.5}	1
125	Rajamahendravaram	Good	44	PM ₁₀	1
126	Rajgir	Satisfactory	84	PM ₁₀	1
127	Ramanagara	Satisfactory	51	O ₃	1
128	Ramanathapuram	Good	37	PM ₁₀	1
129	Ratlam	Moderate	137	NO ₂	1
130	Rupnagar	Moderate	137	PM _{2.5}	1
131	Saharsa	Poor	202	PM _{2.5}	1
132	Samastipur	Moderate	127	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Satisfactory	81	СО	1
134	Satna	Good	40	PM ₁₀	1
135	Shillong	Good	26	PM _{2.5}	1
136	Shivamogga	Good	45	PM ₁₀	1
137	Siliguri	Satisfactory	61	PM ₁₀	1
138	Singrauli	Moderate	109	PM ₁₀	1
139	Sivasagar	Good	23	PM ₁₀	1
140	Siwan	Moderate	119	PM _{2.5}	1
141	Solapur	Satisfactory	89	PM ₁₀	1
142	Sonipat	Moderate	142	PM ₁₀	1
143	Talcher	Satisfactory	60	PM ₁₀	1
144	Thane	Satisfactory	92	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Good	28	PM ₁₀ , CO	2
146	Thoothukudi	Good	42	PM ₁₀	1
147	Thrissur	Good	48	PM ₁₀	1
148	Tirupati	Good	46	со	1
149	Tiruppur	Moderate	190	PM ₁₀	1
150	Udaipur	Satisfactory	60	PM ₁₀	1
151	Udupi	Satisfactory	70	со	1
152	Ujjain	Satisfactory	89	PM ₁₀	1
153	Varanasi	Satisfactory	68	PM ₁₀	2
154	Vatva	Satisfactory	77	PM ₁₀	1
155	Vijayapura	Good	40	PM ₁₀	1
156	Visakhapatnam	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ajmer, Amritsar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vrindavan	Satisfactory	89	PM ₁₀	1
158	Yadgir	Good	41	PM ₁₀	1
159	Yamunanagar	Moderate	161	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Amritsar, Notes: Ankleshwar, Arrah, Begusarai, Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Davanagere, Dehradun, Dindigul, Gadag, Gummidipoondi, Haveri Hosur, Jorapokhar, Kolar, Koppal, Munger, Naharlagun, Nandesari, Pithampur, Pune, Raichur, Rohtak, Sagar, Salem, Sirsa, Srinagar, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.