



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	98	PM ₁₀	2
2	Agra	Moderate	135	PM ₁₀	5
3	Ahmedabad	Moderate	130	PM _{2.5} , PM ₁₀	7
4	Aizawl	Satisfactory	92	PM ₁₀	1
5	Ajmer	Moderate	112	PM ₁₀	1
6	Alwar	Satisfactory	90	PM ₁₀	1
7	Amaravati	Good	33	PM ₁₀	1
8	Ambala	Moderate	128	PM ₁₀	1
9	Amritsar	Moderate	143	PM ₁₀	1
10	Ankleshwar	Moderate	109	PM _{2.5}	1
11	Araria	Satisfactory	73	O ₃	1
12	Arrah	Moderate	190	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	205	O ₃	1
14	Aurangabad	Poor	203	PM ₁₀	1
15	Aurangabad	Moderate	110	PM ₁₀	1
16	Baddi	Moderate	189	PM ₁₀	1
17	Bagalkot	Good	50	PM _{2.5}	1
18	Baghpat	Poor	274	PM ₁₀	1
19	Bahadurgarh	Poor	259	PM _{2.5}	1
20	Ballabgarh	Moderate	191	PM _{2.5}	1
21	Bathinda	Moderate	121	PM ₁₀	1
22	Begusarai	Moderate	119	PM ₁₀	1
23	Bengaluru	Satisfactory	97	PM ₁₀ , CO, PM _{2.5}	9
24	Bettiah	Moderate	124	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Poor	220	PM ₁₀ , PM _{2.5}	2
26	Bhiwadi	Very Poor	343	PM _{2.5}	1
27	Bhiwani	Poor	217	PM _{2.5}	1
28	Bhopal	Moderate	135	O ₃	1
29	Bihar Sharif	Poor	299	PM ₁₀	1
30	Bilaspur	Satisfactory	55	PM ₁₀	1
31	Brajrajnagar	Poor	234	O ₃	1
32	Bulandshahr	Poor	211	PM ₁₀	1
33	Chamarajanagar	Good	49	PM ₁₀	1
34	Chandigarh	Moderate	167	O ₃ , PM ₁₀	3
35	Chandrapur	Moderate	108	PM ₁₀	2
36	Charkhi Dadri	Poor	261	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Good	42	PM ₁₀ , CO	6
38	Chhapra	Poor	284	PM ₁₀	1
39	Chikkaballapur	Satisfactory	85	PM _{2.5}	1
40	Chikkamagaluru	Satisfactory	72	PM ₁₀	1
41	Coimbatore	Satisfactory	57	PM _{2.5}	1
42	Damoh	Good	48	PM ₁₀	1
43	Darbhanga	Moderate	130	PM ₁₀	1
44	Davanagere	Satisfactory	98	PM ₁₀	1
45	Delhi	Poor	242	PM ₁₀	36
46	Dewas	Moderate	146	PM _{2.5}	1
47	Dharuhera	Poor	257	PM ₁₀	1
48	Durgapur	Moderate	169	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	70	PM ₁₀	1
50	Ernakulam	Good	48	PM ₁₀	1
51	Faridabad	Moderate	186	PM ₁₀ , PM _{2.5}	2
52	Firozabad	Moderate	148	O ₃	1
53	Gandhinagar	Moderate	126	PM _{2.5} , PM ₁₀	3
54	Gaya	Moderate	141	PM _{2.5} , PM ₁₀	3
55	Ghaziabad	Poor	220	PM ₁₀	3
56	Gorakhpur	Satisfactory	58	PM ₁₀	1
57	Greater Noida	Poor	254	PM ₁₀	2
58	Gummidipoondi	Good	35	PM ₁₀	1
59	Gurugram	Poor	226	PM _{2.5}	4
60	Guwahati	Satisfactory	72	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gwalior	Moderate	139	PM _{2.5}	1
62	Hajipur	Moderate	120	PM ₁₀	1
63	Haldia	Satisfactory	61	PM ₁₀	1
64	Hapur	Poor	208	PM _{2.5}	1
65	Hassan	Moderate	106	PM ₁₀	1
66	Howrah	Satisfactory	73	PM ₁₀	3
67	Hubballi	Satisfactory	98	PM ₁₀	1
68	Hyderabad	Moderate	104	PM ₁₀ , O ₃ , PM _{2.5}	5
69	Indore	Moderate	199	PM _{2.5}	1
70	Jabalpur	Moderate	187	PM ₁₀	1
71	Jaipur	Moderate	175	PM _{2.5}	2
72	Jalandhar	Moderate	149	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Moderate	160	PM ₁₀	1
74	Jind	Moderate	197	PM _{2.5}	1
75	Jodhpur	Poor	219	PM ₁₀	1
76	Kaithal	Moderate	174	PM ₁₀	1
77	Kalaburgi	Moderate	109	PM ₁₀	1
78	Kannur	Satisfactory	65	PM ₁₀	1
79	Kanpur	Moderate	135	PM _{2.5} , PM ₁₀	3
80	Karnal	Moderate	128	PM ₁₀	1
81	Katni	Poor	218	PM ₁₀	1
82	Khanna	Moderate	125	PM ₁₀	1
83	Kishanganj	Satisfactory	65	PM ₁₀	1
84	Kochi	Moderate	104	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Moderate	118	PM ₁₀	1
86	Kolar	Satisfactory	67	PM ₁₀	1
87	Kolkata	Satisfactory	69	PM ₁₀ , O ₃	7
88	Kollam	Satisfactory	86	PM ₁₀	1
89	Koppal	Satisfactory	58	PM ₁₀	1
90	Kota	Moderate	149	PM _{2.5}	1
91	Kozhikode	Satisfactory	58	PM ₁₀	1
92	Kurukshetra	Moderate	185	PM _{2.5}	1
93	Lucknow	Moderate	173	PM _{2.5} , PM ₁₀	6
94	Ludhiana	Moderate	132	PM ₁₀	1
95	Madikeri	Satisfactory	79	PM ₁₀	1
96	Mandi Gobindgarh	Poor	230	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandideep	Moderate	133	PM ₁₀	1
98	Mandikhara	Satisfactory	90	PM ₁₀	1
99	Manesar	Poor	296	PM _{2.5}	1
100	Manglore	Satisfactory	57	CO	1
101	Manguraha	Moderate	125	CO	1
102	Meerut	Poor	277	PM ₁₀ , PM _{2.5}	3
103	Moradabad	Moderate	190	PM _{2.5} , PM ₁₀ , O ₃	4
104	Motihari	Moderate	182	O ₃	1
105	Mumbai	Moderate	106	PM ₁₀ , CO	16
106	Munger	Poor	225	PM _{2.5}	1
107	Muzaffarnagar	Poor	284	PM _{2.5}	1
108	Muzaffarpur	Moderate	162	O ₃ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Satisfactory	68	PM ₁₀	1
110	Nagpur	Satisfactory	77	PM ₁₀	1
111	Narnaul	Moderate	184	PM _{2.5}	1
112	Nashik	Satisfactory	67	O ₃	1
113	Navi Mumbai	Moderate	107	PM ₁₀	1
114	Noida	Poor	250	PM ₁₀	4
115	Pali	Moderate	159	PM _{2.5}	1
116	Palwal	Moderate	108	CO	1
117	Panchkula	Moderate	156	PM _{2.5}	1
118	Patiala	Moderate	140	PM ₁₀	1
119	Patna	Poor	208	PM _{2.5} , PM ₁₀	5
120	Pithampur	Moderate	185	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Moderate	110	PM ₁₀	3
122	Pune	Moderate	103	PM _{2.5} , PM ₁₀	5
123	Purnia	Satisfactory	88	NO ₂	1
124	Raichur	Moderate	111	PM ₁₀	1
125	Rajamahendravaram	Satisfactory	53	PM ₁₀	1
126	Rajgir	Moderate	160	PM _{2.5}	1
127	Ramanagara	Moderate	106	PM ₁₀	1
128	Ratlam	Moderate	149	PM ₁₀	1
129	Rohtak	Poor	237	PM _{2.5}	1
130	Rupnagar	Moderate	122	PM ₁₀	1
131	Sagar	Satisfactory	94	PM _{2.5}	1
132	Saharsa	Moderate	152	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Samastipur	Moderate	188	PM ₁₀	1
134	Sasaram	Moderate	194	O ₃	1
135	Shillong	Satisfactory	55	O ₃	1
136	Shivamogga	Satisfactory	53	PM ₁₀	1
137	Siliguri	Satisfactory	53	PM ₁₀	1
138	Singrauli	Very Poor	337	PM ₁₀	1
139	Sirsa	Moderate	128	PM ₁₀	1
140	Siwan	Poor	232	PM ₁₀	1
141	Solapur	Satisfactory	96	PM _{2.5}	1
142	Srinagar	Satisfactory	56	PM _{2.5}	1
143	Talcher	Good	48	O ₃	1
144	Thane	Poor	271	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Satisfactory	59	PM ₁₀ , CO	2
146	Thoothukudi	Satisfactory	54	PM ₁₀	1
147	Thrissur	Satisfactory	94	PM _{2.5}	1
148	Tirupati	Satisfactory	74	PM ₁₀	1
149	Udaipur	Moderate	122	PM ₁₀	1
150	Udupi	Satisfactory	60	O ₃	1
151	Ujjain	Poor	226	PM _{2.5}	1
152	Varanasi	Moderate	111	PM ₁₀	4
153	Vatva	Moderate	133	PM _{2.5}	1
154	Vijayapura	Good	46	PM ₁₀	1
155	Visakhapatnam	Satisfactory	71	PM ₁₀	1
156	Vrindavan	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Apr 08, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yadgir	Satisfactory	89	PM ₁₀	1
158	Yamunanagar	Poor	206	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Fatehabad, Gadag, Gangtok, Hisar, Jorapokhar, Kalyan, Katihar, Maihar, Naharlagun, Nandesari, Panipat, Puducherry, Satna, Sonipat, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.