

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	132	PM _{2.5}	1
2	Agra	Poor	262	PM _{2.5}	5
3	Ahmedabad	Moderate	178	PM _{2.5}	8
4	Ajmer	Moderate	140	PM _{2.5}	1
5	Alwar	Moderate	188	PM _{2.5}	1
6	Amaravati	Good	25	со	1
7	Ambala	Poor	258	PM _{2.5}	1
8	Amritsar	Poor	229	PM _{2.5}	1
9	Ankleshwar	Very Poor	317	PM _{2.5}	1
10	Asansol	Moderate	117	PM ₁₀	1
11	Aurangabad	Satisfactory	75	PM ₁₀	1
12	Bagalkot	Good	23	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	391	PM _{2.5}	1
14	Bahadurgarh	Very Poor	378	PM _{2.5}	1
15	Ballabgarh	Very Poor	350	PM _{2.5}	1
16	Bathinda	Poor	233	PM ₁₀	1
17	Bengaluru	Satisfactory	58	CO, PM _{2.5} , NO ₂	8
18	Bhiwadi	Very Poor	373	PM _{2.5}	1
19	Bhiwani	Very Poor	336	PM _{2.5}	1
20	Bhopal	Very Poor	306	PM _{2.5}	1
21	Bidar	Good	41	со	1
22	Bilaspur	Satisfactory	67	PM ₁₀	1
23	Brajrajnagar	Satisfactory	73	O ₃	1
24	Bulandshahr	Poor	289	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Good	44	PM ₁₀	1
26	Chandigarh	Moderate	148	O ₃ , PM ₁₀	2
27	Chandrapur	Satisfactory	77	PM ₁₀	2
28	Charkhi Dadri	Very Poor	399	PM _{2.5}	1
29	Chennai	Satisfactory	64	PM ₁₀ , CO, SO ₂	6
30	Chikkamagaluru	Good	33	NO ₂	1
31	Coimbatore	Good	49	NO ₂	1
32	Davanagere	Good	23	NO ₂	1
33	Delhi	Severe	403	PM _{2.5} , PM ₁₀	38
34	Dewas	Moderate	118	PM ₁₀	1
35	Dharuhera	Very Poor	308	PM _{2.5}	1
36	Eloor	Good	48	со	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	57	со	1
38	Faridabad	Very Poor	370	PM _{2.5} , PM ₁₀	2
39	Fatehabad	Very Poor	350	PM _{2.5}	1
40	Firozabad	Poor	258	PM _{2.5}	1
41	Gadag	Good	22	SO ₂	1
42	Gandhinagar	Moderate	153	PM _{2.5} , PM ₁₀	3
43	Gaya	Moderate	121	PM _{2.5} , PM ₁₀	2
44	Ghaziabad	Very Poor	356	PM _{2.5}	3
45	Greater Noida	Very Poor	361	PM _{2.5}	2
46	Gurugram	Very Poor	369	PM _{2.5}	4
47	Guwahati	Moderate	179	PM _{2.5}	2
48	Gwalior	Moderate	166	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Poor	291	PM _{2.5}	1
50	Haldia	Satisfactory	78	PM ₁₀	1
51	Hapur	Very Poor	315	PM _{2.5}	1
52	Hassan	Good	25	SO ₂	1
53	Hisar	Very Poor	398	PM _{2.5}	1
54	Howrah	Moderate	125	PM _{2.5} , PM ₁₀	3
55	Hubballi	Good	35	PM ₁₀	1
56	Hyderabad	Satisfactory	51	PM ₁₀ , NO ₂ , CO	6
57	Indore	Poor	262	PM _{2.5}	1
58	Jabalpur	Poor	247	PM _{2.5}	1
59	Jaipur	Poor	257	PM _{2.5}	3
60	Jalandhar	Poor	268	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Severe	428	PM _{2.5}	1
62	Jodhpur	Poor	243	PM _{2.5}	1
63	Kaithal	Poor	293	PM _{2.5}	1
64	Kalaburgi	Satisfactory	64	PM ₁₀	1
65	Kalyan	Poor	252	PM _{2.5}	1
66	Kannur	Satisfactory	53	со	1
67	Kanpur	Poor	237	PM _{2.5}	3
68	Karnal	Poor	269	PM _{2.5}	1
69	Katni	Very Poor	324	PM _{2.5}	1
70	Khanna	Moderate	195	PM _{2.5}	1
71	Kochi	Good	42	со	1
72	Kohima	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolar	Good	50	PM _{2.5}	1
74	Kolkata	Satisfactory	99	PM _{2.5} , PM ₁₀ , O ₃	7
75	Kollam	Satisfactory	78	PM ₁₀	1
76	Koppal	Good	46	СО	1
77	Kota	Very Poor	349	PM _{2.5}	1
78	Kozhikode	Good	47	PM ₁₀	1
79	Kurukshetra	Poor	279	PM _{2.5}	1
80	Lucknow	Poor	227	PM _{2.5} , PM ₁₀	6
81	Ludhiana	Poor	239	PM _{2.5}	1
82	Mandi Gobindgarh	Poor	236	PM ₁₀	1
83	Mandideep	Moderate	160	PM ₁₀	1
84	Mandikhera	Very Poor	316	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Severe	410	PM _{2.5}	1
86	Manglore	Satisfactory	60	СО	1
87	Medikeri	Good	19	СО	1
88	Meerut	Very Poor	337	PM _{2.5}	3
89	Moradabad	Very Poor	308	PM _{2.5}	2
90	Motihari	Very Poor	327	PM _{2.5}	1
91	Mumbai	Poor	222	PM _{2.5}	20
92	Munger	Poor	257	PM _{2.5}	1
93	Muzaffarnagar	Very Poor	322	PM _{2.5}	1
94	Muzaffarpur	Poor	250	PM _{2.5} , PM ₁₀	3
95	Mysuru	Good	29	PM ₁₀	1
96	Naharlagun	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nandesari	Satisfactory	71	PM _{2.5}	1
98	Narnaul	Very Poor	341	PM _{2.5}	1
99	Nashik	Moderate	118	PM _{2.5}	1
100	Navi Mumbai	Poor	236	PM _{2.5}	3
101	Noida	Very Poor	397	PM ₁₀ , PM _{2.5}	4
102	Pali	Moderate	175	PM _{2.5}	1
103	Palwal	Poor	211	PM ₁₀	1
104	Panchkula	Moderate	111	PM _{2.5}	1
105	Panipat	Very Poor	320	PM ₁₀	1
106	Patiala	Poor	275	PM _{2.5}	1
107	Patna	Poor	242	PM _{2.5} , PM ₁₀	5
108	Pithampur	Poor	240	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Prayagraj	Poor	274	PM _{2.5}	3
110	Puducherry	Good	41	СО	1
111	Pune	Moderate	192	PM _{2.5}	2
112	Raichur	Satisfactory	57	PM ₁₀	1
113	Rajamahendravaram	Good	41	03	1
114	Ramanagara	Good	40	03	1
115	Ratlam	Poor	216	PM _{2.5}	1
116	Rohtak	Very Poor	375	PM _{2.5}	1
117	Rupnagar	Moderate	170	PM ₁₀	1
118	Sagar	Moderate	167	PM _{2.5}	1
119	Sasaram	Poor	217	PM _{2.5}	1
120	Satna	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Shivamogga	Good	37	PM ₁₀	1
122	Siliguri	Moderate	106	PM ₁₀	1
123	Singrauli	Poor	295	PM _{2.5}	1
124	Sirsa	Very Poor	342	PM _{2.5}	1
125	Sonipat	Very Poor	315	PM _{2.5}	1
126	Srinagar	Satisfactory	100	PM ₁₀	1
127	Talcher	Good	29	PM _{2.5}	1
128	Thiruvananthapuram	Satisfactory	56	PM ₁₀ , CO	2
129	Thoothukudi	Satisfactory	79	со	1
130	Tirupati	Good	46	со	1
131	Udaipur	Poor	289	PM _{2.5}	1
132	Udupi	Satisfactory	67	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ujjain	Moderate	179	PM ₁₀	1
134	Vapi	Moderate	185	PM _{2.5}	1
135	Varanasi	Poor	252	PM _{2.5}	4
136	Vatva	Poor	285	PM _{2.5}	1
137	Vijayapura	Good	45	PM ₁₀	1
138	Visakhapatnam	Good	35	СО	1
139	Vrindavan	Poor	275	PM _{2.5}	1
140	Yadgir	Good	30	PM ₁₀	1
141	Yamunanagar	Very Poor	306	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bihar Sharif, Chikkaballapur, Damoh, Darbhanga, Durgapur, Gorakhpur, Gummidipoondi, Jorapokhar, Maihar, Nagpur, Shillong, Solapur, Thane, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.