



## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	50	PM <sub>10</sub> , O <sub>3</sub>	2
2	Agra	Moderate	109	PM <sub>10</sub>	4
3	Ahmedabad	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub>	6
4	Aizawl	Good	50	PM <sub>10</sub>	1
5	Ajmer	Moderate	148	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	81	O <sub>3</sub>	1
7	Ambala	Moderate	137	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	78	PM <sub>10</sub>	1
9	Ankleshwar	Satisfactory	73	PM <sub>10</sub>	1
10	Araria	Moderate	166	PM <sub>2.5</sub>	1
11	Arrah	Moderate	125	PM <sub>10</sub>	1
12	Asansol	Moderate	115	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Moderate	145	PM <sub>10</sub>	1
14	Baddi	Moderate	171	PM <sub>10</sub>	1
15	Bagalkot	Satisfactory	51	PM <sub>10</sub>	1
16	Baghpat	Moderate	121	PM <sub>10</sub>	1
17	Bahadurgarh	Moderate	166	PM <sub>10</sub>	1
18	Ballabgarh	Satisfactory	76	PM <sub>10</sub>	1
19	Bathinda	Satisfactory	92	PM <sub>10</sub>	1
20	Begusarai	Moderate	142	PM <sub>2.5</sub>	1
21	Bengaluru	Satisfactory	64	PM <sub>10</sub> , CO	6
22	Bettiah	Moderate	193	PM <sub>10</sub>	1
23	Bhagalpur	Moderate	146	PM <sub>10</sub> , PM <sub>2.5</sub>	2
24	Bhiwadi	Very Poor	308	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	183	PM <sub>2.5</sub>	1
26	Bhopal	Moderate	153	PM <sub>10</sub>	1
27	Bihar Sharif	Very Poor	365	PM <sub>10</sub>	1
28	Bilaspur	Satisfactory	58	PM <sub>10</sub>	1
29	Bulandshahr	Moderate	142	PM <sub>10</sub>	1
30	Chamarajanagar	Good	37	PM <sub>10</sub>	1
31	Chandigarh	Moderate	156	O <sub>3</sub> , PM <sub>10</sub>	3
32	Chandrapur	Moderate	128	PM <sub>10</sub>	2
33	Charkhi Dadri	Poor	201	PM <sub>10</sub>	1
34	Chennai	Satisfactory	58	PM <sub>10</sub> , CO, O <sub>3</sub>	5
35	Chikkaballapur	Good	45	PM <sub>10</sub>	1
36	Chikkamagaluru	Good	47	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	27	CO	1
38	Darbhanga	Moderate	121	PM <sub>10</sub>	1
39	Davanagere	Satisfactory	57	PM <sub>10</sub>	1
40	Dehradun	Moderate	126	PM <sub>10</sub>	1
41	Delhi	Poor	201	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	37
42	Dharuhera	Poor	261	PM <sub>10</sub>	1
43	Durgapur	Moderate	108	PM <sub>10</sub>	1
44	Faridabad	Moderate	200	PM <sub>2.5</sub> , PM <sub>10</sub>	2
45	Fatehabad	Poor	216	PM <sub>2.5</sub>	1
46	Firozabad	Moderate	107	PM <sub>10</sub>	1
47	Gandhinagar	Moderate	146	PM <sub>2.5</sub> , PM <sub>10</sub>	3
48	Gangtok	Good	26	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	162	O <sub>3</sub> , PM <sub>2.5</sub>	2
50	Ghaziabad	Moderate	197	PM <sub>10</sub> , O <sub>3</sub>	4
51	Gorakhpur	Good	47	O <sub>3</sub>	1
52	Greater Noida	Moderate	187	PM <sub>10</sub>	1
53	Gummidipoondi	Good	28	PM <sub>2.5</sub>	1
54	Gurugram	Moderate	200	PM <sub>10</sub> , PM <sub>2.5</sub>	3
55	Guwahati	Satisfactory	76	PM <sub>10</sub>	2
56	Gwalior	Moderate	143	PM <sub>10</sub>	1
57	Hajipur	Moderate	106	PM <sub>10</sub>	1
58	Haldia	Satisfactory	80	PM <sub>10</sub>	1
59	Hapur	Moderate	170	PM <sub>10</sub>	1
60	Hassan	Satisfactory	69	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Poor	238	PM <sub>10</sub>	1
62	Howrah	Satisfactory	83	O <sub>3</sub> , PM <sub>10</sub>	3
63	Hubballi	Satisfactory	68	PM <sub>10</sub>	1
64	Hyderabad	Moderate	121	O <sub>3</sub> , PM <sub>10</sub>	10
65	Imphal	Satisfactory	72	PM <sub>10</sub>	1
66	Indore	Satisfactory	77	PM <sub>10</sub>	1
67	Jabalpur	Moderate	127	PM <sub>10</sub>	1
68	Jaipur	Moderate	194	PM <sub>2.5</sub> , PM <sub>10</sub>	3
69	Jalandhar	Moderate	167	PM <sub>10</sub>	1
70	Jind	Moderate	161	PM <sub>10</sub>	1
71	Kaithal	Moderate	175	PM <sub>2.5</sub>	1
72	Kalaburgi	Moderate	106	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Satisfactory	93	PM <sub>10</sub>	1
74	Kannur	Satisfactory	63	PM <sub>10</sub>	1
75	Kanpur	Moderate	122	PM <sub>10</sub> , PM <sub>2.5</sub>	3
76	Karnal	Moderate	146	PM <sub>10</sub>	1
77	Katihar	Moderate	163	PM <sub>10</sub>	1
78	Katni	Moderate	117	PM <sub>10</sub>	1
79	Khanna	Moderate	134	PM <sub>10</sub>	1
80	Kochi	Satisfactory	64	CO	1
81	Kohima	Satisfactory	90	PM <sub>10</sub>	1
82	Kolkata	Satisfactory	83	PM <sub>10</sub> , NO <sub>2</sub> , O <sub>3</sub>	7
83	Kollam	Satisfactory	60	PM <sub>10</sub>	1
84	Kota	Moderate	142	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Satisfactory	52	PM <sub>10</sub>	1
86	Kurukshetra	Poor	238	PM <sub>2.5</sub>	1
87	Lucknow	Satisfactory	100	PM <sub>2.5</sub> , PM <sub>10</sub>	6
88	Ludhiana	Moderate	152	PM <sub>10</sub>	1
89	Madikeri	Good	35	PM <sub>10</sub>	1
90	Maihar	Good	33	PM <sub>10</sub>	1
91	Mandi Gobindgarh	Moderate	147	PM <sub>2.5</sub>	1
92	Mandideep	Satisfactory	99	PM <sub>10</sub>	1
93	Mandikhera	Moderate	126	PM <sub>10</sub>	1
94	Manesar	Poor	282	PM <sub>2.5</sub>	1
95	Manglore	Satisfactory	59	CO	1
96	Meerut	Moderate	154	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Satisfactory	96	O <sub>3</sub> , PM <sub>10</sub>	4
98	Motihari	Moderate	121	O <sub>3</sub>	1
99	Mumbai	Satisfactory	66	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	13
100	Munger	Moderate	151	PM <sub>10</sub>	1
101	Muzaffarnagar	Poor	231	PM <sub>10</sub>	1
102	Muzaffarpur	Moderate	119	PM <sub>2.5</sub>	3
103	Mysuru	Good	50	O <sub>3</sub>	1
104	Narnaul	Poor	209	PM <sub>10</sub>	1
105	Nashik	Satisfactory	66	PM <sub>10</sub>	1
106	Navi Mumbai	Satisfactory	88	CO, PM <sub>10</sub>	3
107	Noida	Poor	201	PM <sub>10</sub>	4
108	Pali	Moderate	146	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Palwal	Moderate	155	PM <sub>10</sub>	1
110	Panchkula	Moderate	156	PM <sub>2.5</sub>	1
111	Panipat	Moderate	183	PM <sub>10</sub>	1
112	Patiala	Moderate	146	PM <sub>10</sub>	1
113	Patna	Moderate	150	PM <sub>10</sub> , PM <sub>2.5</sub>	5
114	Pithampur	Satisfactory	88	PM <sub>10</sub>	1
115	Prayagraj	Moderate	119	PM <sub>10</sub>	3
116	Puducherry	Good	37	PM <sub>10</sub>	1
117	Pune	Satisfactory	87	PM <sub>2.5</sub> , CO	4
118	Purnia	Moderate	188	PM <sub>2.5</sub>	1
119	Rajamahendravaram	Satisfactory	84	PM <sub>10</sub>	1
120	Ramanagara	Good	32	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Moderate	120	PM <sub>10</sub>	1
122	Rupnagar	Satisfactory	88	PM <sub>10</sub>	1
123	Sagar	Satisfactory	92	NO <sub>2</sub>	1
124	Samastipur	Moderate	180	PM <sub>10</sub>	1
125	Sasaram	Moderate	189	O <sub>3</sub>	1
126	Satna	Satisfactory	85	PM <sub>10</sub>	1
127	Shillong	Good	40	PM <sub>2.5</sub>	2
128	Singrauli	Moderate	116	PM <sub>10</sub>	1
129	Sirsa	Poor	243	PM <sub>10</sub>	1
130	Solapur	Satisfactory	90	CO	1
131	Srinagar	Satisfactory	56	PM <sub>10</sub>	1
132	Thane	Moderate	105	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on May 30, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thiruvananthapuram	Good	33	CO	1
134	Thoothukudi	Good	27	O <sub>3</sub>	1
135	Thrissur	Good	40	O <sub>3</sub>	1
136	Tirupati	Satisfactory	71	PM <sub>10</sub>	1
137	Udaipur	Moderate	116	PM <sub>10</sub>	1
138	Ujjain	Moderate	153	PM <sub>10</sub>	1
139	Varanasi	Satisfactory	100	O <sub>3</sub> , PM <sub>10</sub>	4
140	Vatva	Satisfactory	95	PM <sub>2.5</sub>	1
141	Vijayapura	Satisfactory	56	PM <sub>10</sub>	1
142	Vrindavan	Moderate	124	PM <sub>10</sub>	1
143	Yadgir	Satisfactory	84	PM <sub>10</sub>	1
144	Yamunanagar	Poor	234	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Alwar, Aurangabad (Maharashtra), Bhilai, Bidar, Brajrajnagar, Buxar, Chhapra, Damoh, Dewas, Eloor, Ernakulam, Gadag, Haveri, Jhansi, Jodhpur, Jorapokhar, Kishanganj, Kolar, Koppal, Manguraha, Nagpur, Naharlagun, Nandesari, Raichur, Rajgir, Rohtak, Saharsa, Shivamogga, Siliguri, Siwan, Sonapat, Talcher, Udupi, Vapi, Visakhapatnam as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.