



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	181	PM ₁₀ , PM _{2.5}	2
2	Agra	Moderate	130	PM _{2.5}	6
3	Ahmedabad	Satisfactory	85	PM ₁₀	1
4	Aizawl	Good	31	PM ₁₀	1
5	Ajmer	Moderate	102	PM ₁₀	1
6	Alwar	Moderate	193	PM _{2.5}	1
7	Amaravati	Poor	249	PM _{2.5}	1
8	Ambala	Moderate	154	PM _{2.5}	1
9	Amritsar	Poor	236	PM _{2.5}	1
10	Anantapur	Satisfactory	87	O ₃	1
11	Araria	Poor	267	PM _{2.5}	1
12	Ariyalur	Satisfactory	74	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	283	PM _{2.5}	1
14	Aurangabad (Bihar)	Very Poor	345	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Poor	217	PM _{2.5}	1
16	Baddi	Very Poor	330	PM _{2.5}	1
17	Bagalkot	Good	43	PM ₁₀	1
18	Baghpat	Poor	276	PM _{2.5}	1
19	Bahadurgarh	Poor	234	PM _{2.5}	1
20	Ballabgarh	Poor	262	PM _{2.5}	1
21	Bareilly	Moderate	112	PM _{2.5} , PM ₁₀	2
22	Baripada	Moderate	132	PM ₁₀	1
23	Bathinda	Moderate	150	PM _{2.5}	1
24	Begusarai	Very Poor	391	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belgaum	Moderate	153	PM _{2.5}	1
26	Bengaluru	Satisfactory	91	PM _{2.5} , CO	9
27	Bhagalpur	Very Poor	380	PM _{2.5}	2
28	Bhilai	Satisfactory	72	PM ₁₀	2
29	Bhiwadi	Poor	287	PM _{2.5}	1
30	Bhiwani	Moderate	158	PM _{2.5}	1
31	Bhopal	Moderate	144	PM _{2.5}	2
32	Bidar	Satisfactory	97	CO	1
33	Bihar Sharif	Very Poor	370	PM _{2.5}	1
34	Bileipada	Moderate	140	PM _{2.5}	1
35	Brajrajnagar	Satisfactory	58	PM ₁₀	1
36	Bulandshahr	Poor	251	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Very Poor	347	PM _{2.5}	1
38	Chamarajanagar	Good	49	PM ₁₀	1
39	Chandigarh	Very Poor	314	PM _{2.5}	2
40	Chandrapur	Poor	246	PM _{2.5}	2
41	Charkhi Dadri	Moderate	176	PM _{2.5}	1
42	Chennai	Moderate	101	PM _{2.5} , PM ₁₀	8
43	Chhapra	Severe	417	PM ₁₀	1
44	Chikkaballapur	Moderate	134	PM ₁₀	1
45	Chikkamagaluru	Satisfactory	62	CO	1
46	Chittoor	Satisfactory	58	PM ₁₀	1
47	Coimbatore	Satisfactory	97	PM _{2.5}	1
48	Damoh	Satisfactory	51	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Darbhanga	Very Poor	358	PM _{2.5}	1
50	Davanagere	Satisfactory	89	PM ₁₀	1
51	Delhi	Very Poor	377	PM ₁₀ , PM _{2.5}	38
52	Dewas	Moderate	117	PM _{2.5}	1
53	Dharuhera	Very Poor	339	PM _{2.5}	1
54	Dindigul	Poor	229	NO ₂	1
55	Durgapur	Moderate	148	PM ₁₀	1
56	Eloor	Satisfactory	68	PM ₁₀	1
57	Faridabad	Very Poor	359	PM _{2.5}	4
58	Firozabad	Moderate	134	PM _{2.5}	2
59	Gandhinagar	Satisfactory	79	PM ₁₀	1
60	Gangtok	Good	30	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Very Poor	315	PM _{2.5}	3
62	Ghaziabad	Very Poor	336	PM ₁₀	4
63	Gorakhpur	Moderate	144	PM _{2.5}	1
64	Greater Noida	Severe	411	PM _{2.5}	2
65	Gummidipoondi	Moderate	164	PM _{2.5}	1
66	Gurugram	Very Poor	327	PM _{2.5}	4
67	Guwahati	Poor	223	PM _{2.5}	4
68	Gwalior	Poor	278	PM _{2.5}	3
69	Hajipur	Poor	282	PM _{2.5}	1
70	Haldia	Moderate	148	PM ₁₀	1
71	Hapur	Poor	261	PM ₁₀	1
72	Hassan	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Moderate	118	PM _{2.5}	1
74	Hosur	Moderate	116	CO	1
75	Howrah	Poor	259	PM _{2.5}	3
76	Hubballi	Moderate	124	PM _{2.5}	2
77	Hyderabad	Moderate	128	PM _{2.5}	14
78	Imphal	Moderate	132	PM _{2.5} , SO ₂	2
79	Indore	Moderate	109	PM ₁₀	1
80	Jabalpur	Poor	245	PM _{2.5}	1
81	Jaipur	Moderate	148	PM ₁₀	3
82	Jalandhar	Poor	249	PM _{2.5}	1
83	Jhansi	Moderate	132	PM ₁₀	1
84	Jodhpur	Moderate	168	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jorapokhar	Moderate	135	PM ₁₀	1
86	Kaithal	Poor	261	PM _{2.5}	1
87	Kalyan	Moderate	192	PM ₁₀	1
88	Kanchipuram	Satisfactory	70	PM ₁₀	1
89	Kannur	Satisfactory	94	PM _{2.5}	1
90	Kanpur	Moderate	200	PM _{2.5}	4
91	Karnal	Poor	203	PM _{2.5}	1
92	Katihar	Very Poor	378	PM _{2.5}	1
93	Katni	Poor	213	PM _{2.5}	1
94	Keonjhar	Satisfactory	91	PM ₁₀	1
95	Khanna	Poor	211	PM _{2.5}	1
96	Khurja	Poor	258	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kishanganj	Poor	212	PM _{2.5}	1
98	Kochi	Moderate	143	PM _{2.5}	1
99	Kohima	Satisfactory	66	PM ₁₀	1
100	Kolkata	Poor	269	PM _{2.5}	6
101	Kollam	Satisfactory	99	PM ₁₀	1
102	Koppal	Satisfactory	93	CO	1
103	Korba	Satisfactory	63	PM _{2.5}	1
104	Kota	Poor	272	PM _{2.5}	1
105	Kozhikode	Satisfactory	75	PM _{2.5}	1
106	Kurukshetra	Very Poor	301	PM _{2.5}	1
107	Lucknow	Moderate	195	PM _{2.5}	6
108	Ludhiana	Poor	273	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Madikeri	Good	39	O ₃	1
110	Maihar	Satisfactory	71	PM ₁₀	1
111	Mandideep	Satisfactory	99	SO ₂	1
112	Mandikhera	Moderate	158	PM ₁₀	1
113	Manesar	Very Poor	351	PM _{2.5}	1
114	Mangalore	Moderate	107	PM _{2.5}	1
115	Manguraha	Moderate	174	PM _{2.5}	1
116	Meerut	Very Poor	331	PM _{2.5}	3
117	Moradabad	Moderate	117	PM _{2.5}	6
118	Motihari	Poor	222	PM ₁₀	1
119	Mumbai	Poor	204	PM _{2.5} , PM ₁₀	17
120	Munger	Very Poor	372	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarnagar	Poor	218	PM _{2.5}	1
122	Muzaffarpur	Very Poor	344	PM _{2.5}	3
123	Mysuru	Good	45	O ₃	1
124	Nagpur	Poor	219	PM _{2.5}	1
125	Naharlagun	Good	33	PM _{2.5}	1
126	Nalbari	Poor	252	PM _{2.5}	1
127	Nandesari	Good	39	PM _{2.5}	1
128	Narnaul	Moderate	179	PM _{2.5}	1
129	Nashik	Moderate	144	PM _{2.5}	1
130	Navi Mumbai	Poor	300	PM _{2.5}	3
131	Nayagarh	Moderate	114	PM ₁₀	1
132	Noida	Very Poor	375	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ooty	Good	47	SO ₂	1
134	Pali	Moderate	112	PM ₁₀	1
135	Palwal	Moderate	154	PM _{2.5}	1
136	Panchkula	Poor	221	PM _{2.5}	1
137	Panipat	Poor	206	PM ₁₀	1
138	Patiala	Moderate	197	PM _{2.5}	1
139	Patna	Very Poor	363	PM ₁₀ , PM _{2.5}	6
140	Pithampur	Moderate	109	PM _{2.5}	1
141	Prayagraj	Moderate	108	PM ₁₀	3
142	Puducherry	Satisfactory	75	PM ₁₀	1
143	Purnia	Very Poor	329	PM _{2.5}	1
144	Raichur	Moderate	134	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Raipur	Moderate	106	NO ₂ , PM ₁₀	4
146	Rairangpur	Moderate	147	PM _{2.5}	1
147	Rajamahendravaram	Poor	292	PM _{2.5}	1
148	Rajgir	Very Poor	384	PM _{2.5}	1
149	Ramanagara	Satisfactory	87	PM _{2.5}	1
150	Ramanathapuram	Satisfactory	59	PM ₁₀	1
151	Ratlam	Satisfactory	94	PM ₁₀	1
152	Rohtak	Moderate	184	PM _{2.5}	1
153	Rourkela	Moderate	147	PM ₁₀	1
154	Rupnagar	Moderate	169	PM ₁₀	1
155	Sagar	Satisfactory	96	PM _{2.5} , CO	2
156	Saharsa	Very Poor	338	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Samastipur	Very Poor	354	PM _{2.5}	1
158	Satna	Good	48	PM ₁₀	1
159	Shillong	Good	36	PM _{2.5}	1
160	Shivamogga	Good	46	PM ₁₀	1
161	Siliguri	Moderate	128	PM _{2.5}	1
162	Singrauli	Poor	251	PM _{2.5}	1
163	Sirsa	Moderate	160	PM _{2.5}	1
164	Siwan	Very Poor	399	PM _{2.5}	1
165	Sonipat	Moderate	167	PM _{2.5}	1
166	Suakati	Moderate	115	PM ₁₀	1
167	Surat	Very Poor	332	PM _{2.5}	1
168	Talcher	Moderate	125	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thiruvananthapuram	Satisfactory	82	PM _{2.5} , CO	2
170	Thoothukudi	Satisfactory	51	PM ₁₀	1
171	Thrissur	Moderate	115	PM ₁₀	1
172	Tirupati	Satisfactory	94	PM _{2.5}	2
173	Tirupur	Satisfactory	60	PM ₁₀	1
174	Udaipur	Moderate	196	PM _{2.5}	1
175	Ujjain	Moderate	122	PM ₁₀	1
176	Vapi	Very Poor	328	PM _{2.5}	1
177	Varanasi	Satisfactory	86	PM _{2.5} , PM ₁₀	4
178	Vatva	Moderate	110	PM ₁₀	1
179	Vijayapura	Satisfactory	52	PM ₁₀	1
180	Yadgir	Moderate	131	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 07, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Yamunanagar	Moderate	144	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ankleshwar, Arrah, Bettiah, Bilaspur, Buxar, Chengalpattu, Dehradun, Dharwad, Ernakulam, Fatehabad, Gadag, Hisar, Jind, Kalaburgi, Kolar, Mandi Gobindgarh, Pune, Salem, Sasaram, Sivasagar, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Visakhapatnam, Vrindavan, vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.