



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	325	PM <sub>2.5</sub>	1
2	Agra	Poor	234	PM <sub>2.5</sub> , PM <sub>10</sub>	5
3	Ahmedabad	Moderate	169	PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	29	PM <sub>10</sub>	1
5	Ajmer	Moderate	117	PM <sub>10</sub>	1
6	Alwar	Moderate	128	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	145	PM <sub>2.5</sub>	1
8	Ambala	Poor	251	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	140	PM <sub>10</sub>	1
10	Ankleshwar	Poor	215	PM <sub>2.5</sub>	1
11	Araria	Moderate	199	PM <sub>2.5</sub>	1
12	Arrah	Poor	294	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	168	PM <sub>2.5</sub>	1
14	Aurangabad	Moderate	103	PM <sub>10</sub>	1
15	Bagalkot	Good	50	PM <sub>2.5</sub>	1
16	Baghpat	Very Poor	378	PM <sub>2.5</sub>	1
17	Bahadurgarh	Very Poor	327	PM <sub>2.5</sub>	1
18	Ballabgarh	Moderate	194	PM <sub>2.5</sub>	1
19	Bathinda	Moderate	171	PM <sub>10</sub>	1
20	Bengaluru	Satisfactory	97	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	10
21	Bhagalpur	Very Poor	385	PM <sub>10</sub> , PM <sub>2.5</sub>	2
22	Bhiwadi	Poor	273	PM <sub>2.5</sub>	1
23	Bhiwani	Poor	248	PM <sub>2.5</sub>	1
24	Bhopal	Moderate	178	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Poor	260	PM <sub>2.5</sub>	1
26	Brajrajnagar	Satisfactory	70	PM <sub>10</sub>	1
27	Bulandshahr	Very Poor	326	PM <sub>2.5</sub>	1
28	Buxar	Very Poor	398	PM <sub>10</sub>	1
29	Chamarajanagar	Good	32	PM <sub>10</sub>	1
30	Chandigarh	Poor	265	PM <sub>2.5</sub>	2
31	Chandrapur	Moderate	114	PM <sub>2.5</sub>	2
32	Charkhi Dadri	Poor	264	PM <sub>2.5</sub>	1
33	Chennai	Satisfactory	92	PM <sub>2.5</sub> , PM <sub>10</sub>	8
34	Chhapra	Very Poor	356	PM <sub>2.5</sub>	1
35	Chikkaballapur	Satisfactory	96	PM <sub>2.5</sub>	1
36	Chikkamagaluru	Good	38	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	69	PM <sub>2.5</sub>	1
38	Damoh	Moderate	124	PM <sub>2.5</sub>	1
39	Darbhanga	Poor	288	PM <sub>2.5</sub>	1
40	Davanagere	Moderate	113	PM <sub>10</sub>	1
41	Delhi	Very Poor	387	PM <sub>2.5</sub> , PM <sub>10</sub>	32
42	Dewas	Moderate	141	PM <sub>2.5</sub>	1
43	Dharuhera	Poor	282	PM <sub>2.5</sub>	1
44	Durgapur	Poor	292	PM <sub>2.5</sub>	1
45	Eloor	Satisfactory	70	PM <sub>10</sub>	1
46	Ernakulam	Satisfactory	72	PM <sub>2.5</sub>	1
47	Faridabad	Severe	412	PM <sub>10</sub> , PM <sub>2.5</sub>	2
48	Fatehabad	Moderate	187	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Poor	272	PM <sub>2.5</sub>	1
50	Gadag	Satisfactory	69	PM <sub>2.5</sub>	1
51	Gandhinagar	Moderate	180	PM <sub>2.5</sub>	3
52	Gaya	Poor	272	PM <sub>2.5</sub>	2
53	Ghaziabad	Very Poor	375	PM <sub>2.5</sub>	4
54	Gorakhpur	Moderate	143	PM <sub>2.5</sub>	1
55	Greater Noida	Very Poor	320	PM <sub>2.5</sub>	2
56	Gummidipoondi	Good	43	PM <sub>10</sub>	1
57	Gurugram	Very Poor	324	PM <sub>2.5</sub>	4
58	Guwahati	Moderate	180	PM <sub>2.5</sub>	2
59	Hajipur	Moderate	161	PM <sub>2.5</sub>	1
60	Haldia	Moderate	146	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Very Poor	328	PM <sub>2.5</sub>	1
62	Hassan	Satisfactory	74	PM <sub>10</sub>	1
63	Hisar	Poor	285	PM <sub>2.5</sub>	1
64	Howrah	Poor	257	PM <sub>2.5</sub>	3
65	Hubballi	Moderate	120	PM <sub>2.5</sub>	1
66	Hyderabad	Moderate	130	PM <sub>2.5</sub> , PM <sub>10</sub>	5
67	Indore	Moderate	180	PM <sub>10</sub>	1
68	Jabalpur	Moderate	176	PM <sub>10</sub>	1
69	Jaipur	Moderate	103	PM <sub>10</sub> , PM <sub>2.5</sub>	2
70	Jalandhar	Moderate	103	PM <sub>10</sub>	1
71	Jind	Poor	276	PM <sub>2.5</sub>	1
72	Jodhpur	Moderate	174	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jorapokhar	Satisfactory	57	PM <sub>10</sub>	1
74	Kaithal	Moderate	192	PM <sub>2.5</sub>	1
75	Kalaburgi	Satisfactory	90	PM <sub>10</sub>	1
76	Kalyan	Poor	234	PM <sub>2.5</sub>	1
77	Kannur	Satisfactory	80	PM <sub>2.5</sub>	1
78	Kanpur	Poor	294	PM <sub>2.5</sub>	3
79	Karnal	Moderate	174	PM <sub>2.5</sub>	1
80	Katihar	Very Poor	345	PM <sub>2.5</sub>	1
81	Katni	Poor	225	PM <sub>2.5</sub>	1
82	Khanna	Moderate	121	PM <sub>10</sub>	1
83	Kishanganj	Very Poor	349	PM <sub>2.5</sub>	1
84	Kochi	Moderate	127	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kohima	Satisfactory	72	PM <sub>2.5</sub>	1
86	Kolar	Satisfactory	83	PM <sub>10</sub>	1
87	Kolkata	Poor	266	PM <sub>2.5</sub>	7
88	Kollam	Moderate	113	PM <sub>10</sub>	1
89	Koppal	Satisfactory	60	PM <sub>10</sub>	1
90	Kota	Poor	217	PM <sub>2.5</sub>	1
91	Kozhikode	Good	49	CO	1
92	Kurukshetra	Poor	202	PM <sub>2.5</sub>	1
93	Lucknow	Poor	252	PM <sub>2.5</sub> , PM <sub>10</sub>	6
94	Ludhiana	Moderate	115	PM <sub>10</sub>	1
95	Madikeri	Satisfactory	54	PM <sub>10</sub>	1
96	Maihar	Satisfactory	51	CO	1

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandi Gobindgarh	Moderate	172	PM <sub>2.5</sub>	1
98	Mandideep	Moderate	159	PM <sub>2.5</sub>	1
99	Mandikhera	Satisfactory	61	PM <sub>10</sub>	1
100	Manesar	Very Poor	305	PM <sub>2.5</sub>	1
101	Manglore	Satisfactory	59	PM <sub>2.5</sub>	1
102	Meerut	Very Poor	372	PM <sub>2.5</sub>	3
103	Moradabad	Very Poor	302	PM <sub>2.5</sub>	4
104	Motihari	Poor	224	PM <sub>2.5</sub>	1
105	Mumbai	Moderate	154	PM <sub>2.5</sub> , PM <sub>10</sub>	17
106	Munger	Severe	410	PM <sub>2.5</sub>	1
107	Muzaffarpur	Poor	278	PM <sub>2.5</sub>	1
108	Mysuru	Satisfactory	72	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Satisfactory	86	CO	1
110	Nandesari	Satisfactory	100	CO	1
111	Narnaul	Moderate	188	PM <sub>2.5</sub>	1
112	Nashik	Satisfactory	71	PM <sub>10</sub>	1
113	Navi Mumbai	Moderate	186	PM <sub>2.5</sub> , PM <sub>10</sub>	2
114	Noida	Very Poor	357	PM <sub>10</sub> , PM <sub>2.5</sub>	4
115	Pali	Moderate	165	PM <sub>10</sub>	1
116	Palwal	Moderate	128	PM <sub>10</sub>	1
117	Panchkula	Very Poor	343	PM <sub>2.5</sub>	1
118	Panipat	Poor	254	PM <sub>2.5</sub>	1
119	Patiala	Moderate	133	PM <sub>2.5</sub>	1
120	Patna	Very Poor	329	PM <sub>2.5</sub> , PM <sub>10</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pithampur	Moderate	124	PM <sub>2.5</sub>	1
122	Prayagraj	Moderate	198	PM <sub>2.5</sub>	3
123	Puducherry	Moderate	112	PM <sub>2.5</sub>	1
124	Pune	Satisfactory	93	PM <sub>2.5</sub>	2
125	Purnia	Very Poor	332	PM <sub>2.5</sub>	1
126	Raichur	Moderate	130	PM <sub>10</sub>	1
127	Rajamahendravaram	Moderate	155	PM <sub>2.5</sub>	1
128	Ramanagara	Satisfactory	69	PM <sub>10</sub>	1
129	Ratlam	Moderate	114	PM <sub>10</sub>	1
130	Rohtak	Very Poor	347	PM <sub>2.5</sub>	1
131	Rupnagar	Moderate	123	PM <sub>2.5</sub>	1
132	Sagar	Good	48	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Saharsa	Very Poor	313	PM <sub>10</sub>	1
134	Sasaram	Very Poor	376	PM <sub>2.5</sub>	1
135	Satna	Satisfactory	54	PM <sub>10</sub>	1
136	Shillong	Good	21	PM <sub>2.5</sub>	1
137	Shivamogga	Good	49	PM <sub>10</sub>	1
138	Singrauli	Poor	284	PM <sub>2.5</sub>	1
139	Sirsa	Moderate	155	PM <sub>2.5</sub>	1
140	Siwan	Very Poor	368	PM <sub>2.5</sub>	1
141	Solapur	Satisfactory	70	PM <sub>10</sub>	1
142	Sonipat	Poor	226	PM <sub>10</sub>	1
143	Srinagar	Moderate	182	PM <sub>10</sub>	1
144	Talcher	Moderate	193	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thane	Poor	246	O <sub>3</sub>	1
146	Thiruvananthapuram	Satisfactory	70	PM <sub>10</sub> , PM <sub>2.5</sub>	2
147	Thoothukudi	Satisfactory	56	PM <sub>10</sub>	1
148	Tirupati	Moderate	112	PM <sub>2.5</sub>	1
149	Udaipur	Moderate	187	PM <sub>2.5</sub>	1
150	Udupi	Good	46	CO	1
151	Ujjain	Moderate	188	PM <sub>10</sub>	1
152	Vapi	Very Poor	304	PM <sub>2.5</sub>	1
153	Varanasi	Moderate	192	PM <sub>2.5</sub>	4
154	Vatva	Poor	210	PM <sub>2.5</sub>	1
155	Vijayapura	Good	50	PM <sub>10</sub>	1
156	Visakhapatnam	Poor	227	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Jan 20, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vrindavan	Moderate	200	PM <sub>2.5</sub>	1
158	Yadgir	Satisfactory	74	PM <sub>10</sub>	1
159	Yamunanagar	Poor	268	PM <sub>2.5</sub>	1

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

\* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bilaspur, Gwalior, Manguraha, Muzaffarnagar, Naharlagun, Rajgir, Siliguri, Thrissur as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.