



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	226	PM <sub>2.5</sub>	2
2	Agra	Moderate	170	PM <sub>2.5</sub>	6
3	Ahmedabad	Moderate	133	NO <sub>2</sub>	1
4	Aizawl	Good	16	PM <sub>10</sub>	1
5	Ajmer	Moderate	124	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	86	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	75	PM <sub>2.5</sub>	1
8	Ambala	Poor	215	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	143	PM <sub>2.5</sub>	1
10	Anantapur	Satisfactory	54	CO	1
11	Ankleshwar	Moderate	184	PM <sub>2.5</sub>	1
12	Araria	Poor	247	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	358	PM <sub>2.5</sub>	1
14	Asansol	Very Poor	302	PM <sub>2.5</sub>	1
15	Aurangabad (Bihar)	Very Poor	352	PM <sub>2.5</sub>	1
16	Aurangabad (Maharashtra)	Moderate	110	PM <sub>10</sub>	1
17	Baddi	Poor	221	PM <sub>2.5</sub>	1
18	Bagalkot	Good	42	PM <sub>10</sub>	1
19	Baghpat	Poor	271	PM <sub>2.5</sub>	1
20	Bahadurgarh	Poor	286	PM <sub>2.5</sub>	1
21	Ballabgarh	Very Poor	359	PM <sub>2.5</sub>	1
22	Bareilly	Moderate	184	PM <sub>2.5</sub> , PM <sub>10</sub>	2
23	Baripada	Poor	262	PM <sub>2.5</sub>	1
24	Bathinda	Satisfactory	94	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	461	PM <sub>2.5</sub>	1
26	Belgaum	Moderate	198	PM <sub>2.5</sub>	1
27	Bengaluru	Satisfactory	68	PM <sub>2.5</sub>	7
28	Bettiah	Very Poor	364	PM <sub>2.5</sub>	1
29	Bhagalpur	Very Poor	338	PM <sub>2.5</sub>	2
30	Bhiwadi	Poor	212	PM <sub>10</sub>	1
31	Bhiwani	Poor	241	PM <sub>2.5</sub>	1
32	Bhopal	Moderate	158	PM <sub>2.5</sub>	2
33	Bihar Sharif	Very Poor	398	PM <sub>2.5</sub>	1
34	Bilaspur	Satisfactory	86	PM <sub>10</sub>	1
35	Bileipada	Moderate	165	PM <sub>10</sub>	1
36	Brajrajnagar	Satisfactory	82	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bulandshahr	Poor	256	PM <sub>2.5</sub>	1
38	Chamarajanagar	Good	41	PM <sub>10</sub>	1
39	Chandigarh	Moderate	191	PM <sub>2.5</sub>	3
40	Chandrapur	Poor	234	PM <sub>2.5</sub>	1
41	Charkhi Dadri	Poor	220	PM <sub>10</sub>	1
42	Chennai	Good	40	PM <sub>10</sub> , PM <sub>2.5</sub>	8
43	Chikkaballapur	Satisfactory	69	PM <sub>10</sub>	1
44	Chikkamagaluru	Satisfactory	57	CO	1
45	Damoh	Satisfactory	53	PM <sub>2.5</sub>	1
46	Darbhanga	Severe	426	PM <sub>10</sub>	1
47	Dehradun	Satisfactory	81	PM <sub>2.5</sub>	1
48	Delhi	Very Poor	360	PM <sub>10</sub> , PM <sub>2.5</sub>	36

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dewas	Moderate	132	PM <sub>10</sub>	1
50	Dharuhera	Poor	227	PM <sub>2.5</sub>	1
51	Durgapur	Moderate	155	PM <sub>10</sub>	1
52	Eloor	Satisfactory	71	PM <sub>10</sub>	1
53	Faridabad	Very Poor	304	PM <sub>2.5</sub>	4
54	Fatehabad	Moderate	145	PM <sub>2.5</sub>	1
55	Firozabad	Moderate	158	PM <sub>2.5</sub>	2
56	Gadag	Severe	500	PM <sub>10</sub>	1
57	Gandhinagar	Satisfactory	76	O <sub>3</sub>	1
58	Gangtok	Good	34	PM <sub>10</sub>	1
59	Gaya	Very Poor	302	PM <sub>2.5</sub>	3
60	Ghaziabad	Very Poor	344	PM <sub>10</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gorakhpur	Moderate	109	PM <sub>10</sub>	1
62	Greater Noida	Severe	422	PM <sub>10</sub>	2
63	Gurugram	Poor	288	PM <sub>2.5</sub>	3
64	Guwahati	Moderate	190	PM <sub>2.5</sub>	2
65	Gwalior	Very Poor	384	PM <sub>2.5</sub>	3
66	Hajipur	Very Poor	324	PM <sub>2.5</sub>	1
67	Haldia	Moderate	149	PM <sub>10</sub>	1
68	Hapur	Moderate	187	PM <sub>2.5</sub>	1
69	Hassan	Satisfactory	70	PM <sub>2.5</sub>	1
70	Haveri	Moderate	116	PM <sub>2.5</sub>	1
71	Hisar	Poor	226	PM <sub>2.5</sub>	1
72	Hosur	Moderate	103	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Howrah	Poor	271	PM <sub>2.5</sub>	3
74	Hubballi	Moderate	136	PM <sub>2.5</sub>	1
75	Hyderabad	Satisfactory	98	PM <sub>2.5</sub> , PM <sub>10</sub>	13
76	Imphal	Satisfactory	73	SO <sub>2</sub>	2
77	Indore	Moderate	103	PM <sub>10</sub>	1
78	Jabalpur	Poor	241	PM <sub>2.5</sub>	1
79	Jaipur	Moderate	114	PM <sub>10</sub>	2
80	Jalandhar	Moderate	188	PM <sub>2.5</sub>	1
81	Jhansi	Poor	230	PM <sub>2.5</sub>	1
82	Jind	Poor	247	PM <sub>2.5</sub>	1
83	Jodhpur	Moderate	140	PM <sub>10</sub>	1
84	Kaithal	Poor	282	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Satisfactory	62	PM <sub>2.5</sub>	1
86	Kannur	Satisfactory	78	PM <sub>2.5</sub>	1
87	Kanpur	Poor	218	PM <sub>2.5</sub>	3
88	Karnal	Poor	269	PM <sub>2.5</sub>	1
89	Katni	Poor	279	PM <sub>2.5</sub>	1
90	Keonjhar	Poor	255	PM <sub>2.5</sub>	1
91	Khanna	Moderate	146	PM <sub>2.5</sub>	1
92	Khurja	Poor	251	PM <sub>2.5</sub>	1
93	Kishanganj	Poor	202	PM <sub>2.5</sub>	1
94	Kohima	Satisfactory	54	PM <sub>10</sub>	1
95	Kolkata	Poor	280	PM <sub>2.5</sub>	7
96	Kollam	Satisfactory	88	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Koppal	Satisfactory	86	O <sub>3</sub>	1
98	Kota	Moderate	152	PM <sub>10</sub>	1
99	Kozhikode	Good	40	CO	1
100	Kurukshetra	Poor	285	PM <sub>2.5</sub>	1
101	Lucknow	Poor	246	PM <sub>2.5</sub>	6
102	Ludhiana	Moderate	186	PM <sub>2.5</sub>	1
103	Madikeri	Good	26	O <sub>3</sub>	1
104	Maihar	Satisfactory	89	PM <sub>10</sub>	1
105	Mandi Gobindgarh	Poor	208	PM <sub>2.5</sub>	1
106	Mandideep	Satisfactory	94	PM <sub>10</sub>	1
107	Mandikhera	Moderate	116	PM <sub>10</sub>	1
108	Manesar	Poor	254	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mangalore	Satisfactory	93	PM <sub>10</sub>	1
110	Manguraha	Good	50	PM <sub>10</sub>	1
111	Meerut	Poor	266	PM <sub>2.5</sub>	3
112	Moradabad	Moderate	136	PM <sub>2.5</sub> , O <sub>3</sub>	6
113	Motihari	Very Poor	310	PM <sub>10</sub>	1
114	Mumbai	Moderate	170	PM <sub>2.5</sub> , PM <sub>10</sub>	17
115	Munger	Very Poor	306	PM <sub>2.5</sub>	1
116	Muzaffarnagar	Very Poor	349	PM <sub>2.5</sub>	1
117	Muzaffarpur	Very Poor	320	PM <sub>2.5</sub>	3
118	Mysuru	Good	44	PM <sub>10</sub>	1
119	Nagpur	Moderate	179	PM <sub>2.5</sub>	1
120	Nalbari	Moderate	195	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Narnaul	Moderate	158	PM <sub>2.5</sub>	1
122	Navi Mumbai	Poor	222	PM <sub>2.5</sub>	2
123	Nayagarh	Moderate	192	PM <sub>2.5</sub>	1
124	Noida	Very Poor	350	PM <sub>10</sub>	4
125	Pali	Satisfactory	84	O <sub>3</sub>	1
126	Palwal	Moderate	104	PM <sub>10</sub>	1
127	Panchkula	Moderate	121	PM <sub>2.5</sub>	1
128	Panipat	Poor	220	PM <sub>10</sub>	1
129	Patiala	Moderate	145	PM <sub>2.5</sub>	1
130	Patna	Very Poor	384	PM <sub>10</sub> , PM <sub>2.5</sub>	6
131	Pithampur	Moderate	167	PM <sub>2.5</sub>	1
132	Prayagraj	Moderate	152	PM <sub>2.5</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Puducherry	Good	49	PM <sub>2.5</sub>	1
134	Purnia	Very Poor	347	PM <sub>2.5</sub>	1
135	Rairangpur	Poor	253	PM <sub>2.5</sub>	1
136	Rajamahendravaram	Satisfactory	66	PM <sub>2.5</sub>	1
137	Rajgir	Very Poor	351	PM <sub>2.5</sub>	1
138	Ramanagara	Satisfactory	75	PM <sub>2.5</sub>	1
139	Ramanathapuram	Good	33	PM <sub>2.5</sub>	1
140	Ratlam	Satisfactory	98	PM <sub>10</sub>	1
141	Rohtak	Poor	247	PM <sub>2.5</sub>	1
142	Rupnagar	Moderate	119	PM <sub>10</sub>	1
143	Sagar	Poor	209	PM <sub>2.5</sub>	1
144	Saharsa	Very Poor	349	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Samastipur	Very Poor	391	PM <sub>2.5</sub>	1
146	Sasaram	Very Poor	381	PM <sub>2.5</sub>	1
147	Satna	Satisfactory	57	PM <sub>10</sub>	1
148	Shillong	Good	27	PM <sub>2.5</sub>	1
149	Shivamogga	Satisfactory	56	O <sub>3</sub>	1
150	Siliguri	Moderate	119	PM <sub>10</sub>	1
151	Singrauli	Very Poor	341	PM <sub>2.5</sub>	1
152	Sirsa	Moderate	164	PM <sub>2.5</sub>	1
153	Sivasagar	Satisfactory	51	PM <sub>10</sub>	1
154	Siwan	Severe	406	PM <sub>2.5</sub>	1
155	Sonipat	Poor	226	PM <sub>2.5</sub>	1
156	Suakati	Poor	263	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 10, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Surat	Moderate	188	PM <sub>2.5</sub>	1
158	Talcher	Moderate	199	PM <sub>2.5</sub>	1
159	Thiruvananthapuram	Satisfactory	85	PM <sub>2.5</sub>	2
160	Thoothukudi	Good	43	PM <sub>10</sub>	1
161	Thrissur	Satisfactory	57	PM <sub>10</sub>	1
162	Tirupati	Satisfactory	58	NO <sub>2</sub> , CO	2
163	Tirupur	Satisfactory	72	PM <sub>10</sub>	1
164	Udaipur	Moderate	169	PM <sub>2.5</sub>	1
165	Ujjain	Moderate	140	PM <sub>2.5</sub>	1
166	Vapi	Poor	271	PM <sub>2.5</sub>	1
167	Varanasi	Moderate	146	PM <sub>2.5</sub> , PM <sub>10</sub>	4
168	Vatva	Moderate	109	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## **Air Quality Index on Dec 10, 2022 @ 4 PM**

*(Average of past 24 hours)*

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Vijayapura	Satisfactory	69	PM <sub>10</sub>	1
170	Visakhapatnam	Moderate	139	PM <sub>2.5</sub>	1
171	Vrindavan	Moderate	125	PM <sub>10</sub>	1
172	Yadgir	Moderate	114	PM <sub>2.5</sub>	1
173	Yamunanagar	Poor	260	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhilai, Bidar, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Davanagere, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Kanchipuram, Katihar, Kochi, Kolar, Korba, Naharlagun, Nandesari, Nashik, Ooty, Pune, Raichur, Raipur, Rourkela, Salem, Solapur, Srinagar, Tensa, Thane, Tumakuru, Udupi, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.