

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	212	PM _{2.5}	1
2	Agra	Satisfactory	73	PM _{2.5}	6
3	Ahmedabad	Moderate	122	PM _{2.5}	7
4	Aizawl	Moderate	107	PM ₁₀	1
5	Ajmer	Satisfactory	82	PM ₁₀	1
6	Alwar	Satisfactory	72	PM ₁₀	1
7	Amaravati	Satisfactory	54	со	1
8	Ambala	Satisfactory	71	со	1
9	Amritsar	Moderate	132	PM _{2.5}	1
10	Anantapur	Good	47	PM _{2.5}	1
11	Ankleshwar	Moderate	105	PM ₁₀	1
12	Araria	Moderate	189	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not coloulated for today's bulletin for Ariyalur, Bhilwara, Bidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	132	PM ₁₀	1
14	Asansol	Moderate	142	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	128	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	111	PM ₁₀	1
17	Baddi	Moderate	197	O ₃	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Very Poor	301	O ₃	1
20	Bahadurgarh	Moderate	185	PM _{2.5}	1
21	Ballabgarh	Moderate	101	PM _{2.5}	1
22	Banswara	Moderate	116	PM ₁₀	1
23	Bareilly	Satisfactory	76	PM ₁₀	2
24	Baripada	Moderate	135	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Arivalur Philwara Ridar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	104	O ₃	1
26	Bathinda	Satisfactory	53	PM ₁₀	1
27	Begusarai	Poor	288	PM ₁₀	1
28	Belgaum	Good	48	со	1
29	Bengaluru	Satisfactory	54	CO, PM _{2.5}	12
30	Bettiah	Poor	232	PM ₁₀	1
31	Bhagalpur	Moderate	172	PM ₁₀	2
32	Bharatpur	Moderate	163	PM ₁₀	1
33	Bhilai	Good	42	PM ₁₀	3
34	Bhiwadi	Moderate	194	PM ₁₀	1
35	Bhiwani	Moderate	178	O ₃	1
36	Bhopal	Moderate	134	O ₃ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ariyalur, Bhilwara, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	183	03	1
38	Bikaner	Moderate	152	PM ₁₀	1
39	Bilaspur	Moderate	103	PM ₁₀	1
40	Brajrajnagar	Satisfactory	91	со	1
41	Bulandshahr	Moderate	125	PM _{2.5}	1
42	Byrnihat	Poor	280	PM _{2.5}	1
43	Chamarajanagar	Good	41	PM ₁₀	1
44	Chandigarh	Moderate	124	O ₃ , PM ₁₀	3
45	Chandrapur	Satisfactory	85	PM ₁₀	1
46	Charkhi Dadri	Poor	226	PM _{2.5}	1
47	Chennai	Satisfactory	58	SO ₂	7
48	Chhal	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Ariyolur, Philwara, Pidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Moderate	200	PM ₁₀	1
50	Chikkaballapur	Good	35	PM ₁₀	1
51	Chittorgarh	Moderate	126	PM ₁₀	1
52	Churu	Moderate	160	03	1
53	Coimbatore	Satisfactory	63	PM ₁₀	1
54	Cuddalore	Satisfactory	83	PM _{2.5}	2
55	Damoh	Good	17	PM ₁₀	1
56	Dausa	Moderate	153	PM ₁₀	1
57	Davanagere	Good	27	PM ₁₀	1
58	Dehradun	Satisfactory	86	со	1
59	Delhi	Poor	203	PM _{2.5}	38
60	Dewas	Moderate	130	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Ariyolur, Philwara, Pidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Moderate	182	PM _{2.5}	1
62	Dharuhera	Moderate	171	PM _{2.5}	1
63	Dharwad	Satisfactory	62	PM ₁₀	1
64	Dholpur	Moderate	163	03	1
65	Dindigul	Good	46	SO ₂	1
66	Durgapur	Moderate	129	PM ₁₀	1
67	Faridabad	Moderate	126	PM ₁₀	4
68	Fatehabad	Satisfactory	95	03	1
69	Firozabad	Satisfactory	71	PM ₁₀	1
70	Gadag	Satisfactory	93	PM ₁₀	1
71	Gandhinagar	Moderate	150	PM _{2.5} , PM ₁₀	3
72	Gangtok	Satisfactory	65	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Ariyolur, Philwara, Pidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gaya	Satisfactory	99	PM ₁₀ , PM _{2.5}	3
74	Ghaziabad	Moderate	192	O ₃ , PM ₁₀	4
75	Gorakhpur	Satisfactory	78	PM _{2.5}	1
76	Greater Noida	Poor	208	PM ₁₀	2
77	Gurugram	Poor	249	PM _{2.5}	4
78	Guwahati	Moderate	143	PM ₁₀	4
79	Gwalior	Moderate	196	O ₃ , PM _{2.5}	4
80	Hajipur	Poor	231	PM ₁₀	1
81	Haldia	Satisfactory	52	PM ₁₀	1
82	Hanumangarh	Moderate	163	PM ₁₀	1
83	Hapur	Moderate	115	O ₃	1
84	Haveri	Good	40	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Ariyolur, Philwara, Pidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hisar	Moderate	140	PM _{2.5}	1
86	Howrah	Satisfactory	76	PM ₁₀	2
87	Hyderabad	Satisfactory	80	PM ₁₀	13
88	Indore	Satisfactory	68	PM ₁₀	2
89	Jabalpur	Moderate	157	PM ₁₀	1
90	Jaipur	Moderate	141	PM ₁₀	6
91	Jalandhar	Satisfactory	89	PM ₁₀	1
92	Jhalawar	Moderate	124	PM ₁₀	1
93	Jhansi	Moderate	145	PM ₁₀	1
94	Jhunjhunu	Very Poor	304	O ₃	1
95	Jind	Moderate	132	PM _{2.5}	1
96	Jodhpur	Moderate	142	O ₃	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Ariyolur, Philwara, Pidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jorapokhar	Moderate	180	PM ₁₀	1
98	Kadapa	Satisfactory	57	O ₃	1
99	Kalaburgi	Good	45	SO ₂	1
100	Kalyan	Moderate	120	PM ₁₀	1
101	Kanchipuram	Satisfactory	56	PM ₁₀	1
102	Kannur	Satisfactory	75	PM ₁₀	1
103	Kanpur	Moderate	104	O ₃	3
104	Karauli	Moderate	178	O ₃	1
105	Karnal	Satisfactory	92	PM ₁₀	1
106	Katihar	Moderate	105	PM _{2.5}	1
107	Katni	Moderate	166	PM ₁₀	1
108	Keonjhar	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Ariyalur, Philwara, Pidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khanna	Satisfactory	84	PM ₁₀	1
110	Khurja	Moderate	102	PM _{2.5}	1
111	Kishanganj	Moderate	149	PM ₁₀	1
112	Kochi	Satisfactory	85	PM ₁₀	1
113	Kohima	Moderate	106	PM ₁₀	1
114	Kolhapur	Satisfactory	59	O ₃ , NO ₂	2
115	Kolkata	Satisfactory	77	PM ₁₀ , PM _{2.5}	7
116	Kollam	Satisfactory	91	PM ₁₀	1
117	Korba	Moderate	120	PM ₁₀	2
118	Kota	Moderate	163	O ₃ , PM _{2.5}	3
119	Kurukshetra	Moderate	162	O ₃	1
120	Lucknow	Moderate	109	PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Ariyolur, Philwara, Pidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Moderate	175	PM _{2.5}	1
122	Madikeri	Good	25	O ₃	1
123	Mandi Gobindgarh	Moderate	192	PM _{2.5}	1
124	Mandideep	Poor	221	PM ₁₀	1
125	Manesar	Poor	211	PM _{2.5}	1
126	Mangalore	Satisfactory	54	PM ₁₀	1
127	Meerut	Moderate	185	O ₃ , PM ₁₀	3
128	Milupara	Satisfactory	66	PM ₁₀	1
129	Moradabad	Satisfactory	84	PM ₁₀ , SO ₂	6
130	Motihari	Moderate	101	NO ₂	1
131	Mumbai	Moderate	112	PM _{2.5} , PM ₁₀	18
132	Munger	Poor	241	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ariyalur, Bhilwara, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Muzaffarnagar	Moderate	172	PM _{2.5}	1
134	Muzaffarpur	Poor	217	PM _{2.5} , O ₃	3
135	Mysuru	Satisfactory	53	PM ₁₀	1
136	Nagaon	Moderate	176	PM _{2.5}	1
137	Nagpur	Moderate	144	PM _{2.5}	1
138	Nalbari	Poor	210	PM ₁₀	1
139	Nandesari	Very Poor	335	PM _{2.5}	1
140	Narnaul	Satisfactory	100	PM ₁₀	1
141	Nashik	Satisfactory	88	PM ₁₀	1
142	Navi Mumbai	Moderate	126	PM ₁₀	2
143	Noida	Moderate	187	NO ₂ , PM ₁₀	4
144	Ooty	Good	50	SO ₂	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ariyalur, Bhilwara, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Pali	Satisfactory	99	PM ₁₀	1
146	Palkalaiperur	Satisfactory	63	SO ₂	1
147	Palwal	Satisfactory	95	PM ₁₀	1
148	Panchkula	Moderate	104	со	1
149	Panipat	Moderate	125	PM ₁₀	1
150	Patiala	Satisfactory	99	PM ₁₀	1
151	Patna	Moderate	180	PM ₁₀ , PM _{2.5}	6
152	Pithampur	Satisfactory	91	PM ₁₀	1
153	Pratapgarh	Moderate	104	PM ₁₀	1
154	Prayagraj	Satisfactory	66	PM ₁₀	3
155	Puducherry	Satisfactory	83	PM _{2.5}	1
156	Pune	Moderate	141	PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Ariyolur, Philwara, Pidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Purnia	Moderate	196	PM ₁₀	1
158	Raichur	Satisfactory	58	PM ₁₀	1
159	Raipur	Satisfactory	54	NO ₂	4
160	Rairangpur	Satisfactory	92	PM _{2.5}	1
161	Rajamahendravaram	Good	50	PM ₁₀	1
162	Rajsamand	Moderate	110	PM ₁₀	1
163	Ramanagara	Satisfactory	64	O ₃	1
164	Ramanathapuram	Moderate	110	со	1
165	Ratlam	Moderate	102	PM ₁₀	1
166	Rishikesh	Satisfactory	55	O ₃	1
167	Rohtak	Good	44	PM _{2.5}	1
168	Rourkela	Moderate	140	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Ariyalur, Philwara, Pidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rupnagar	Moderate	130	PM ₁₀	1
170	Sagar	Moderate	163	O ₃	1
171	Saharsa	Moderate	172	PM ₁₀	1
172	Salem	Satisfactory	93	SO ₂	1
173	Samastipur	Moderate	194	PM ₁₀	1
174	Sasaram	Very Poor	310	03	1
175	Satna	Moderate	128	PM ₁₀	1
176	Sawai Madhopur	Moderate	103	O ₃	1
177	Shillong	Satisfactory	100	PM ₁₀	1
178	Shivamogga	Good	40	PM ₁₀	1
179	Sikar	Moderate	139	O ₃	1
180	Silchar	Good	49	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ariyalur, Bhilwara, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Singrauli	Moderate	154	PM ₁₀	1
182	Sirsa	Satisfactory	77	PM ₁₀	1
183	Sivasagar	Good	33	PM ₁₀	1
184	Siwan	Moderate	155	PM ₁₀	1
185	Solapur	Satisfactory	94	PM ₁₀	1
186	Sri Ganganagar	Poor	223	PM ₁₀	1
187	Srinagar	Moderate	103	PM ₁₀	1
188	Suakati	Moderate	104	PM ₁₀	1
189	Surat	Satisfactory	88	PM ₁₀	1
190	Talcher	Moderate	103	PM _{2.5}	1
191	Tensa	Satisfactory	73	PM ₁₀	1
192	Thane	Moderate	120	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ariyalur, Bhilwara, Bidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thiruvananthapuram	Good	40	со	2
194	Thoothukudi	Satisfactory	63	03	1
195	Tonk	Moderate	133	PM ₁₀	1
196	Tumakuru	Satisfactory	85	PM ₁₀	1
197	Tumidih	Satisfactory	66	PM ₁₀	1
198	Udaipur	Moderate	110	PM ₁₀	1
199	Ujjain	Moderate	155	PM ₁₀	1
200	Vapi	Satisfactory	90	PM _{2.5}	1
201	Varanasi	Satisfactory	62	03	4
202	Vatva	Moderate	150	PM _{2.5}	1
203	Vijayapura	Good	49	PM ₁₀	1
204	Visakhapatnam	Satisfactory	84	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AOL is not colculated for today's bulletin for Ariyolur, Philwara, Pidar

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vrindavan	Satisfactory	93	O ₃	1
206	Yadgir	Good	36	PM _{2.5}	1
207	Yamunanagar	Moderate	130	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ariyalur, Bhilwara, Bidar,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.