

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	162	PM _{2.5}	1
2	Agra	Moderate	117	PM _{2.5}	5
3	Ahmedabad	Moderate	149	PM _{2.5} , NO ₂ , PM ₁₀	9
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Satisfactory	96	PM _{2.5}	1
6	Alwar	Satisfactory	85	PM ₁₀	1
7	Amaravati	Moderate	153	PM _{2.5}	1
8	Ambala	Very Poor	316	PM _{2.5}	1
9	Amritsar	Moderate	173	PM _{2.5}	1
10	Ankleshwar	Poor	250	PM _{2.5}	1
11	Araria	Poor	239	PM _{2.5}	1
12	Arrah	Very Poor	324	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	201	PM _{2.5}	1
14	Aurangabad	Moderate	122	PM ₁₀	1
15	Bagalkot	Good	45	PM ₁₀	1
16	Baghpat	Moderate	145	PM _{2.5}	1
17	Bahadurgarh	Poor	248	PM _{2.5}	1
18	Ballabgarh	Moderate	184	PM ₁₀	1
19	Bathinda	Moderate	155	PM ₁₀	1
20	Bengaluru	Moderate	121	PM _{2.5} , PM ₁₀	8
21	Bettiah	Very Poor	305	PM ₁₀	1
22	Bhagalpur	Very Poor	317	PM _{2.5}	2
23	Bhilai	Satisfactory	63	PM ₁₀	1
24	Bhiwadi	Poor	211	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Poor	245	PM _{2.5}	1
26	Bhopal	Moderate	186	PM _{2.5}	1
27	Bidar	Moderate	104	PM ₁₀	1
28	Bihar Sharif	Very Poor	340	PM _{2.5}	1
29	Bilaspur	Moderate	117	PM ₁₀	1
30	Bulandshahr	Poor	226	PM _{2.5}	1
31	Chamarajanagar	Good	39	PM ₁₀	1
32	Chandigarh	Poor	214	PM _{2.5}	2
33	Chandrapur	Poor	210	PM _{2.5}	2
34	Charkhi Dadri	Poor	206	PM _{2.5}	1
35	Chennai	Moderate	126	PM _{2.5} , PM ₁₀	7
36	Chhapra	Very Poor	306	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Moderate	160	PM _{2.5}	1
38	Chikkamagaluru	Good	49	PM _{2.5}	1
39	Coimbatore	Moderate	114	PM _{2.5}	1
40	Darbhanga	Very Poor	391	PM _{2.5}	1
41	Davanagere	Moderate	116	PM _{2.5}	1
42	Delhi	Poor	291	PM _{2.5}	24
43	Dewas	Moderate	145	PM _{2.5}	1
44	Dharuhera	Moderate	125	PM _{2.5}	1
45	Eloor	Satisfactory	70	PM ₁₀	1
46	Ernakulam	Moderate	158	PM _{2.5}	1
47	Faridabad	Poor	275	PM _{2.5}	4
48	Fatehabad	Moderate	146	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Poor	204	PM _{2.5}	1
50	Gandhinagar	Moderate	110	PM _{2.5}	3
51	Gaya	Poor	207	PM _{2.5} , PM ₁₀	3
52	Ghaziabad	Poor	276	PM _{2.5}	4
53	Gorakhpur	Satisfactory	93	PM ₁₀	1
54	Greater Noida	Poor	240	PM _{2.5}	2
55	Gurugram	Poor	287	PM _{2.5}	4
56	Guwahati	Moderate	168	PM _{2.5} , PM ₁₀	2
57	Gwalior	Moderate	186	PM _{2.5}	1
58	Hajipur	Moderate	135	PM _{2.5}	1
59	Haldia	Moderate	152	PM _{2.5}	1
60	Hapur	Poor	244	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Moderate	113	PM _{2.5}	1
62	Hisar	Poor	281	PM _{2.5}	1
63	Howrah	Poor	264	PM _{2.5}	3
64	Hyderabad	Moderate	150	PM _{2.5} , PM ₁₀	6
65	Indore	Poor	208	PM _{2.5}	1
66	Jabalpur	Moderate	156	PM _{2.5}	1
67	Jaipur	Moderate	131	PM ₁₀ , PM _{2.5}	3
68	Jalandhar	Moderate	183	PM _{2.5}	1
69	Jind	Very Poor	309	PM _{2.5}	1
70	Jodhpur	Poor	215	PM _{2.5}	1
71	Kaithal	Poor	219	PM _{2.5}	1
72	Kalaburgi	Moderate	139	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Poor	278	PM _{2.5}	1
74	Kannur	Moderate	144	PM _{2.5}	1
75	Kanpur	Moderate	134	NO ₂ , PM ₁₀	3
76	Karnal	Poor	224	PM ₁₀	1
77	Katihar	Very Poor	319	PM _{2.5}	1
78	Katni	Moderate	127	PM ₁₀	1
79	Khanna	Moderate	184	PM _{2.5}	1
80	Kishanganj	Poor	298	PM _{2.5}	1
81	Kochi	Poor	236	PM _{2.5}	1
82	Kohima	Satisfactory	62	PM ₁₀	1
83	Kolar	Moderate	151	PM _{2.5}	1
84	Kolkata	Poor	258	PM _{2.5}	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	88	PM ₁₀	1
86	Koppal	Satisfactory	57	PM _{2.5}	1
87	Kota	Moderate	193	PM _{2.5}	1
88	Kozhikode	Good	48	PM ₁₀	1
89	Kurukshetra	Poor	245	PM _{2.5}	1
90	Lucknow	Moderate	126	PM _{2.5} , PM ₁₀	5
91	Ludhiana	Moderate	131	PM ₁₀	1
92	Madikeri	Satisfactory	91	PM ₁₀	1
93	Maihar	Satisfactory	70	PM ₁₀	1
94	Mandi Gobindgarh	Very Poor	310	PM ₁₀	1
95	Mandideep	Satisfactory	90	PM ₁₀	1
96	Mandikhera	Satisfactory	89	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Very Poor	310	PM _{2.5}	1
98	Manglore	Satisfactory	60	PM _{2.5}	1
99	Meerut	Poor	251	PM _{2.5}	3
100	Moradabad	Poor	276	PM _{2.5}	3
101	Mumbai	Poor	236	PM _{2.5}	20
102	Munger	Poor	213	PM ₁₀	1
103	Muzaffarnagar	Poor	267	PM _{2.5}	1
104	Muzaffarpur	Very Poor	365	PM _{2.5}	3
105	Mysuru	Satisfactory	76	PM ₁₀	1
106	Nagpur	Moderate	103	PM ₁₀	1
107	Nandesari	Satisfactory	82	со	1
108	Narnaul	Moderate	194	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Moderate	147	PM _{2.5}	1
110	Navi Mumbai	Poor	273	PM _{2.5}	3
111	Noida	Poor	256	PM _{2.5}	4
112	Pali	Moderate	101	PM ₁₀	1
113	Palwal	Good	48	со	1
114	Panchkula	Poor	281	PM _{2.5}	1
115	Panipat	Moderate	191	PM ₁₀	1
116	Patiala	Poor	205	PM _{2.5}	1
117	Patna	Poor	248	PM _{2.5} , PM ₁₀	6
118	Pithampur	Moderate	182	PM _{2.5}	1
119	Prayagraj	Satisfactory	97	PM ₁₀ , PM _{2.5}	3
120	Puducherry	Moderate	113	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Pune	Poor	211	PM _{2.5}	3
122	Purnia	Very Poor	318	PM _{2.5}	1
123	Raichur	Moderate	156	PM _{2.5}	1
124	Rajamahendravaram	Moderate	159	03	1
125	Ramanagara	Moderate	136	PM _{2.5}	1
126	Ratlam	Satisfactory	99	PM ₁₀	1
127	Rohtak	Poor	292	PM _{2.5}	1
128	Rupnagar	Moderate	175	PM ₁₀	1
129	Sagar	Satisfactory	79	PM _{2.5}	1
130	Sasaram	Poor	257	PM _{2.5}	1
131	Satna	Satisfactory	62	PM ₁₀	1
132	Shillong	Good	19	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Moderate	126	PM ₁₀	1
134	Singrauli	Poor	241	PM _{2.5}	1
135	Sirsa	Moderate	125	PM ₁₀	1
136	Siwan	Poor	253	PM _{2.5}	1
137	Sonipat	Moderate	147	PM ₁₀	1
138	Srinagar	Moderate	105	PM ₁₀	1
139	Talcher	Moderate	101	PM _{2.5}	1
140	Thane	Poor	202	PM ₁₀	1
141	Thiruvananthapuram	Satisfactory	96	PM _{2.5} , PM ₁₀	2
142	Thoothukudi	Satisfactory	88	PM ₁₀	1
143	Tirupati	Moderate	195	PM _{2.5}	1
144	Udaipur	Moderate	175	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udupi	Moderate	169	03	1
146	Ujjain	Moderate	125	PM ₁₀	1
147	Vapi	Poor	263	PM _{2.5}	1
148	Varanasi	Moderate	105	PM ₁₀ , PM _{2.5}	4
149	Vatva	Moderate	168	PM _{2.5}	1
150	Vijayapura	Satisfactory	51	PM ₁₀	1
151	Visakhapatnam	Moderate	137	PM ₁₀	1
152	Vrindavan	Moderate	163	PM _{2.5}	1
153	Yadgir	Satisfactory	94	PM _{2.5}	1
154	Yamunanagar	Moderate	200	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Brajrajnagar, Buxar, Damoh, Durgapur, Gadag, Gummidipoondi, Hubballi, Jorapokhar, Manguraha, Motihari, Naharlagun, Rajgir, Saharsa, Shivamogga, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.