

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	131	PM ₁₀	1
2	Agra	Moderate	124	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Satisfactory	99	PM ₁₀	1
4	Aizawl	Good	25	PM ₁₀	1
5	Ajmer	Moderate	104	PM ₁₀	1
6	Alwar	Satisfactory	99	PM ₁₀	1
7	Amaravati	Moderate	128	PM _{2.5}	1
8	Ambala	Moderate	129	PM _{2.5}	1
9	Amritsar	Moderate	130	PM _{2.5}	1
10	Anantapur	Satisfactory	64	O ₃	1
11	Ankleshwar	Poor	212	PM _{2.5}	1
12	Araria	Poor	297	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal, Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha, Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur, Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	199	PM ₁₀	1
14	Asansol	Poor	240	PM _{2.5}	1
15	Aurangabad (Bihar)	Moderate	159	PM ₁₀	1
16	Aurangabad (Maharashtra)	Moderate	136	PM _{2.5}	1
17	Baddi	Moderate	132	PM _{2.5}	1
18	Bagalkot	Good	39	PM ₁₀	1
19	Bahadurgarh	Poor	255	PM _{2.5}	1
20	Ballabgarh	Poor	260	PM _{2.5}	1
21	Bareilly	Moderate	104	PM ₁₀	1
22	Bathinda	Moderate	156	PM _{2.5}	1
23	Belgaum	Moderate	109	PM ₁₀	1
24	Bengaluru	Good	35	PM ₁₀	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Begusarai,

Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal, Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha, Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur, Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Very Poor	326	PM ₁₀	1
26	Bhagalpur	Very Poor	308	PM _{2.5}	2
27	Bhiwadi	Poor	208	PM ₁₀	1
28	Bhiwani	Moderate	194	PM _{2.5}	1
29	Bhopal	Very Poor	302	PM _{2.5}	2
30	Bihar Sharif	Poor	229	PM _{2.5}	1
31	Bilaspur	Satisfactory	65	СО	1
32	Bulandshahr	Poor	241	PM _{2.5}	1
33	Chamarajanagar	Good	43	PM ₁₀	1
34	Chandigarh	Moderate	128	PM _{2.5}	3
35	Chandrapur	Moderate	164	PM _{2.5}	1
36	Charkhi Dadri	Moderate	177	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai, Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal, Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha, Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur, Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chennai	Good	43	со	7
38	Chhapra	Very Poor	335	PM _{2.5}	1
39	Chikkaballapur	Good	29	со	1
40	Chikkamagaluru	Good	28	03	1
41	Damoh	Moderate	104	PM _{2.5}	1
42	Darbhanga	Very Poor	360	PM _{2.5}	1
43	Delhi	Poor	294	PM ₁₀ , PM _{2.5}	37
44	Dewas	Moderate	124	PM ₁₀	1
45	Dharuhera	Poor	278	PM _{2.5}	1
46	Dindigul	Good	42	SO ₂	1
47	Durgapur	Moderate	146	PM ₁₀	1
48	Eloor	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal, Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha, Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur, Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ernakulam	Good	46	со	1
50	Faridabad	Very Poor	316	PM ₁₀ , PM _{2.5}	4
51	Fatehabad	Poor	246	PM _{2.5}	1
52	Firozabad	Satisfactory	94	NO ₂ , PM _{2.5}	2
53	Gadag	Good	43	03	1
54	Gandhinagar	Satisfactory	85	PM _{2.5}	1
55	Gangtok	Satisfactory	82	PM _{2.5}	1
56	Gaya	Moderate	150	PM _{2.5}	3
57	Ghaziabad	Poor	270	PM _{2.5} , PM ₁₀	4
58	Gorakhpur	Moderate	116	PM ₁₀	1
59	Greater Noida	Poor	284	PM ₁₀ , PM _{2.5}	2
60	Gurugram	Poor	230	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal, Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha, Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur, Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available.

* AQI is not calculated for today's bulletin for Baghpat, Begusarai,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Guwahati	Moderate	121	PM _{2.5}	3
62	Gwalior	Moderate	186	PM _{2.5}	2
63	Hajipur	Poor	257	PM ₁₀	1
64	Hapur	Moderate	194	PM _{2.5}	1
65	Hassan	Good	15	PM _{2.5}	1
66	Haveri	Good	45	PM ₁₀	1
67	Hisar	Moderate	186	PM _{2.5}	1
68	Hosur	Satisfactory	66	СО	1
69	Howrah	Moderate	197	PM _{2.5}	3
70	Hubballi	Satisfactory	71	со	1
71	Hyderabad	Satisfactory	85	PM _{2.5} , PM ₁₀	12
72	Imphal	Satisfactory	86	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Begusarai,

Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere,
Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal,
Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha,
Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur,
Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Moderate	131	PM ₁₀	1
74	Jabalpur	Moderate	155	PM _{2.5}	1
75	Jaipur	Moderate	161	PM _{2.5} , PM ₁₀	3
76	Jalandhar	Moderate	119	PM ₁₀	1
77	Jhansi	Moderate	131	PM ₁₀	1
78	Jind	Poor	255	PM _{2.5}	1
79	Jodhpur	Poor	203	PM _{2.5}	1
80	Kaithal	Poor	281	PM _{2.5}	1
81	Kalaburgi	Moderate	145	PM _{2.5}	1
82	Kalyan	Moderate	185	PM ₁₀	1
83	Kanpur	Very Poor	315	PM _{2.5}	3
84	Katihar	Very Poor	369	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Begusarai,

Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere,
Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal,
Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha,
Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur,
Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katni	Moderate	193	PM ₁₀	1
86	Khanna	Moderate	107	PM ₁₀	1
87	Khurja	Moderate	117	PM _{2.5}	1
88	Kishanganj	Poor	208	PM ₁₀	1
89	Kochi	Poor	206	PM _{2.5}	1
90	Kohima	Satisfactory	100	SO ₂	1
91	Kolar	Satisfactory	66	SO ₂	1
92	Kolkata	Poor	205	PM _{2.5}	7
93	Kollam	Satisfactory	66	PM ₁₀	1
94	Koppal	Satisfactory	83	со	1
95	Kota	Poor	221	PM _{2.5}	1
96	Kurukshetra	Moderate	173	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere,

Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal, Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha, Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur, Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Lucknow	Poor	202	PM _{2.5}	6
98	Ludhiana	Poor	206	PM _{2.5}	1
99	Maihar	Good	49	PM ₁₀	1
100	Mandideep	Poor	277	PM ₁₀	1
101	Mandikhera	Moderate	115	PM ₁₀	1
102	Manesar	Moderate	188	PM _{2.5}	1
103	Meerut	Poor	276	PM ₁₀ , PM _{2.5}	3
104	Moradabad	Moderate	145	PM _{2.5}	6
105	Mumbai	Moderate	178	PM _{2.5} , PM ₁₀	18
106	Munger	Poor	209	PM _{2.5}	1
107	Muzaffarnagar	Poor	285	PM _{2.5}	1
108	Muzaffarpur	Poor	292	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Begusarai,

Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal, Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha, Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur, Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mysuru	Good	41	03	1
110	Nagpur	Moderate	135	PM _{2.5}	1
111	Nandesari	Good	50	со	1
112	Narnaul	Moderate	128	PM _{2.5}	1
113	Nashik	Poor	223	PM _{2.5}	1
114	Navi Mumbai	Poor	217	PM _{2.5}	3
115	Noida	Poor	250	PM _{2.5} , PM ₁₀	4
116	Ooty	Good	49	SO ₂	1
117	Pali	Moderate	127	PM _{2.5}	1
118	Palwal	Satisfactory	96	PM ₁₀	1
119	Panchkula	Satisfactory	71	PM _{2.5}	1
120	Panipat	Poor	263	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Begusarai, Notes:

Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal, Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha, Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur, Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Patiala	Moderate	161	PM _{2.5}	1
122	Patna	Very Poor	303	PM ₁₀ , PM _{2.5}	6
123	Pithampur	Moderate	167	PM _{2.5}	1
124	Prayagraj	Moderate	166	PM _{2.5} , O ₃	3
125	Puducherry	Good	33	со	1
126	Raichur	Moderate	112	PM ₁₀	1
127	Rajamahendravaram	Moderate	131	PM _{2.5}	1
128	Rajgir	Moderate	151	PM _{2.5}	1
129	Ramanagara	Good	34	03	1
130	Ramanathapuram	Good	18	PM ₁₀	1
131	Ratlam	Moderate	128	PM _{2.5}	1
132	Rohtak	Poor	258	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Begusarai,

Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere,
Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal,
Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha,
Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur,
Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Rupnagar	Moderate	140	PM ₁₀	1
134	Sagar	Satisfactory	96	O ₃ , CO	2
135	Salem	Good	25	PM ₁₀	1
136	Samastipur	Very Poor	337	PM _{2.5}	1
137	Sasaram	Moderate	191	PM _{2.5}	1
138	Satna	Good	48	03	1
139	Shillong	Good	41	PM _{2.5}	1
140	Shivamogga	Satisfactory	56	PM ₁₀	1
141	Siliguri	Moderate	170	PM _{2.5}	1
142	Singrauli	Poor	284	PM _{2.5}	1
143	Sirsa	Moderate	176	PM _{2.5}	1
144	Sivasagar	Good	32	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Begusarai,

Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere,
Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal,
Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha,
Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur,
Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Siwan	Very Poor	398	PM _{2.5}	1
146	Sonipat	Very Poor	347	PM ₁₀	1
147	Srinagar	Satisfactory	52	PM _{2.5}	1
148	Surat	Moderate	154	PM ₁₀	1
149	Talcher	Moderate	158	PM _{2.5}	1
150	Thane	Moderate	146	PM ₁₀	1
151	Thiruvananthapuram	Good	37	со	2
152	Thoothukudi	Good	19	PM ₁₀	1
153	Udaipur	Poor	217	PM _{2.5}	1
154	Ujjain	Moderate	183	PM _{2.5}	1
155	Varanasi	Satisfactory	92	PM ₁₀ , PM _{2.5}	4
156	Vatva	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Baghpat, Begusarai,

Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal, Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha, Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur, Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vijayapura	Good	47	PM ₁₀	1
158	Visakhapatnam	Moderate	144	PM _{2.5}	1
159	Vrindavan	Moderate	150	PM ₁₀	1
160	Yadgir	Moderate	101	PM _{2.5}	1
161	Yamunanagar	Moderate	129	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Begusarai, Notes: Bhilai, Bidar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Davanagere, Dehradun, Gummidipoondi, Haldia, Jorapokhar, Kanchipuram, Kannur, Karnal, Korba, Kozhikode, Madikeri, Mandi Gobindgarh, Manglore, Manguraha, Motihari, Naharlagun, Pune, Purnia, Raipur, Saharsa, Solapur, Thrissur, Tirupati, Tirupur, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.